

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



FOURTH ANNUAL REPORT on BIRTHS, MARRIAGES, DIVORCES, AND DEATHS,

IN THE

STATE OF MAINE.

1895.

LIBRARY OF Cooper Medical College DATE Septe 1898 NO. 3059. CLASS GIFT OF



TEAN COOLSES TANE LINE






FOURTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES, AND DEATHS



STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1895.

AUGUSTA: KENNEBEC JOURNAL PRINT. 1897.

YAAAAII 38A.

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR, AUGUSTA, ME., July 27, 1897.

To His Excellency, Llewellyn Powers, Governor, and the Honorable Executive Council:

Gentlemen—In accordance with the provisions of the law, I have the honor of submitting to you the Fourth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1895.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.



THE SHADED PARTS INDICATE THE UNSETTLED, OR TIMBERED PORTIONS OF THE STATE.

REGISTRATION REPORT, 1895.

This, the fourth report of the Department of Vital Statistics, gives the results of the registration of the births, marriages, divorces, and deaths in Maine during the year 1895. Many of the figures herein presented are very satisfactory when compared with those of the three preceding years, and with those exhibited by the reports of our other states in which a trustworthy system exists for the registration of vital statistics. In our first registration year, 1892, an exceptionally high death-rate was due to the epidemic prevalence of influenza. Since then the total number of deaths in the State and the death-rate have steadily diminished. In 1892, the number of deaths was 12,147; in 1893, 11,134; in 1894, 11,012, The death-rate for the four years has been, and in 1895, 10,464. respectively, 18.37, 16.84, 16.66 and 15.83. There were, therefore, in 1895, 548 fewer deaths than in 1894, 670 fewer than in 1893, and 1,683 fewer than in 1892. It is to be hoped that the deathrate of 1895 indicates more nearly than that of any preceding year the normal death-rate of the State, or the mean death-rate in the absence of unusual epidemic influences.

The number of births registered in 1895 is larger than that in any previous year,—it was larger than that of the preceding year by 822, while the birth-rate was 22.33 as compared with 21.09 in 1894. In the three years 1892-94, the greatest variation in any one year from the average number for those three years was only 111. The considerable increase in the number of births is undoubtedly due in some measure to the greater care on the part of town clerks to make their records as complete as possible.

The marriage-rate of the State has varied but little in the four years 1892-95. It has been, respectively, 8.56, 8.76, 8.46, and 8.67.

The number of divorces decreed in 1895 was 681, which, in proportion to the number of marriages solemnized during the same year, is larger than in any of the other New England States.

Population.—The population of the State of Maine in 1890 was, as given by the eleventh census, 661,086. In 1880, the population of the State was 648,936. There was, therefore, a gain of 12,150 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1880 and in 1890, and the gain or loss in each:

TABLE No. 1.
Population in 1890 and 1880.

Counties.	18 9 0.	1880.	Difference.		
Androscoggin	48,968	45,042	8,926 gain		
Aroostook	49,589	41,700	7,88£ gain		
Cumberland	90,949	86,359	4,590 gain		
Franklin	17,053	18,180	1,127 loss		
Hancock	37,312	38,129	817 loss		
Kennebec	57,012	58,058	8,954 gain		
Knox	31,478	32,863	1,390 loss		
Lincoln	21,9 9 6	24,821	2,825 loss		
Oxford	30,586	32,627	2,041 loss		
Penobscot	72,865	70,476	2,389 gain		
Piscataquis	16,134	14,872	1,262 gain		
Sagadahoc	19,452	19,272	180 gain		
Somerset	32,627	32,333	294 gain		
Waldo	27,759	82,463	4,704 loss		
Washington	44,482	44,484	2 loss		
York	62,829	62,257	572 gain		
State	661,086	648,936	12,150 gain		

Density of Population.—Table No. 2 shows the comparative density of the population in the several New England States at the last two census enumerations. The extremes of density were in Maine and Rhode Island, there being in 1890, 22.1 persons per square mile in Maine, and 318.4 per square mile in Rhode Island.

TABLE No. 2.

Density of the Population.—Census of 1880 and 1890.

	Ares in square miles.	Population in 1890.	Persons to square mile —1880.	Population in 1890.	Persons to square mile —1890.
Maine	29,895	648,936	21.7	661,086	22.1
New Hampshire	9,005	346,991	38.5	876,580	41.8
Vermont	9,135	332,286	36.4	332,422	36.4
Massachusetts	8,040	1,783,085	221.8	2,238.943	278.5
Rhode Island	1,085	276,531	254.9	845,506	318.4
Connecticut	4,845	622,700	128.5	746,258	154.0
New England	62,005	4,010,529	64.7	4,700,745	75.8

Total area 66,465 miles, of which 4,460 or 6.7 per cent is water.

In our own State, as is shown in the map which accompanies this report, a large part of some of the counties is unsettled and covered with forest. This timbered region is represented by the shaded portion of the map. It results, therefore, that the degree of density differs quite widely in the different counties. The following is a tabular statement of the comparative density of the population in the several counties:

TABLE No. 3.

Density of the Population—Census of 1890.

Counties.	Area in square miles.	Population in 1890.	Persons to square mile in 1890.
Androscoggin	485	48,9 68	100.9
Aroostook	6,700	49,589	7.4
Cumberland	1,005	90,949	90.4
Franklin	1,660	17,053	10.2
Hancock	1,312	37,812	28.4
Kennebec	888	57,012	64.2
Knox	328	31,478	95.9
Lincoln	520	21,996	42.8
Oxford	1,892	30,586	16.2
Penobscot	3,332	72,865	21.9
Piscataquis	3,772	16,134	4.3
Sagadahoe	260	19,452	74.8
Somerset	3,664	32,627	8.9
Waldo	708	27,759	89.4
Washington	2,452	44,482	18.1
York	920	62,829	68.3
State	29,895	661,066	22.1

Birth, Marriage, and Death Rates.—In this report the birthrates, marriage-rates, and death-rates from all causes, are stated as so many among each 1,000 of the population as shown by the census of 1890.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1890; Births, Marriages and Deaths, with Rate of each to 1,000 of Population for the Year Ending December 31, 1895.

Counties.	Population in 1890.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000 per- sons married.	Deaths.	Death-rate per 1,000.
	m.=		щд		A 124 dd	H	<u> </u>
Androscoggin	48,968	1,244	25.40	459	18.75	866	14.40
Aroostook	49,589	1,946	39.56	543	21. 90	665	13.52
Cumberland	90,949	2,146	23.60	813	17.88	1,629	17.91
Franklin	17,058	362	21.43	158	18.53	272	16.10
Hancock	37,812	782	21.13	321	17.21	510	13.78
Kennebec	57,012	1,075	18.86	506	17.75	1,014	17.79
Knox	31,473	622	19.78	287	18.24	526	16.78
Lincoln	21,996	876	17.09	150	13.64	325	14.78
Oxford	30,586	588	19.35	249	16.28	455	14.98
Penobscot	72,865	1,479	20.37	684	18.82	1,130	15.51
Piscataquis	16,184	333	21.14	151	18.72	207	13.14
Sagadahoc	19,452	387	19.90	111	11.41	287	14.75
Somerset	32,627	622	19.19	307	18.82	521	16.07
Waldo	27,759	412	14.84	218	15.71	405	14.59
Washington	44,482	914	20.72	320	14.39	603	18.67
York	62,929	1,474	23.46	452	14.39	1,049	16.70
State	661,086	14,762	22.33	5,729	17.34	10,464	15.88
	ı	ı	ı	ı	,		

The following is a general summary of the births, marriages, and deaths in 1895:

BIRTHS.

Sex.		Parentage.						
Males	7,602	American	9,30					
Females	7,144	Foreign	2,97					
Not stated	16	One parent foreign	2,26					
	14,762	Not stated	218					
			14,76					
Whole number of births	• • • • • • • • • • • • • • • • • • • •		14,769					
Birth-rate per 1,000		***************************************	*22.38					

^{*} Birth-rates, marriage-rates, and death-rates based on the population for 1890.

MARRIAGES.

Groom and bride both American	
Groom and bride both foreign	614
Groom American, bride foreign	408
Groom foreign, bride American	418
Not stated	224
Whole number of marriages	5,729
Marriage rate per 1,000	8.66

DEATHS.

Sex.		Parentage.						
Males	5,226	American	8,995					
Females	5,228	Foreign	1,188					
Not stated	10	Not stated	281					
	10,464	·	10,464					

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1895 was 14,762 and the number of deaths was 10,464, the natural increase of births over deaths was 4,298.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths. In none of the preceding registration years has the number of births been greater than the number of deaths in every county in the State.

TABLE No. 5.

Counties.	Population in 1890.	Births.	Deaths.	Difference.
Androscoggin	48, 9 68	1,244	866	378 gain
Aroostook	49,589	1,946	665	1,281 gain
Cumberland	90,949	2,146	1,629	517 gain
Franklin.	17,053	362	272	90 gain
Hancock	87,312	782	510	272 gain
Kennebec	57,012	1,075	1,014	61 gain
Knox	31,4 73	622	526	96 gain
Lincoln	21,996	376	325	51 gain
Oxford	30,586	588	455	133 gain
Penobscot	72,865	1,479	1,130	349 gain
Piscataquis	16,134	333	207	126 gain
Sagadahoe	19,452	387	287	100 gain
Somerset	32,627	622	521	101 gain
Waldo	27,759	412	405	7 gain
Washington	44,482	914	603	311 gain
York	62,829	1,474	1,049	425 gain
State	661,096	14,762	10,464	4,298 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following:

TABLE No. 6.

Cities.	Population in 1890.	Births.	Deaths.	Difference.
Auburn	11,250	220	162	58 gain
Augusta	10,527	245	*308	63 loss
Bangor	19,103	374	836	38 gain
Bath	8,723	190	134	56 gain
Belfast	5,294	53	75	22 loss
Biddeford	14,443	532	325	207 gain
Brewer	4,198	124	79	45 gain
Calais	7,290	206	133	73 gain
Deering	5,853	142	102	40 gain
Eastport	4,908			
Ellsworth	4,804	63	58	5 gain
Gardiner	5,491	111	104	7 gain
Hallowell	8,181	41	44	8 loss
Lewiston	21,701	644	437	207 gain
Old Town	5,312	124	93	31 gain
Portland	36,425	904	755	149 gain
Rockland	8,174	141	161	20 loss
Saco	6,075	116	87	29 gain
Waterville	7,107	233	104	129 gain
Westbrook	6,632	229	99	130 gain
Total	195,986	4,692	8,596	1,096 gain

^{*} Including 78 deaths in the Insane Hospital.

TABLE.
Births, Marriages and Deaths
ANDROSCOGGIN

]	BIRTH	8.				
				Sex.				Pare	ntag	e.	
TOWNS.	Population in 1890.	Маје.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated,
Auburn	11,250	97	123	-	220	19.56	103	86	11	14	6
Durham	1,111	13	7	-	20	18.00	15	4	1	-	-
East Livermore	1,506	22	25	-	47	31.21	30	10	6	1	-
Greene	885	5	15	- '	20	22.60	14	2	3	1	-
Leeds	999	13	10	-	23	23.02	19	-	2	2	-
Lewiston	21,701	347	297	-	644	29.68	120	431	41	41	11
Lisbon	3,120	66	58	-	124	39.74	58	49	8	8	1
Livermore	1,151	10	10	-	20	17.38	16	-	2	2	-
*Mechanic Falls	-	14	9	-	23	-	19	-	1	3	-
Minot	1,855	12	9	_	21	15.50	19	1	-	1	-
Poland	2,472	12	13	-	25	10.11	20	3	1	1	-
Turner	2,016	6	-13	-	19	9.42	19	-	-	-	-
Wales	451	6	5	-	11	24.39	11	-	-	-	-
Webster	951	15	12	-	- 27	28.39	11	4	7	4	1
Total	48,968	638	606	-	1,244	25.40	174	590	83	78	19

^{*}Incorporated in 1893.

No. 7. for the Year 1895. COUNTY.

		- 4	THS.	DEA									
		tivity	Na		ζ.	Sex				AGES.	I ARRI	λ	
Death rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
14.40	4	18	140	162	-1	90	72	88	2	1	6	6	73
13 50	-	1	14	15	=	6	9	-6	-	-	1	-	5
18.59	3	2	23	28	=	14	14	19	=	-	2	2	15
22.60	-	1	19	20	-	13	7	11	9	120	-	24	11
16.02	1	-	15	16	-	9	7	5	-	2	-	-	5
20.14	9	127	301	437	-	217	220	224	2	19	29	109	65
16.03	-	7	43	50	=	23	27	34	-	3	4	11	16
13.03	-	0	15	15	-	6	.9	9	-	-	1	-	8
÷	1	4	22	27	-	11	16	20	-	-	1	-	19
11.07	-	-	15	15	-	9	6	4	-	3	-	-	4
12.54	- 1	2	29	31	-	17	14	9	-	1	1	(-1	7
12.40	-	-	25	25	-	13	12	19	-	1	-	-	18
22.17	1	-	9	10	7-1	2	8	1	-1	1	-	-	-
15.77	-	4	11	15	-	11	4	10	2	2	2	-	6
17.69	19	166	681	866	-	441	425	459	4	28	47	128	252

TABLE
Births, Marriages and Deaths
AROOSTOOK

	J	BIRTHS.									
				Sex.			Pare	ntag	e.		
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	420	4	3	0	7	16.66	6	-	1	-	-
Ashland	568	8	5	-	8	14.08	6	-	2	-	-
Bancroft	264	6	7	-	13	49.24	4	4	2	2	1
Benedicta	317	6	3	-	9	28.39	7	-	. 5	-	-
Blaine	784	15	17	-	32	40.82	11	10	7	4	_
Bridgewater	946	18	14	3	32	33.83	7	15	4	6	-
Caribou	4,087	101	85	-	186	45.51	66	46	43	30	1
Dyer Brook	221	2	5	-	7	31,67	.6	-	-	1	-
Easton	978	10	7	-	17	17.38	8	4	12	5	_
Fort Fairfield	3,526	57	58	-	110	31.20	45	15	17	30	
Fort Kent	1,826	69	47	-	116	63.53	75	6	11	19	5
Frenchville	2,560	96	73	-	169	66.02	156	1	5	4	
Grand Isle	964	22	35	3+	57	59.13	34	4	11	7	1
Haynesville	280	5	3	-	8	28.57	7	-	1	-	÷
Hersey	151	6	3	1-	9	59.60	7	-	2	-	-
Hodgdon	1,118	14	15	-	29	26.06	9	10	6	4	-
Houlton	4,015	46	43	-	83	20.67	22	33	17	11	-
Island Falls	228	20	18	-	88	170.40	15	13	4	6	-
Limestone	983	18	14	-	32	34.30	10	13	1	8	-
Linneus	965	15	18	-	33	34.20	15	6	8	4	-
Littleton	924	14	22	-	36	38.96	17	8	7	4	-
Ludlow	878	5	7	-	12	32.00	3	5	3	1	-
Madawaska	1,451	31	21	-	52	35.84	39	1	3	9	-
Mapleton	832	11	7		18	21.63	14	2	-	2	

No. 7—Continued. for the Year 1895. COUNTY.

									DEA	THS.			
]	MARRI	AGES.				Se	x.		N	ativity	7.	
Both American.	Both foreign.	Hurband American.	Wife American.	Not stated.	Total.	Маје.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
-	-	-	-	-		4	8	-	7	6	1	-	16.66
в	-	1	1	-	8	2	1	-	3	8	-	-	5.28
2	-	2	-	-	4	2	2	-	4	3	-	1	15.35
4	-	-	1	-	5	-	-	-	-	-	-	-	-
3	1	, 6	1	-	11	10	5	-	15	10	5	-	19.13
1	8	2	-	1	12	5	2	-	7	4	3	-	7.40
31	15	8	17	-	71	32	28	-	60	46	12	2	14.68
1	-	-	-	-	1	4	-	-	4	4	-·	-	18.10
6	2	6	3	-	17	1	4	-	5	5	-	-	5.11
17	5	ક	7	-	38	24	15	1	40	28	9	8	11.34
17	-	2	1	-	20	28	19	-	47	43	4	-	25.74
33	-	-	4	-	37	25	24	-	49	47	2	-	19.14
4	-	2	2	-	8	7	7	-	14	12	2	-	14.52
-	1	-	1	-	2	-	2	-	2	1	-	1	7.14
1	-	-	-	-	1	-	1	-	1	1	-	-	6.62
5	-	3	1	-	9	4	7	-	11	10	1	-	9.88
17	34	11	13	2	77	11	21	-	32	22 12	10 2	-	7.97 62.78
6	-	4	1	-	11	4	10	-	14	12	2	_	6.48
3 2	3	3	1	-	10	4	2	-	6 13	8	5	_	13.47
2	, '	1	1	-	5 1	6 8	6	-	13	10	4	_	15.15
_	2	1	- 8	_	6	3	2	_	5	4	1	_	18.33
8	-	_ ']	_ °	_	8	2	3	_	5	5	_ ^	_	8.45
8	_	1	_	_	4	2	5	_	7	3	4	_	8.41
<u> </u>						1	,		<u> </u>				

TABLE
Births, Marriages and Deaths
AROOSTOOK

					1	BIRTHS	š.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mars Hill	837	18	18	15	36	43.01	7	12	9	7	1
Masardis	250	5	2	-	7	28.00	6	127	1	_	-
Monticello	1,132	23	22	-	45	39.75	12	13	7	13	-
New Limerick	567	9	10	-	19	33.51	8	3	1	7	-
New Sweden	707	7	14	-	21	29.70	1	17	1	2	-
Orient	244	-	2	-	2	8.19	1	-	~	1	-
Presque Isle	3,046	85	80	-	165	54 17	67	89	30	29	-
Sherman	909	14	14	-	28	30.80	22	1	5	-	-
Smyrna	303	5	8	-	8	26.40	3	1	2	2	-
Van Buren	1,168	10	15	-	25	21.40	12	8	3	2	-
Washburn	1,097	21	18	-	39	35.55	20	9	5	5	-
Weston	404	4	4	4	8	19.80	3	2	2	1	-
Woodland	885	14	16	(8)	30	33.90	17	5	2	5	1
Allagash Pl	200	2	2	-	4	20.00	4	-	-	-	-
Cary Pl	390	1	9	-	10	25.64	6	-	4	-	-
Castle Hill Pl	537	6	9	-	15	27.93	8	2	3	2	-
Caswell Pl	212	7	5		12	56.60	5	2	2	2	1
Chapman Pl	231	7	2		9	38.96	7	1	1	-	-
Connor P1	526	11	22	-	33	62.74	6	6	11	8	2
Crystal Pl	297	7	3	15	10	33.67	5	2	2	1	-
Cyr Pl	429	11	19	-	30	69.93	18	1	6	5	-
Eagle Lake Pl	313	7	8	-	15	47.92	13	-	1	1	+
Garfield Pl	86	2	1	-	3	34.88	2	L	-	1	-
Glenwood Pl	183	3	1	-	4	21.86	4	-	-	_	_

No. 7—Continued. for the Year 1895. COUNTY—CONTINUED.

									DEA	THS.	Nativity. 10				
]	MARRI	AGES.				8e	x.		N	ativit	у.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.		
2	-	3	1	-	6	7	6	-	13	10	2	1	15.53		
3	-	-	-	-	3	1	-	-	1	-	1	-	4.00		
5	2	3	2	-	12	6	8	-	14	9	5	-	12.87		
-	-	-	-	-	-	6	3	-	9	6	8	-	15 87		
2	4	-	1	-	7	2	3	-	5	1	4	-	7.07		
-	5	1	-	-	6	1	-	-	1	-	1	-	4.10		
24	5	8	10	1	48	31	25	-	56	43	12	1	18.38		
12	-	-	3	-	15	8	-	-	3	2	1	-	3.30		
4	-	2	1	-	7	2	4	-	6	3	8	-	19.80		
8	1	2	2	-	13	8	10	-	18	16	2	-	15.41		
8	2	1	1	-	12	7	9	-	16	13	8	-	14.59		
-	-	-	1	-	1	1	2	-	3	2	1	-	7.43		
-	-	-	-	-	-	8	7	-	15	11	4	-	16. 9 5		
- (-	-	-	-	-	2	1	-	3	2	1	-	15.00		
1	2	-	-	-	8	1	8	-	4	8	1	-	10.26		
5	-	-	1	-	6	2	6	-	8	7	1		14.90		
-	-	1	1	-	2	7	5	-	12	9	1	2	56.60		
1	-	-	-	-	1	3	1	-	4	4	-	-	17.82		
-	-	-	-	-	-	5	7	-	12	12	-	-	22.81		
2	-	-	-	-	2	2	-	-	2	2	-	-	6.73		
-	-	-	-	-	-	4	3	-	7	6	1	-	16.32		
1	-	-	-	-	1	5	1	-	6	4	2	-	19.17		
-	-	-	-	-	-	1	-	-	1	1	-	-	11.62		
-	-	-	-	-	-	-	2	-	2	2	-	-	10.98		

TABLE
Births, Marriages and Deaths
AROOSTOOK

					В	IRTHS	•				=
				Sex.				Paren	tage		_
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.		American mother and foreign father.	American father and foreign mother.	Not stated.
Hamlin Pl	484	17	10	_	27	55.79	16	8	2	6	_
Hammond Pl	109	2	2	_	4	36.69	1	1	2	-	
Macwahoc Pl	216	3	4	-	7	32.41	5	1	1	-	-
Merrill Pl	244	8	5	-	8	32.79	4	1	2	1	-
Molunkus Pl	77	1	1	-	2	25.97	1	-	1	_	_
Moro Pl	199	2	6	-	8	40.20	7	1	-	-	_
Nashville Pl	34	-	1	_	1	29.41	1	-	-	-	_
New Canada Pl	301	10	7	-	17	56.48	P	2	4	2	_
Oakfield Pl	720	20	19	-	89	54.17	21	4	11	8	_
Oxbow Pl	94	4	3	-	7	74.47	6	-	_	1	_
Perham Pl	438	12	4	-	16	36.53	7	5	3	1	-
Portage Lake Pl	140	1	2	_	8	21.43	3	_	-	-	-
Reed Pl	203	4	4	-	8	39.41	8	1	1	1	2
Sheridan Pl	221	-	-	-	-	-	-	_	-	-	-
St. Francis Pl	461	13	8	-	21	45.55	15	-	1	5	-
8t. John Pl	226	2	7	-	9	39.82	2	1	4	2	-
Silver Ridge Pl	195	2	1	-	3	15.38	2	-	-	-	1
Stockholm Pl	105	2	_	-	2	19.05	2	-	-	_	-
Wade Pl	158	8	6	-	14	88.61	10	1	-	8	-
Wallagrass Pl	595	18	22	-	40	67.23	27	5	5	8	-
Westfield Pl	166	1	5	-	6	86.14	4	2	-	-	-
Westmanland Pl	52	8	1	-	4	76.92	-	8	-	1	-
Winterville Pl	72	5	4	-	9	125.00	đ	-	2	-	1
Total	*49,186	1,000	946	-	1,946	89.56	1,001	351	294	280	20

^{*}Population in unorganized plantations in 1890, 408.

No. 7—Continued. for the Year 1895. COUNTY—CONCLUDED.

	9 5 - 14 13 1 - 28 2 2 1 1 - 18 3 3 2 1 - 12 5 1 1 1 1 1 - 5												
	у.	ativity	N		х.	Se			•	IAGES	MARR		
Death rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
28.9	-	1	13	14	-	5	9	-	-	-	-	-	-
18.	-	1	1	2	-	-	2	-	-	-	-	-	-
9.9	-	1	1	2	-	2	-	2	-	1	-	-	1
12.9	-	1	2	8	-	-	3	1	-	-	-	-	1
_	-	-	-	-	-	-	-	-	-	-	-	-	-
5.0	_	-	1	1	_	-	1	6	-	1	1	-	4
29.4	-	1	-	1	_	-	1	-	_	_	-	-	-
9.9	_	-	3	8	_	1	2	_	_	_	_	_	_
9.1	_	2	5	7	_	1	6	7	_	1	_	1	5
31.9	_	_	3	3	_	-	3	_	_	_	_	_	_
11.4	_	1	4	5	_	4	1	_	_	_	_	_	_
_	_	_	_	_	_	_	_	2	_	_	_	_	2
14.7	_	1	2	3	_	1	2	1	_	_	_	_	1
4.6	1	_	_	1	_	1	_	- 1	-	-	-	-	-
8.6	_	1	8	4	_	1	3	2	_	_	_	1	1
18.9	_	_ [8	3	_	2	1	1	_	_	_	_]	1
20.	_	_	4	4	_	2	2	_]	_	_	_	_	_
9.1	_	_	1	1	_	_ [1	_	_	_	_	_	_
12.6	_	1	1	2	_	2	_ 1	2	_	_	_	_	2
16.6	1	_ 1	9	10	1	8	6	7	_		_	_	7
24.	_ 1	,	3	4	_ 1	1	8	_	_	_	_		_ '
19.9	_	1	ا _	1	_	_ 1	1	1	_	_	_	1	
69.4	_	_ 1	5	5	_	2	3	_ 1	_	_	_	_ 1	
18.4	13	129	523	665		810	353	543		 85	 85	96	273
20.0	-0	120	020	1,00	-	010	500	رمحن	•	30	80	20	213

TABLE Births, Marriages and Deaths CUMBERLAND

]	BIRTH	3.				
				Sex.				Pare	ntag	е.	_
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	932	10	11	-	21	22.53	20	-	1	-	-
Bridgton	2,605	22	20	-	42	16.12	32	3	5	-	2
Brunswick	6,012	101	79	-	180	29.94	50	109	12	8	1
Cape Elizabeth	5,459	16	23	-	39	7.14	28	5	2	3	1
Casco	844	10	5	-	15	17.77	15	-	-	-	-
Cumberland	1,487	15	20	-	35	23.54	28	4	2	1	-
Deering	5,353	65	77	-	142	26.53	88	26	4	17	7
Falmouth	1,580	12	14	-	26	16.46	16	7	2	1	-
Freeport	2,482	28	25	-	53	21.35	46	-	2	4	1
Gorham	2,888	29	16	-	45	15.58	37	3	4	1	-
Gray	1,517	13	12	-	25	16.48	25	-	-	-	-
Harpswell	1,766	17	19	-	36	20.39	34	-	2	-	-
Harrison	1,071	12	6	-	18	16.81	18	-	-	-	-
Naples	846	12	10	-	22	26.00	22	-	-	-	-
New Gloucester	1,234	12	15	-	27	21.88	22	2	1	2	
North Yarmouth	709	4	4	-	8	11.28	7	1	-	-	-
Otisfield	83 8	6	1	-	7	8.35	6	-	-	-	1
Portland	36,425	438	465	1	904	24.82	420	298	79	95	12
Pownal	712	2	8	-	10	14.04	10	-	-	-	-
Raymond	927	7	10	-	17	18.34	15	-	2	-	-
Scarboro	1,794	22	15	-	37	20.62	30	2	-	5	-
Sebago	681	7	8	-	10	14.68	10	-	-	-	-
*South Portland	-	52	39	-	91	-	63	7	6	15	-
Standish	1,841	15	14	-	29	15.75	24	1	1	1	2
Westbrook	6,632	127	102	-	229	34.53	80	119	14	15	1
Windham	2,216	14	19	-	33	14.89	26	2	2	2	1
Yarmouth	2,098	25	20	-	45	21.45	31	9	1	8	1
Total	90,949	1,093	1,052		2,146	23.60	1203	598	142	173	80

^{*} Incorporated in 1895.



No. 7—Continued. for the Year 1895. COUNTY.

	_	·			-				DEA	THS.			
		MARRI	AGES.				Se	х.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
8	-	-	-	-	8	3	7	-	10	10	-	-	10.7
27	1	1	1	-	30	24	18	-	42	39	2	1	16.1
33	18	5	2	1	59	56	58	· -	114	101	12	1	18.9
8	- }	-	1	-	9	11	15	-	26	21	2	3	4.7
4	-	-	-	-	4	5	7	-	12	12	-	-	14.2
11	-	-	-	-	11	15	15	-	30	30	-	-	20.1
44	5	8	1	-	58	52	50	-	102	80	15	7	19.0
8	-	1	1	-	10	11	15	-	26	24	1	1	16.4
11	-	-	-	-	11	22	20	-	42	42	-	-	16.9
21	-	3	1	2	27	22	17	-	39	37	1	1	13.5
13	-	-	-	-	13	14	14	-	28	28	-	-	18.4
19	-	1	-	-	20	13	7	-	20	19	1	-	11.3
8	-	-		-	8	7	13	-	20	20	-	-	18.6
2	-	-	-	1	3	7	3	-	10	10	-	-	11.8
4	-	4	1	-	9	15	13	- 1	28	28	-	-	22.6
5	-	-	-	-	5	7	6	_	13	13	-	-	18.3
3	-	1	-	-	4	4	7	-	11	11	-	-	13.1
205	86	44	31	-	366	374	380	1	755	504	177	74	20.7
1	-	1	-	-	2	6	6	-	12	12	-	-	16.8
4	-	-	-	-	4	6	4	-	10	10	-	-	10.7
8	-	-	1	-	4	5	17	-	22	21	-	1	12.2
1	-	-	-	-	1	4	2	-	6	6	-	-	8.8
27	1	5	5	-	38	28	26	-	54	47	4	3	-
6	-	-	1	-	7	17	18	-	35	33	2	-	19.0
28	21	9	8	1	67	47	52	-	99	78	18	3	14.9
19	-	-	1	-	20	14	17	_	31	27	3	1	13.9
11	1	1	2	-	15	17	15	-	32	26	5	3	15.2
534	133	84	57	5	813	806	822	<u>1</u>	1,629	1,289	243	97	17.9

TABLE Births, Marriages and Deaths FRANKLIN

					1	BIRTH	3.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	A merican mother and foreign father.	American father and foreign mother.	Not stated.
Avon	439	2	6	-	8		8	-	-	-	-
Carthage	390	8	3	-	6	15.38	6	-	-	-	-
Chesterville	770	5	7	-	12	15.58	12	-	-	-	-
Eustis	321	8	12	-	20	62.31	12	2	3	2	1
Farmington	3,207	39	24	-	63	19.64	51	3	6	3	-
Freeman	464	4	2	-	6	12.93	6	-	-	-	-
Industry	545	9	3	-	12	22.02	11	-	1	-	-
Jay	1,541	26	23	-	49	31.80	18	23	4	2	2
Kingfield	601	2	5	-	7	11.65	7	-	-	-	-
Madrid	441	6	6	-	12	27.21	11	-	-	1	-
New Sharon	1,064	8	8	-	16	15.04	16	-	-	-	-
New Vineyard	660	4	7	-	11	16.67	10	-	1	-	-
Phillips	1,394	10	y	-	19	13.63	18	-	-	-	1
Rangeley	616	14	12	_	26	42.21	22	-	-	1	8
Salem	218	3	5	_	8	36.70	8	-	-	-	-
Strong	627	7	7	-	14	22.3 3	14	-	-	-	-
Temple	470	5	8	-	8	17.02	7	-	1	-	-
Weld	885	10	11	-	21	23.78	19	1	-	1	-
Wilton	1,622	15	10	_	25	15.41	20	1	2	-	2
Coplin Pl	71	-	_	_	-	-	-	-	-	-	-
Dallas Pl	184	8	5	_	13	70.65	13	-	-	-	_
Greenvale Pl	52	-	_	_	-	_	-	-	-	-	-
Jerusalem Pl	18	-	_	_	-	_	-	-	-	_	-
Lang Pl	51	1	1	_	2	39.21	2	-	-	_	-
Lowell Pl	49	_	_	_	_	_	_	-	-	-	-
Perkins Pl	94	1	1	_	. 2	21.28	2	_	-	_	-
Redington Pl	28	1	1	_	2	71.43	1	1	-	-	-
Sandy River Pl	45	_	_	_	_	_	-	_	-	_	_
Township No 6	26	_	_	_	_	_	_	_	-	-	-
-	*16,893	191	171		362	21.43	294	31	18	10	

*Population in unorganized plantations in 1890, 160.

No. 7—Continued. for the Year 1895. COUNTY.

		V							DEA	THS.			
		MARR	IAGES.	•			Se	x.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
1	-	-	-	-	1	1	7	-	8	7	Γ-	1	18.22
2	-	-	-	-	2	2	3	-	5	5	-	-	12.82
8	-	-	-	-	8	5	10	-	15	15	-	-	19.48
-	-	-	-	-	-	1	3	-	4	4	-	-	12.46
38	1	2	1	-	42	18	23	-	41	37	4	-	12.78
2	-	-	-	-	2	1	8	-	4	8	1	-	8.62
3	-	-	-	-	3	. 5	4	-	9	9	-	-	16.51
6	2	-	3	-	11	12	12	-	24	21	8	-	15.57
7	-	-	-	-	7	4	5	_	9	9	-	-	14.98
7	-	-	-	-	7	4	2	-	6	6	-	-	13.61
10	-	-	-	-	10	11	4	-	15	15	-	-	14.10
5	-	-	-	-	5	8	12	-	20	20	-	-	30.30
15	2	-	-	-	17	10	11	-	21	21	-	-	15.06
9	-	-	-	-	9	3	4	-	7	5	1	1	11.36
1	-	-	-	-	1	-	1	-	1	1	-	- j	4.59
в	-	-	-		6	8	9	-	17	17	-	-	27.11
2	-	-	-	-	2	5	9	-	14	14	-	-	29.79
9	-	-	-	-	9	3	6	-	9	9	-	-	10.17
11	-	1	3	-	13	11	19	-	30	80	-	-	18.50
-	-	-	-	-	-	1	-	-	1	1	-	-	14.08
-	-	-	-	-	-	3	-	-	3	2	-	1	16.36
-	-	-	1	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	1	-	-	55.56
-	-	-	-	-	-	1	1	-	2	1	1	-	89.21
-	-	-	-	-	-	1	-	-	1	1	-	-	20.41
1	-	-	-	-	1	-	1	-	1	1	-	-	10.64
-	-	-	1	-	1	1	-	-	1	-	ı	-	85.71
-	-	-	-	-	-	1	1	-	2	2	-	-	44.44
-						1		-	1	1	<u>-</u> ¦		38.46
143	5	8	7		158	121	151	_	272	258	11	3	16.10

TABLE Births, Marriages and Deaths HANCOCK

					1	BIRTH	3.				
				Sex.				Pare	ntag	e.	
TOWNS.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	375	3	3	-	6	16.00	5	-	-	1	-
Aurora	175	1	. 4	-	5	28.57	5	-	-	-	-
Bluehill	1,980	24	22	-	46	23.23	39	2	2	-	3
Brooklin	1,046	17	4	-	21	20.07	18	-	1	2	-
Brooksville	1,310	12	16	-	28	21.37	27	-	1	-	-
Bucksport	2,921	24	23	-	47	16.09	43	-	1	2	1
Castine	987	8	8	-	16	16.21	14	-	-	-	2
Cranberry Isles	330	6	5	-	11	33.33	8	-	-	3	-
Dedham	366	5	2	_	7	19.13	4	1	1	1	-
Deer Isle	3,422	55	51	-	106	30.98	97	3	5	-	1
Eastbrook	246	2	6	-	8	32.52	8	-	-	-	-
Eden	1,946	26	30	-	56	28.78	45	3	4	3	1
Ellsworth	4,804	26	87	-	63	13.11	51	1	4	2	5
Franklin	1,264	14	13	-	27	21.36	25	-	1	-	1
Gouldsboro	1,709	10	13	_	23	13.46	21	1	-	1	-
Hancock	1,190	8	7	_	15	12.61	13	1	1	-	_
Isle au Haut	206	1	2	_	8	14.56	3	-	-	-	_
Lamoine	726	5	2	_	7	9.64	7	-	-	-	_
Mariaville	271	3	4	-	7	25 · 83	6	-	1	-	_
Mount Desert	1,355	26	16	-	42	31.00	34	4	1	.2	1
Orland	1,390	20	15	-	35	25.18	33	-	2	-	_
Ot18	239	1	_	_	1	4.18	_	-	-	-	1
Penobscot	1,313	11	15	-	26	19.80	25	-	-	1	_

No. 7—Continued. for the Year 1895. COUNTY.

									DE	TH8.			
		MARR	IAGES	•			Se	x.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
8	-	-	1	-	9	1	4	-	5	5	-	-	13.33
1	-	-	-	-	1	1	2	-	3	3	-	-	17.14
5	-	-	3	-	8	19	16	-	85	35	-	-	17.68
6	-	-	-	-	6	5	8	_	13	13	-	-	12.43
12	-	-	1	-	13	7	10	_	17	16	1	-	12.98
26	1	1	1	-	29	22	24	-	46	42	4	-	15.75
9	-	1	2	-	12	3	11	_	14	14	-	-	14.14
2	-	-	-	-	2	7	-	_	7	6	1	-	21.21
3	-	_	-	-	3	1	1	_	2	1	-	1	5.46
27	1	-	1	-	29	15	16	-	31	30	1	-	9.06
-	-	-	-	-	-	1	2	-	3	3	-	-	12.20
23	1	5	2	1	32	20	22	-	42	40	1	1	21.58
40	8	3	8	-	54	26	32	-	58	48	10	-	12.07
11	-	-	-	-	11	11	10	-	21	19	-	2	16.61
8	- {	-	-	-	8	14	9	-	23	21	2	-	13.46
3	-	-	-	-	1	9	8	-	17	15	2	-	14.29
2	-	1	-	-	3	1	- }	-	1	1	-	-	4.85
4	-	-	1	-	5	8	5	-	8	7	_	1	11.02
7	-	-	-	-	7	2	1	-	3	. 3	-	-	11.07
8	-	-	1	-	9	10	5	_	15	12	3	-	11.07
9	-	-	1	-	10	9	12	_	21	21	-	-	15.11
-	-	-	-	-	-	1	-	-	1	1	-	-	4.18
10	-	-	-	-	10	7	8	-	16	15	-	-	11.42

TABLE
Births, Marriages and Deaths
HANCOCK

						Birth	8.				
				Sex.				Pare	ntag	e.	-
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sedgwick	1,012	11	10	-	21	20.75	15	-	3	1	2
Sorrento*	-	-	1	-	1	-	1	-	-	-	-
Sullivan	1,379	13	12	-	25	18.13	22	1	-	2	-
Surry	986	7	15	-	22	22.31	22	-	_	-	-
Tremont	2,036	24	26	-	50	24.55	41	-	3	6	_
Trenton	528	5	2	_	7	13.26	7	-	-	-	-
Verona	323	2	5	-	7	21.67	5	-	1	1	-
Waltham	242	6	1	_	7	28.93	7	_	-	-	-
Winter Harbor *	-	5	6	_	11	-	9	1	-	1	-
Long Island Pl	132	_	4	_	4	30.30	4	-	-	-	-
Swan's Island Pl	632	7	9	_	16	25.32	16	-	-	-	-
No. 83 P1	112	3	2	-	5	44.64	4	-	1	-	-
No. 21 Pl	63	-	-	-	-	-	-	-	-	-	-
Total	†37,016	391	391		782	21.13	684	18	33	29	18

^{*} Incorporated in 1895.

[†] Population in unorganized plantations in 1890, 296.

No. 7—Continued. for the Year 1895. COUNTY—CONCLUDED.

	_				1				DEA	THS.			
		MARRI	AGES.	,	Ì		Se	x.		Na	ativity	7.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
3	-		-	_	8	11	5	-	16	16	-	-	15.81
-	-	-	-	-	-	-	. 1	-	1	1	٠-	-	-
11	2	-	-	-	13	6	9	-	15	14	1	-	10.88
10	-	1	-	-	11	5	8	-	13	13	-	-	13.18
10	_	2	-	-	12	9	10	_	19	19	-	-	9.33
2	-	-	-	-	2	6	4	-	10	10	-	-	18.94
1	-	-	-	-	1	5	2	-	7	6	1	-	21 67
-	-	-	-	-	-	1	1	-	2	2	-	-	8.26
4	-	-	-	-	4	6	3	-	9	9	_	-	-
3	-	-	-	-	8	1	4	-	5	5	-	-	37.88
8	-	-	-	<u>-</u> .	8	4	7	-	11	11	-	-	17.41
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	_	-	-	-	1	-	-	. 1	1	-	-	15.87
276	8	14	22	1	321	250	260	-	510	478	27	5	13.78

TABLE
Births, Marriages and Deaths
KENNEBEC

					1	Birth	3.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	1,042	Đ	7		16	15.36	15	12	1	3	-
Augusta	10,527	130	115	-	245	23.27	129	68	16	25	7
Belgrade	1,090	11	9	(=1	20	18.35	20	-	-	5	-
Benton	1,136	8	9	4	17	14.96	12	Ψ,	2	3	-
Chelsea	2,356	6	5	4	11	4.67	8	1	-	1	1
China	1,423	5	10	-	15	10.54	14	+	-	4	1
Clinton	1,518	17	13	-	30	19.76	24	-	2	4	ż
Farmingdale	821	3	1	4	4	4.87	3	-	-	+	1
Fayette	649	4	4	14	8	12.33	7	-	-	1	4
Gardiner	5,491	62	49	- 2	111	20.21	68	20	11	10	2
Hallowell	3,181	18	23	~	41	12.89	20	13	4	4	-
Litchfield	1,126	6	5	1	11	9.77	10	-	1	-	+
Manchester	612	6	4	4	10	16.34	10	~	-	-	4
Monmouth	1,362	13	7	~	20	14.68	16	3	1	7	Ψ
Mount Vernon	940	- 6	12	-	18	19.15	16	-	-	1	1
Oakland	2,044	17	12	-	29	14.19	24	1	3	1	-
Pittston	1,281	.5	7	-	12	9.37	10	-	1	1	-
Randolph	1,281	12	10	1	22	17.17	11	6	2	3	4
Readfield	1,176	10	7	15	17	14.46	13	-	1	1	\pm
Rome	500	2	2	-	4	8.00	-4	-	-	-	-
Sidney	1,334	10	5	-	15	11.24	14	-	-	1	-
Vassalboro	2,052	15	17	-	32	15.59	24	3	-	4	1

No. 7—Continued. for the Year 1895. COUNTY.

		••••							DE	ATHS.			
	•	MARR	IAGES.				8e	x.		N	ativit	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
3	-	-	-	-	3	16	9	-	25	25		-	23.99
. 69	28	17	12	1	127	158	150	-	308	251	44	13	29.26
4	-	-	-	-	4	11	7	-	18	18	-	-	16.51
2	-	-	-	-	2	7	8	-	15	15	-	-	13.20
8	-	-	-	-	3	8	3	-	11	10	1	-	4.67
12	-	1	1	-	14	15	13	-	28	24	2	2	19.68
11	-	-	-	-	11	13	8	-	21	20	-	1	13.83
6	-	-	-	-	6	5	7	-	12	12	-	-	14.62
1	-	-	-	-	1	4	4	-	8	8	-	-	12.33
83	3	3	6	1	46	52	52	-	104	95	6	3	18.94
24	2	-	2	-	28	23	21	-	44	84	8	2	13.83
9	-	1	-	-	10	6	12	-	18	18	-	-	15.99
2	-	-	-	-	2	3	6	-	9	9	-	-	14.71
11	-	-	-	-	11	9	14	-	23	22	1	-	16.89
7	-	1	-	-	8	4	5	-	9	9	-	-	9.57
23	1	-	1	-	25	12	18	-	30	29	1	-	14.68
9	-	1	-	-	10	10	5	-	15	13	1	1	11.71
18	-	-	1	-	14	7	8	-	15	14	1	-	11.71
7	-	1	-	-	8	9	10	-	19	18	-	1	16.16
4	-	-	-	-	4	3	3	1	7	7	-	-	14.00
5	-	-	1	-	6	7	6	-	13	12	-	1	9.75
16	1	-	-	-	17	13	24	' -	37	30	5	2	18.03

TABLE
Births, Marriages and Deaths
KENNEBEC

					1	BIRTH	8.		_		
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Vienna	495	5	3	_	8	16.16	8	-	-	-	_
Waterville	7,107	125	104	1	283	32.78	70	85	33	43	2
Wayne	775	4	6	-	10	12.90	9	-	1	-	-
West Gardiner	853	5	8	-	8	9.38	8	-	-	-	-
Windsor	853	4	5	-	9	10.55	8	-	-	1	-
Winslow	1,814	21	27	-	48	26.46	18	17	5	7	1
Winthrop	2,111	83	17	-	50	23.69	35	9	-	2	4
Unity P1	62	1	-	-	1	16.13	1	-	-	-	-
Total	57,012	576	498	1	1,075	18.86	681	226	84	113	21

No. 7—Continued. for the Year 1895. COUNTY—CONCLUDED.

		Marr							DE	ATHS.			
		MAKK	IAGES	•			Se	x.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Маје.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
6	-	-	-	-	6	7	2	-	9	8	-	1	18.18
62	19	15	9	1	106	55	48	1	104	84	14	6	14.63
6	-	-	-	-	6	13	7	-	20	19	-	1	25.81
-	-	-	-	-	-	9	6	-	15	15	-	-	17.58
6	-	-	-	-	6	6	9	-	15	15	-	-	17.58
4	-	1	-	-	5	15	15	-	30	23	6	1	16.54
12	3	2	-	-	17	17	15	-	32	31	-	1	15.16
									-		_	-	
370	57	43	33	3	506	517	495	2	1,014	888	90	36	17.79

3

TABLE
Births, Marriages and Deaths
KNOX

											=
	1.				E	BIRTHS	3.				
				Sex.		Ì		Parer	ıtag	е.	
TOWNS.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	1,080	15	12	-	27	25.00	26	-	-	1	_
Camden	2,471	21	22	-	43	17.40	33	3	2	5	-
Cushing	688	8	6	-	14	20.35	12	-	-	1	1
Friendship	877	5	8	-	13	14.82	12	-	1	-	-
Норе	641	2	7		9	14.04	9	-	-	-	-
Hurricane Isle	266	8	5	-	13	48.87	4	8	1	-	-
North Haven	552	3	4	-	7	12.68	7	-	-	-	-
Rockland	8,174	67	73	1	141	17.25	112	12	9	7	1
Rockport	2,150	22	20	-	42	19.53	33	-	5	3	1
South Thomaston	1,534	13	21	-	34	22.16	29	1	1	2	1
St. George	2,491	40	28	-	68	27.30	39	21	6	2	-
Thomaston	3,009	26	23	-	49	16.28	44	8	2	-	-
Union	1,436	17	8	-	25	17.41	25	-	-	-	-
Vinalhaven	2,617	30	42	-	72	27.51	43	14	11	2	2
Warren	2,037	27	18	-	45	22.09	41	-	1	1	2
Washington	1,230	12	6	-	18	14.63	16	-	2	-	-
Matinicus Isle Pl	196	1	1	-	2	10.20	2	-	-	-	-
Total	*31,449	317	304	1	622	19.78	487	62	41	24	8

^{*} Population in unorganized plantations in 1890, 24.

No. 7—Continued. for the Year 1895. COUNTY.

			ATHS.	DEA							MARR		
	y.	ativit	N		x.	Se			•	IAGES.	M AKK		
Death rate per 1.000.	Not stated.	Foreign.	A merican.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
25	-	1	26	27	_	13	14	5	-	-	-	-	5
18	-	2	44	46	-	26	20	26	-	2	1	-	23
15	_	1	10	11	-	6	5	4	-	-	-	-	4
13	-	1	11	12	-	6	6	8	-	-	1	-	7
10	-	-	7	. 7	-	3	4	2	-	-	-	_	2
7	-	2	-	2	-	1	1	-	-	-	-	-	-
5	-	-	8	3	-	2	1	4	-	-	-	-	4
5 19	5	12	144	161	-	88	73	99	2	4	4	6	83
2 15	2	-	81	83	-	13	20	15	-	-	-	1	14
10	-	8	18	16	-	4	12	13	1	2	1	-	9
21	-	7	46	53	-	25	28	12	-	-	1	1	10
12	-	7	81	38	-	16	22	34	1	-	2	-	31
13	-	-	20	20	1	9	10	14	-		1	-	18
17	-	8	42	45	-	17	28	32	-	4	2	` 2	24
15	-	1	31	32	-	18	14	9	-	-	-	-	9
15	-	-	19	19	-	11	8	10	-	-	-	-	10
5		1		1			1						
7 16	7	41	478	526	1	258	267	287	4	12	18	10	248

TABLE
Births, Marriages and Deaths

					1	BIRTH	8.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	512	3	5	-	8	15.62	8	-	-	-	-
Boothbay	1,718	19	19	-	38	22.12	85	-	1	2	-
Boothbay Harbor	1,699	23	10	-	33	19.42	30	1	-	2	-
Bremen	842	7	7	-	14	16.63	14	-	-	-	-
Bristol	2,821	37	2 0	-	57	20.21	51	3	-	3	-
Damariscotta	1,012	5	7	-	12	11.86	12	-	-	-	-
Dresden	1,043	8	10	-	18	17.26	15	-	1	-	2
Edgecomb	749	8	6	-	14	18.69	12	-	1	1	·-
Jefferson	1,391	14	10	-	24	17.25	22	-	1	1	-
Newcastle	1,282	3	10	-	13	10.14	12	-	-	1	-
Nobleboro	947	7	9	-	16	16.90	16	-	-	-	-
Somerville	453	4	6	-	10	22.07	8	-	-	1	1
Southport	533	3	7	-	10	18.76	. 8	-	-	-	1
Waldoboro	8,505	26	28	-	54	15.41	53	-	-	-	1
Westport	451	2	5	-	7	15.52	6	-	-	1	-
Whitefield	1,215	12	12	-	24	19.75	28	-	-	-	1
Wiscasset	1,783	8	14	-	22	12.69	21	-	-	1	-
Monhegan Pl	90	-	2	-	2	22.22	2	-	-	-	-
Total	21,996	189	187	-	876	17.09	349	4	4	13	6

No. 7—Continued. for the Year 1895. COUNTY.

			THS.	DEA									
	7.	tivity	Nε		х.	Se				AGES.	MARRI		
Death rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
17.58	-	-	9	9	_	4	5	7	-	_	-	-	7
9.31	-	-	16	16	-	7	9	8	-	-	1	-	7
15.30	1	1	24	26	-	10	16	13	1	-	-	1	11
10.69	-	-	9	9	-	6	3	2	-	-	-	-	2
12.76	-	1	35	36	_ :	21	15	14	-		-	-	14
12.85	-	-	13	13	-	7	6	16	-	1	1	-	14
17.26	1	1	16	18	-	12	6	6	-	-	-	-	6
14.69	1	-	10	11	-	7	4	8	-	_	1	-	7
15.82	2	-	20	22	-	14	8	14	-	-	-	_	14
13.26	-	1	16	17	-	7	10	1	-	_	-	-	1
20.06	-	1	18	19	-	8	11	4	-	1	-	_	3
15.45	-	-	7	7	-	5	2	8	-	-	-	_	3
13.13	-	1	6	7	-	3	4	6	1	-	1	-	4
15.12	-	-	58	58	-	23	30	21	-	-	1	·-	20
18.30	-	-	6	6	-	2	4	· 8	-	-	-	-	3
18.93	-	1	22	23	-	7	16	9	-	-	1	- 1	8
18.47	-	1	31	32	-	15	17	15	-	1	-	-	14
11.11	-	-	1	1	-	1	-	-	-	-	-	-	-
14.78	5	8	812	825	-	159	166	150	2	3	6	1	138

TABLE Births, Marriages and Deaths OXFORD

					1	BIRTHS					
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	645	4	7	-	11	17.05	9	9	1	1	5
Andover	740	4	6	4	10	13.51	8	-	-	2	5
Bethel	2,209	12	13	-	25	11.32	19	1	4	1	-
Brownfield	1,134	15	13	+	28	24.69	27	1	-	-	
Buckfield	1,200	12	14	1	26	21.67	26	-	-	-	-
Byron	180	3	1	-	4	22.22	4	-	-	-	Q
Canton	1,303	10	7	-	17	13.05	9	6	1	4	1
Denmark	755	6	5	-	11	14.57	10	4	1	-	_
Dixfield	988	12	17	-	29	29.35	28	5	1	-	
Fryeburg	1,418	12	12	-	24	16.93	21	-	2	1	2
Gilend	336	5	3	-	8	23.81	5	-	1	1	1
Grafton	98	1.4	2	12	2	20.41	2	-	7	-	-
Greenwood	727	10	6	=	16	22.01	15	-	1	-	4
Hanover	212	4	1	-	5	23.58	4	-	1	-	-
Hartford	689	4	4	-	8	11.61	7	-	6	-	1
Hebron	600	6	4	-	10	16.67	10	-	-	-	ă.
Hiram	1,063	10	1	-	11	10.35	8	1	2	-	-
Lovell	853	5	4		9	10.55	9	-	-	-	4
Mason	80	2	-	-	2	25.00	2	-	3	-	4
Mexico	355	10	9	-	19	53.52	12	5	2	-	ş
Newry	343	5	2	1	7	20.41	4	-	2	1	4
Norway	2,665	26	31	~	57	21.39	44	6	1	3	3

No. 7-Continued. for the Year 1895. COUNTY.

		·			-				DEA	THS.			
	I	d arri	AGES.				Se	x.		N	ativity	7.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
1	-	_	-	-	1	4	5	-	9	8	-	1	13.5
3	-	1	-	-	4	7	6	-	13	11	2	-	17.
18	-	-	-	-	18	11	4	-	15	15	-	-	6.
8	-	-	-	-	8	16	10	-	26	26	-	-	22.
6	-	1	· 1	-	8	11	9	-	20	19	-	1	16.
-	-	-	-	-	-	1	1	-	2	2	-	-	11.
6	1	-	2	-	9	4	12	-	16	16	-	-	12.9
2	-	-	-	-	2	1	8	-	9	9	-	-	11.9
7	-	1	1	-	9	6	9	-	15	15	-	-	15.
19	-	-	-	-	19	17	15	-	32	32	-	-	22.
1	-	1	-	-	2	8	4	-	7	7	-	-	20.
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	1	-	3	6	6	-	12	11	1	-	16.
1	-	-	-	-	1	3	2	-	5	5	-	-	23.
2	-	-	-	-	2	3	4	-	7	7	-	-	10.
6	-	-	-	[-	6	3	5	-	8	7	1	-	13.
7	-	-	1	-	8	10	9	-	19	19	-	-	17.
4	-	-	-	-	4	8	5	-	13	13	-	-	15.
-	-	-	-	-	-	1	1	-	2	2	-	-	25.
1	-	1	-	-	2	3	1	-	4	4	-	-	11.
1	1	-	1	-	3	3	2	-	5	4	1	-	14.
33	-	1	2	-	86	19	19	1	39	35	8	1	14.

TABLE Births, Marriages and Deaths OXFORD

					I	BIRTH	J.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford	1,455	6	15	-	21	14.43	17	3	1	-	-
Paris	8,156	26	24	-	50	15.84	42	1	3	4	-
Peru	692	6	2	-	8	11.56	8	-	-	-	-
Porter	1,015	10	9	-	19	18.72	19	-	-	-	-
Roxbury	222	7	3	-	10	45.05	8	1	1	-	-
Rumford	898	36	27	-	63	70.16	32	23	6	2	-
Stoneham	322	3	1	-	4	12.42	4	-	-	-	-
8tow	291	-	1	-	1	3.44	1	-	-	-	-
Sumner	901	5	12	-	17	18.87	17	-	-	-	-
Sweden	888	2	8	-	5	14.79	4	1	-	-	-
Upton	232	1	7	-	8	34.48	4	-	3	1	-
Waterford	1,001	12	9	-	21	20.98	19	1	-	1	-
Woodstock	859	5	7	-	12	13.97	12	-	-	-	-
Franklin Pl	112	1	1	-	2	17.86	2	-	-	-	-
Lincoln Pl	59	-	1	-	1	16.95	1	-	-	-	-
Milton Pl	211	3	3	-	6	28.44	6	-	-	-	-
Batchelders Grant	26	-	1		1	38.46	_			_	1
Total	*30,383	800	288	-	588	19.35	479	50	84	18	7

^{*} Population in unorganized plantations in 1890, 203.

No. 7—Continued. for the Year 1895. COUNTY—CONCLUDED.

		M							DE	ATHS.			
		MARR	IAGES	•			Se	x.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
7	_	-	-	-	7	10	8	-	18	15	1	2	12.37
21	-	-	2	-	23	19	29	-	48	47	. 1	-	15.21
8	-	1	1	-	10	8	5	-	8	7	-	1	11.56
6	-	-	1	-	7	8	5	-	8	8	-	-	7.88
1	-	-	-	-	1	1	3	_	4	4	-	-	18.02
15	-	2	-	1	18	14	10	-	24	22	2	-	26.73
7	-	-	-	-	7	2	1	-	3	8	-	-	9.32
-	-	-	-	-	-	4	5	-	9	9	-	-	30.93
8	-	-	-	-	8	6	4	-	10	9	1	-	11.10
8	-	-	-	-	8	4	2	-	6	6	-	-	17.75
-	-	-	-	-	-	1	-	-	1	1	-	-	4.31
9	-	-	-	-	9	6	9	-	15	14	1	-	14.99
7	-	-	-	-	7	7	8	-	15	15	-	-	17.46
4	-	-	-	-	4	2	1	-	3	3	-	-	26.79
-	-	-	-	-	-	-	1	-	1	1	-	-	16.95
-	-	-	-	-	-	2	2	-	4	3	1	-	18.96
					-	-	-	- ·	-				-
223	3	9	13	1	249	224	230	1	455	434	15	6	14.98

TABLE
Births, Marriages and Deaths
PENOBSCOT

					В	IRTHS	•				
				Sex.				Pare	ntag	e.	
TOWNS.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	348	2	2	-	4	11.49	4	-	-	-	-
Argyle	263	2	1	141	3	11.41	2	-	1	-	4
Bangor	19,103	187	185	2	374	19.59	208	90	25	44	7
Bradford	1,215	19	17	-	36	29.63	35	-	-	1	-
Bradley	823	3		-	3	3.64	-	3	-	-	÷
Brewer	4,193	65	57	2	124	29.57	48	48	16	10	9
Burlington	460	3	4	-	7	15.22	7	-	-	-	-
Carmel	1,066	7	3	-	10	9.39	10	-	-	-	-
Carroll	546	9	6	b=	15	27.47	12	1	2	1	_
Charleston	971	6	2	-	8	8.24	8	-	-	-	-
Chester	368	7	4	-	11	29.89	10	-	-	-	1
Clifton	284	2	3	=	5	17.61	4	-	1	-	Ġ
Corinna	1,207	10	11	-	21	17.40	21	-	-	-	Ġ
Corinth	1,154	3	4	-	7	6.07	7	2	4	-	-
Dexter	2,732	30	28	121	58	21.23	39	12	3	3	,
Dixmont	919	9	10	-	19	20.67	18	-	1	12	-
Eddington	729	· 2	7	-	9	12.35	7	1	-	1	_
Edinburg	54	-	-	-	-		_	-	-	-	-
Enfield	769	15	14	-	29	37.71	15	. 8	2	4	-
Etna	646	6	3	-	9	13.93	8	-	1	-	-
Exeter	939	7	6	-	13	13.84	11	_	1	1	-
Garland	973	10	4	_	14	14.39	14	-	-	-	-
Glenburn	583	6	2	_	8	13.72	6	1	1	l -	-
Greenbush	659	8	5	_	13	19.73	11	1	1 1		-

No. 7—Continued. for the Year 1895. COUNTY.

									DEA	THS.			
		MARR	IAGES.				Se	x.		N	ativity	7.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
4	1	-	1	-	6	2	-	-	2	-	-	2	5.7
1	-	-	-	-	1	-	2	-	2	2	-	-	7.6
45	6	1	5	179	236	182	152	2	336	249	57	30	17.5
15	-	-	-	1	16	7	. 8	-	15	15	-	-	12.8
3	1	-	-	-	4	7	4	-	11	6	1	4	13.3
28	3	3	1	1	86	84	45	-	79	62	15	2	18.8
1	-	-	-	-	1	2	6	-	8	5	-	3	17.8
6	-	1	-	-	7	2	3	-	5	5	-	-	4.6
2	-	-	1	-	8	4	2	-	6	6	-	-	10.9
7	-	-	-	-	7	6	10	-	16	15	-	1	16.4
1	-	-	-	-	1	-	2	-	2	2	-	-	5.4
1	-	-	-	-	1	2	1	-	8	1	-	2	10.50
14	1	1	-	-	16	9	6	-	15	15	-	- \	12.4
15	-	-	-	-	15	8	14	-	22	22	-	-	19.0
29	3	2	5	1	40	32	18	-	50	41	8	1	18.3
9	-	-	1	-	10	5	6	_	11	10	1	-	11 9
3	-	1	1	-	5	6	8	_	14	13	1	_	19.2
-	-	-	-	-	-	1	2	-	3	3	-	-	55.5
10	1	1	1	-	13	5	3	-	8	7	1	-	10.4
5	-	-	_	-	5	5	4	-	9	7	-	2	13.9
4	-	-	-	-	4	8	8	_	16	15	1	_	17.0
8	-	-	-	-	8	12	4	-	16	10	6	-	16.4
-	-	-	-	_	-	2	4	-	6	6	_	-	10.2
1	_	-	1	_	2	3	7	_	10	8	2	_	15.1

TABLE
Births, Marriages and Deaths
PENOBSCOT

					1	BIRTHS					
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male,	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated,
Greenfield	231	1	2	(2)	2	8.66	1	-	-	-	1
Hampden	2,484	21	26	-1	47	19.32	39	3	3	-	2
Hermon	1,282	12	11	12	23	17.94	18	1	1	3	-
Holden	609	5	3	ō.	8	13.14	- 6	1	1	-	
Howland	171	4	5	-	9	52.63	6	1	2	-	-
Hudson	510	.5	4	-	9	17.65	.9	-	1	-	-
Kenduskeag	536	5	-	-	5	9.33	3	-	1	1	-
Kingman	671	9	9	-	18	26.83	4	8	4	1	1
Lagrange	721	4	8	-	12	16.64	11	-	-	1	-
Lee	929	12	8	141	20	21.53	16	1	2	1	-
Levant	880	5	8	-	13	14.77	13	Ε.	G.	-	-
Lincoln	1,756	13	7	-	20	11.39	110	4	2	3	1
Lowell	439	3	4	-	7	15.95	6	-	1	-	-
Mattawamkeag	633	8	9	-	17	26.86	10	2	4	1	-
Maxfield	134	4	2	-	6	44.78	-5	-	1	-	-
Medway	653	7	3	-	10	15.31	7	1	-	2	
Milford	835	3	3	-	6	7.19	1	3	1	1	+
Mount Chase	284	:4	3	-	7	24.65	5	1	1	-	4
Newburg	867	7	7	-1	14	16.15	13	-	_	1	-
Newport	1,188	12	8	-	20	16.84	17	1	1	1	-
Old Town	5,312	64	60	-	124	23.34	42	35	25	21	1
Orono	2,790	61	30	1	91	32.62	30	37	16	8	-
Orrington	1,406	10	10	1	21	14.93	18	2	1	-	-
Passadumkeag	343	1	3	-	4	11.66	3	4	1	-	-

No. 7—Continued. for the Year 1895. COUNTY—CONTINUED.

		.							DEA	THS.			
		MARR	IAGES	•			8e	x.		N	ativit	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
-	-	-	-	-	-	3	-	_	8	3	-	-	12.99
17	-	1	1	-	19	20	16	-	36	84	2	-	14.49
2	-	1	1	-	4	3	3	-	6	3	2	1	4.68
5	-	-	-	-	5	5	6	-	11	11	-	-	18.06
3	-	-	-	-	8	3	5	-	8	8	-	-	46.78
3	_	-	-	-	8	6	3	-	9	9	-	-	17.65
8	-	-	-	-	8	3	9	-	12	12	-	-	22.39
3	1	-	-	-	4	7	3	-	10	6	4	-	14.90
3	-	-	-	-	3	3	6	-	9	9	_	-	12.48
3	-	-	4	-	7	2	5	-	7	7	-	-	7.53
8	-	-	2	-	10	5	6	_	11	11	-	-	12.50
12	-	1	-	-	13	12	12	-	24	23	1	-	13.67
2	-	-	-	1	3	3	2	-	5	3	2	-	11.39
3	-	-	3	-	6	4	8	-	12	10	2	-	18.96
1	1	-	-	-	2	- 2	_	-	- 1	-	- 1	-	-
4	-	-	-	-	4	-	1	-	1	1	-	-	1.53
1	-	-	-	-	1	5	4	-	9	8	1	-	10.78
-	-	-	-	-	-	1	3	-	4	4	-	-	14.08
4	-	-	-	-	4	4	5	-	9	8	1	-	10.38
21	-	-	1	-	22	12	9	-	21	17	1	3	17 68
28	9	9	7	5	58	52	41	-	93	79	11	3	17.51
14	8	1	5	1	24	30	17	-	47	38	6	8	16.48
4	-	-	-	-	4	11	14	-	25	22	2	1	17.78
4	_	_	-	_	4	4	2	_	6	5	-	1	17.49

TABLE
Births, Marriages and Deaths
PENOBSCOT

											=
]	BIRTH	8.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Bate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Patten	936	20	17	-	37	39.53	27	3	5	2	_
Plymouth	689	12	6	-	18	26.12	18	-	-	-	-
Prentiss	401	7	8	-	15	87.41	13	1	-	1	-
Springfield	677	10	5	-	15	22.16	14	-	1	-	-
Stetson	618	3	3	-	6	9.71	6	-	-	-	-
Veazie	650	9	2	-	11	16.92	9	-	2	-	-
Winn	936	10	14	-	24	25.64	13	4	3	4	-
Woodville	242	4	4	1	9	37.19	5	2	1	1	-
Drew P1	110	2	-	-	2	18.18	1	-	1	-	-
Lakeville Pl	144	3	1	-	4	27.77	1	-	3	1	-
No. 2, Grand Falls Pl	68	-	1	-	1	14.70	1	-	-	-	-
Seboeis Pl	98	2	-	-	2	20.41	2	-	-	-	-
Stacyville Pl	250	10	7	-	17	68.00	8	5	2	1	1
Webster Pl	135	8	2	-	5	37.03	5	-	-	-	_
Total	72,622	792	681	6	1,479	20.37	920	281	140	120	18

No. 7—Continued. for the Year 1895. COUNTY—CONCLUDED.

									DEA	THS.			
	į	MARRI	AGES.	•			Se	x.		N	ativity	7.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
6	3	1	2	1	13	11	6	-	17	16	1	-	17.09
1	-	-	-	-	1	2	9	_	11	11	-	-	15.96
1	-	-	1	-	2	2	7	-	9	9	-	-	22.44
5	-	-	1	-	6	4	3	-	7	5	2	-	10.34
5	-	-	-	-	5	4	8	-	12	12	-	-	19.42
-	-	-	-	-	-	12	5	-	17	14	3	-	26.15
6	1	1	-	-	8	1	5	-	6	6	-	-	6.41
-	_	-	-	-	-	-	1	-	1	1	-	-	4.13
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	2	-	3	2	1	-	20.83
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	1	1	-	8.00
1	-	-	-	-	1	2	-	-	2	2	-	-	14.81
391	84	25	45	189	684	581	547	2	1,130	935	136	59	15.55

TABLE
Births, Marriages and Deaths
PISCATAQUIS

				-	1	BIRTH	3.				=
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	622	6	6	-	12	19.29	12	-	-	-	-
Atkinson	605	-	9	-	9	14.87	8	-	-	-	1
Blanchard	213	4	4	-	8	37.55	6	2	-	-	-
Brownville	1,074	14	16	-	30	27.93	17	12	1	-	-
Dover	1,942	14	14	-	28	14.42	22	2	1	3	-
Foxeroft	1,726	18	14	-	32	18.54	22	1	4	2	8
Greenville	781	11	7	-	18	23.05	8	6	1	2	1
Guilford	1,023	12	11	-	23	22.48	20	3	-	-	-
Medford	306	4	2	-	6	19.61	5	-	-	1	-
Milo	1,029	13	15	-	28	27.21	24	-	2	2	-
Monson	1,237	13	16	-	29	23.44	21	4	3	1	-
Orneville	492	6	3	-	9	18.29	7	-	 -	2	-
Parkman	818	10	10	-	20	24.60	18	-	1	1	-
Sangerville	1,236	10	7	-	17	13.75	12	-	2	2	1
Sebec	725	8	7	-	15	20.69	13	1	-	1	-
Shirley	291	5	5	-	10	34.36	5	-	2	3	-
Wellington	584	3	8	-	11	18.84	10	1	-	-	-
Williamsburg	162	8	3	-	6	37.04	5	-	-	1	-
Willimantic	446	4	4	-	8	17.94	8	-	-	-	-
Barnard Pl	100	3	1	-	4	40.00	4	-	-	-	-
Bowerbank Pl	87	-	1	-	1	11.49	1	-	-	-	-
Eliottsville Pl	58	1	-	-	1	18.87	1	-	-	-	-
Kingsbury Pl	205	2	3	-	5	24.39	5	- 1	-	-	-
Lake View Pl	-	2	1	-	8	-	2	1	-		-
North East Carry	-	-	-	-	-				_	_	_
Total	*15,752	166	167	-	333	21.14	256	83	17	21	6

^{*} Population in unorganized plantations in 1890, 382.

No. 7—Continued. for the Year 1895. COUNTY.

			THS.	DEA									
	7.	ativity	N		х.	Se				IAGES.	MARRI]	
Death rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
9.65	-	-	в	6	-	3	8	3	-	-	-	-	3
8.26	-	1	4	5	-	2	3	9	-	1	-	-	8
9.39	-	-	2	2	-	1	1	-	-	-	-	-	-
10.24	·-	1	10	11	-	3	8	16	-	-	3	2	11
13.38	-	1	25	26	-	10	16	28	1	-	2	-	20
15.64	-	1	26	27	-	20	7	17	2	1	1	1	12
10.24	1	-	7	8	-	2	6	13	1	4	-	2	6
12.71	-	-	13	13	-	9	4	17	-	1		1	15
9.80	-	1	2	8	-	-	3	-	-	-	-	-	-
14.58	-	-	15	15	-	10	5	12	-	3	-	-	9
13.74	-	1	16	17	-	9	8	14	-	-	1	1	12
8.13	-	-	4	4	-	3	1	2	-	-	-	- i	2
11.07	. 1	-	8	9	-	6	3	4	-	-	-	-	4
12.94	-	-	16	16	-	9	7	4	-	1	1	-	2
19.31	-	1	18	14	-	8	6	6	-	1	2	-	3
13.75	-	-	4	4	-	1	8	1	-	-	-	-	1
11.98	-	-	7	7	-	4	3	5	-	-	-	-	5
12.35	-	-	2	2	-	1	1	1	-	-	-	-	1
15.70	-	-	7	7	-	6	1	-	-	-	-	-	-
20.00	-	2	-	2	-	1	1	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
14.63	-	-	3	3	-	2	1	2	-	-	-	-	2
-	-	1	4	5	-	3	2	-	-	-	-	-	-
-	-	-	1	1	-	-	1	1		-		-	1
13.14	2	10	195	207	-	113	94	151	4	13	10	7	117

TABLE Births, Marriages and Deaths **SAGADAHOC**

•					1	Вівтн	8.				==
				Sex.				Pare	ntag	e.	
TOWNS.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	177	3	1	-	4	22.60	4	-	-	-	
Bath	8,723	95	95	-	190	21.78	126	32	8	23	1
Bowdoin	940	11	7	-	18	19.15	14	1	2	1	-
Bowdoinham	1,508	12	11	-	23	15.25	20	-	2	1	-
Georgetown	849	6	. 11	-	17	20.02	16	-	1	-	-
Perkins	69	1	-	-	1	14.49	1	-	-	-	-
Phippsburg	1,896	16	16	-	82	22.92	27	-	1	2	2
Richmond	8,082	14	20	-	84	11.03	29	3	2	-	-
Topsham	1,894	31	23	-	54	88.74	28	22	2	2	-
West Bath	307	-	1	-	1	3.26	1	-	-	-	-
Woolwich	1,007	9	4	-	18	12.91	12	1	-	-	-
Total	19,452	198	189	-	887	19.90	278	59	18	29	8

No. 7—Continued. for the Year 1895. COUNTY.

		Marr							DEA	THS.	١.		
		MARK	IAGES.	•			Se.	x.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
-	-	-	1	-	1	2	2	-	4	4	-	-	22.60
87	1	7	3	-	48	58	76	-	134	110	22	2	15.86
8	-	-	-	-	8	8	-	-	8	7	-	1	8.51
7	-	-	-	-	7	11	15	-	26	25	1	-	17.24
3	-	1	-	-	. 4	7	5	-	12	12	-	-	14.18
-	-	-	-	-	-	-	- [-	-	-	-	-	-
10	-	2	-	-	12	9	6	-	15	14	1	- }	10.74
16	1	-	1	1	19	18	16	-	34	31	3	-	11.08
4	-	-	1	-	5	20	13	-	33	28	5	-	28.67
1	-	-	-	-	1	1	2	-	8	8	-	-	9.77
6					- 6	11	7		18	18			17.87
92	2	10	6	1	111	145	142	-	287	252	32	8	14.75

TABLE
Births, Marriages and Deaths
SOMERSET

		•			I	BIRTH	3.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1840.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,444	5	9		14	9.70	10	1	1	1	1
Athens	1,072	2	9	-	11	10.26	10	-	-	1	-
Bingham	757	16	13	-	29	38.31	20	2	6	1	-
Cambridge	425	1	2	-	3	7.06	3	-	-	-	-
Canaan	1,130	6	6	-	12	10.62	8	-	3	1	-
Concord	345	4	4	-	8	23.19	7	-	-	-	1
Cornville	785	5	3	-	8	10.19	8	-	-	-	-
Detroit	590	6	5	-	11	18.64	11	-	-	-	-
Embden	579	8	7	-	15	25.91	15	-	-	-	-
Fairfield	3,510	33	38	-	71	20.28	49	9	6	6	1
Harmony	704	12	7	-	19	26.99	18	-	-	1	-
Hartland	974	8	4	-	12	12.32	10	-	1	1	-
Madison	1,815	17	20	1	38	20.94	31	3	2	_	2
Mercer	584	5	4	-	9	15.41	9	-	-	_	-
Moscow	422	. 8	2	-	10	23.70	9	-	1	-	-
New Portland	1,034	7	9	-	16	15.47	15	_	1	-	-
Norridgewock	1,656	10	16	-	26	15.70	23	2	1	-	-
Palmyra	1,004	9	5	_	14	13.94	13	-	1	-	-
Pittsfield	2,503	21	21	-	42	16.77	89	1	1	1	-
Ripley	478	4	2	-	6	12.55	6	_	-	-	-
St. Albans	1,906	12	13	-	25	20.73	23	-	-	2	-
Skowhegan	5,068	61	49	-	110	21.70	65	81	10	4	-
Smithfield	479	3	10	-	18	27.14	11	1	-	1	-
Solon	977	10	11	-	21	21.49	20	-	-	1	-
				1	l .			<u> </u>	L	t	

No. 7—Continued. for the Year 1895. COUNTY.

					DEATHS.								
		MARR	IAGES	•			8e	x.		N	ativity	7.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
12	-	-	-	2	14	15	3	-	18	18	-	-	12.47
9	-	-	-	-	9	4	5	-	9	8	-	1	8.40
9	-	-		-	9	6	7	-	13	18	-	-	17.17
2	-	-	-	-	2	6	8	-	14	14	-	-	32.9
2	-	-	-	-	2	9	9	-	18	17	-	1	15.90
-	-	-	-	_	-	-	8	-	3	8	-	-	8.7
3	-	_	_	- ·	3	3	4		7	7	-	-	8.9
6	-	_	_	_	6	3	3	-	6	6	-	-	10.10
2	-	_	_	_	2	8	2	-	10	10	-	-	17.27
22	5	2	5	-	34	21	29	_	50	47	3	-	14.2
3	-	_	_	_	8	9	3	_	12	12	-	-	17.00
8	-	-	1	-	9	14	, 9	-	23	22	1	-	23.6
19	-	3	3	_	25	16	21	-	37	34	2	1	20.39
9	-	_	-	-	9	3	5	_	8	7	_	1	13.70
2	_	_	3	-	5	5	2	_	7	7	-	_	16.56
13	_	_	1	_	14	8	10	_	18	18	_	_	17.4
20	_	٠.	_	_	20	17	13	_	30	80	_ `	_	18.19
7	_	_	-	_	7	6	9	_	15	12	_	8	14.9
37	1	1	1	_	40	18	23	_	41	39	2	_	16.3
2	_]	_]	_	_	2	4	6	_	10	9	_	1	20.9
1	_	_	-	_	1	11	10	_	21	21	_	_	17.4
40	3	2	7	2	54	50	48	_	98	85	12	1	19.8
4	_	_	_	_	4	_	1	_	1	1	_	_]	2.0
6	_	1	2	_	9	6	6	_	12	11	1	_	12.20

TABLE Births, Marriages and Deaths SOMERSET

						Birth	8.				
				Sex.				Pare	ntag	œ.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	766	6	6	-	12	15.67	12	_	-	-	-
Bigelow Pl	62	-	1	-	1	16.13	1	-	-	-	-
Brighton Pl	434	9	5	-	14	32.25	12	-	-	-	2
Carratunk Pl	192	2	1	-	3	15.62	2	-	1	-	-
Dead River Pl	104	3	-	-	3	28.85	3	-	-	-	-
Dennistown Pl	66	-	2	-	2	30.30	1	-	-	1	-
Flagstaff Pl	87	1	-	-	1	11.49	1	-	-	-	-
Highland Pl	76	3	-	-	3	39.47	2	-	1	-	-
Jackman Pl	217	8	4	-	12	55.30	1	5	2	4	-
Lexington Pl	199	5	3	-	8	40.20	6	-	-	2	_
Mayfield Pl	74	1	-	-	ι	13.51	1	-	-	-	-
Moose River Pl	170	1	4	-	5	29.41	2	-	-	8	-
No. 1, R. 2, W. K. R. Pl.	-	-	-	-	-	-	-	_	-	-	-
The Forks Pl	195	6	1	-	7	35.90	4	1	1	1	-
West Forks Pl	146	2	1	-	3	20.55	3	-	-	-	-
Long Pond	-	1	8	-	4	-	2	-	2	-	_
Total	*82,429	3 21	300	1	622	19.19	486	56	41	32	7

^{*}Population in unorganized plantations in 1890, 198.

No. 7—Continued. for the Year 1895. COUNTY—CONCLUDED.

									DEA	THS.			
		MARRI	AGES.				Se	x.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
1	-	-	-	-	1	5	6	-	11	11	-	-	14.36
-	-	-	-	-	-	1	-	-	1	-	1	-	16.18
6	-	ı	-	-	7	-	3	-	8	3	-	-	6.9
4	-	-	-	-	4	2		-	2	1	1	-	10.49
1	-	-	-	-	i	1	1	-	2	2	-	-	19.29
-	-	-	-	-	-	1	-	-	1	1	-	-	15.18
-	_	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	_	2	2	_	-	26.39
-	. 2	1	2	-	5	2	1	-	8	2	1	-	13.89
1	-	-	-	-	1	2	1	-	8	3	-	-	15.08
-	-	-	-	-	-	1	-	-	1	1	-	-	13.51
-	-	-	1	-	1	1	8	-	4	4	-	-	23.58
1	-	-	-	-	1	. 1	2	-	8	8	-	-	-
2	-	-	-	-	2	2	-	-	2	2	-	-	10.26
1	-	-	-	-	1	1	1	-	2	• 1	1	-	13.70
-	-	-	-	-	-	-	-	-	-	-	-	-	-
255	11	11	26	4	307	262	259	-	521	487	25	9	16.0

TABLE Births, Marriages and Deaths WALDO

					I	BIRTH	3.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	5,294	. 86	17	-	53	10.01	47	-	2	4	-
Belmont	475	2	3	-	5	10.53	4	-	-	1	-
Brooks	780	4	4	-	8	10.96	. 8	<u>-</u>	-	-	-
Burnham	846	14	22	٠-	36	42.55	36	-	-	-	-
Frankfort	1,099	14	10	-	24	21.84	18	8	2	1	-
Freedom	510	5	2	-	7	13.72	7	-	-	-	-
Islesboro	1,006	6	4	-	10	9.94	10	_	-	-	-
Jackson	522	3	1	-	4	9.58	4	_	-	-	-
Knox	657	5	5	_	10	15.22	10	-	-	-	-
Liberty	835	13	6	-	19	22.75	18	-	-	1	-
Lincolnville	1,861	8	12	-	20	14.70	19	-	1	-	_
Monroe	1,079	6	10	-	16	14.83	12	_	2	2	-
Montville	1,049	7	8	_	15	14.30	14	-	-	1	-
Morrill	460	4	5	-	9	19.57	9	-	-	-	-
Northport	691	5	2	-	7	10.13	7	-	-	-	-
Palermo	887	5	7	_	12	13.53	11	-	-	1	_
Prospect	697	6	8	_	14	20.09	13	1	-	-	-
Searsmont	1,144	7	8	-	15	13.11	18	-	. 2	-	-
Searsport	1,693	6	10	-	16	9.45	16	-	-	-	-
Stockton Springs	1,149	7	5	-	12	10.44	8	-	2	1	1
Swanville	689	13	5	-	18	26.12	16	-	1	1	_
Thorndike	589	8	5	_	8	13.58	8	-	-	-	_
Troy	868	9	8	-	17	19.59	15	-	-	2	_
Unity	922	5	10	_	15	16.27	15	_	-	-	_
Waldo	581	6	6	_	12	20.65	12	-	-	_	-
Winterport	1,926	16	14	_	30	15.58	25	-	_	5	_
Total	27,759	215	197		412	14.84	875	4	12	20	1

No. 7—Continued. for the Year 1895. COUNTY.

		N							DEA	THS.			
		MARR	IAGES	•			Se	x.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
63	-	3	-	-	66	37	38		75	71	4	-	14.1
3	-	-	-	-	3	2	3	-	5	8	1	1	10.8
12	-•	1	-	-	13	5	12	-	17	16	-	1	23.9
. 6	-	-	-	-	6	5	5	-	10	10	-	-	11.8
2	-	-	1	-	3	7	6	_	13	13	-	-	11.8
4	-	-	-	-	4	2	2	-	4	4	-	-	7.8
6	-	-	-	-	6	3	в	-	9	9	-	-	8-9
4	-	-	-	-	4	1	2	-	3	3	-	-	5.
4	-	-	-	-	4	4	4	-	8	8	-	-	12.
4	-	-	-	-	4	10	3	-	13	12	1	-	15.
5	-	-	-	-	5	7	37	-	24	24	-	-	17.
5	-	-	-	-	5	4	7	-	11	11	-	-	10.
8	-	-	1	-	9	12	10	-	22	22	-	-	20.
-	-	-	-	-	-	8	2	-	5	5	-	-	10.
1	-	-	-	-	1	3	8	-	в	5	-	1	8.
6	-	-	-	-	6	8	7	-	15	15	-	-	16.9
2	-	-	-	-	2	3	4	٠_	7	5	2	-	10.0
15	-	-	8	-	18	7	13	-	20	19	1	-	17.
17	1	1	-	-	19	13	16	-	29	28	1	-	17.
4	-	-	-	-	4	13	4	-	17	16	1	-	14.8
2	-	-	-	-	2	1	6	-	7	7	-	-	10.
2	-	-	-	-	2	4	7	1	12	11	-	1	20.
7	-	1	-	-	8	5	9	-	14	14	-	-	16.
2	-	-	-	-	2	10	6	-	16	15	1	-	17.8
2	-	-	-	-	2	8	3	-	11	11	-	-	18.9
16	1	1	2		20	13	19	-	32	29	3		16.6
202	2	7	7	-	218	190	214	1	405	886	15	4	14.0

TABLE
Births, Marriages and Deaths
WASHINGTON

								** 2	зні	NGI	.UN
						BIRTH	8.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,022	13	9	-	22	21.53	22	_	-	-	-
Alexander	837	7	4	-	11	32.64	10	-	1	-	-
Baileyville	226	8	1	-	4	17.70	2	-	2	-	-
Baring	273	7	1	-	8	29.30	4	2	1	1	-
Beddington	184	2	1	-	3	16.30	2	-	1	-	-
Brookton	429	4	5	-	. 9	20.98	8	1	2	8	_
Calais	7,290	89	117	-	206	28.26	68	55	26	51	6
Centerville	114	1	4	-	5	43.86	5	-	-	-	-
Charlotte	381	6	2	-	8	21.00	6	-	2	- ¦	-
Cherryfield	1,787	15	18	-	33	18.47	32	-	1	-	-
Columbia	587	8	5	-	8	13.63	8	-		-	-
Columbia Falls	698	4	2	-	6	8.60	6	-	-	-	-
Cooper	264	-	4	-	4	15.15	1	-	2	-	1
Crawford	140	-	-	-	-	-	-	-	-	-	-
Cutler	662	-	- 1	-	-	-	-	-	-	-	-
Danforth	1,068	15	22	-	87	84.81	16	8	5	8	-
Deblois	76	1	1	-	2	26.82	2	-	-	-	-
Dennysville	452	7	6	-	18	28.76	18	-	-	-	-
East Machias	1,637	17	14	5	36	21.99	2 8	1	8	1	3
Eastport	4,906	-	-	-	-	-	-	-	-	-	-
Edmunds	395	5	7	-	12	30.88	10	1	-	1	-
Forest City	287	8	6	-	9	31.36	8	2	1	3	-
Harrington	1,150	8	8	-	11	9.57	10		1	-	-
Jonesboro	470	10	12	-	22	46.81	20	-	1	-	1
Jonesport	1,917	25	20	-	45	23.47	42	1	2	-	-
Lubec	2,069	20	22	-	42	20.80	81	2	4	4	1

No. 7—Continued. for the Year 1895. COUNTY.

			THS.	DEA								_	
		ativity	Na		χ.	Sea				AGES.	MARRI	1	
Death rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
16.6	8	-	17	17	= 1	10	7	8	-	1	-	-	7
20.7	-	2	5	7	-	2	5	5	-	1	H-6.	-	4
17.7	-	2	2	4	9	3	1	-	72	-	-	-	-
10.9	-	-	3	3	-	2	1	1	-	-	-	2	1
10.8	I.	-	2	2	=	3	- 2	1	4	-	2	-	1
13.9	-	2	4	6	-	3	3	2	-	-	-	~	2
18.2	-	43	90	133	-	72	61	68	4	15	7	21	25
26.3	-	1	2	3	-	-	3	1	~	-	-	-	1
7.8	- 1	-	3	3	- 1	-	3	-	-	-	-	-	-
9.5	-	2	15	17	-	9	8	19	-	-	-	-	19
51.1	-	-	3	3	8.	1	2	2	-	-	-	4	-
12.9	-	\approx	9	9	-	6	3	7	-	1	-	-	6
18.9	1	2	4	5	1	3	2	3	G.	-	1	2	2
-	2	6-3	-	9	-	120	2	1	-	-	-	-	1
-	-	-	-1	-	-	-		-	-	-	-	-	-
7,5	-	3	5	8	-	2	6	18	-	5	1	4	8
39.4	-	-	3	3	9.	1	2	1	-	-	-	- 1	1
11.0	+	1	4	5	-	4	1	3	-	-	-	-	3
26.2	1	1	41	43	-	22	21	10		1	4	9	9
16.1	4	27	52	79	-	44	35	87	-	-	-		-
12.6	2	-	5	5	-	4	1	2	9	-	0	-	2
10.4	+	1	2	3	-	2	1	2	2	1	-	5	1
4.3	-		5	5	-	4	1	11	-	+	-	-	11
19.1	-	1	8	0	-	4	5	4	-	1	-	2	3
7.3	-	8	14	14	-	7	7	20	-	1	-	-	19
11.6	-	6	18	24	-	13	11	13	1	+	-	2	10

TABLE
Births, Marriages and Deaths
WASHINGTON

											=
						BIRTH	5.	n.			
				Sex.		j		Pare	ntag	е.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machias	2,035	27	24	1	52	25.55	47	-	8	2	-
Machiasport	1,437	10	16	-	26	18.09	26	-	-	-	-
Marshfield	299	2	-	-	2	6.69	2	-	-	-	-
Meddybemps	156	4	2	-	6	38.46	4	1	1	-	-
Milbridge	1,963	15	19	.	84	17.82	30	-	2	2	_
Northfield	148	2	1	-	3	20.98	8	-	-	-[-
Pembroke	1,514	20	23	-	43	28.40	35	1	1	4	2
Perry	945	16	9	-	25	26.46	18	1	2	4	-
Princeton	1,027	17	14	-	81	30.19	18	3	7	2	1
Robbinston	787	8	5	-	13	16.52	9	3	1	-	-
Roque Bluffs	154	1	1	-	2	12.99	2	-	-	-	-
Steuben	962	5	11	-	· 16	16.29	13	-	-	1	2
Talmage	112	1	4	-	5	44.64	3	-	2	-	-
Topsfield	875	7	4	-	11	29.33	. 9	-	2	-	-
Trescott	485	3	3	-	6	12.37	8	÷	1	2	-
Vanceboro	870	9	17	-	26	29.89	4	14	8	5	-
Waite	159	2	-	-	2	12.58	1	-	-	-	1
Wesley	227	3	8	-	6	26.43	5	-	-	1	-
Whiting	393	3	5	-	8	20.36	7	-	1	-	-
Whitneyville	413	2	7	-	9	21.79	6	-	1	1	1
Grand Lake Stream Pl	404	. 4	11	-	15	37.13	9	1	3	1	1
Lambert Lake Pl	152	2	2	-	4	26.32	2	1	1	-	-
No. 14 Pl	112	1	3	-	4	35.71	8	-	-	1	-
No. 21 Pl	81	2	2	-	4	49.38	4		-	-	-
Kossuth	68	3	2	-	5	78.53	3	-	-	-	2
Total	*44,111	429	479	6	914	20.72	610	98	86	98	22

^{*} Population in unorganized plantations in 1890, 371.



No. 7—Continued. for the Year 1895. COUNTY—CONCLUDED.

									DEATHS.						
		MARRI	AGES.				Se	х.		N	ativity	7.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.		
32	-	1	4	-	37	20	15	-	35	83	1	1	17.		
8	-	-	-	-	8	11	16	-	27	25	2	-	18.		
2	-	-	-	-	2	1	-	-	1	1	-	-	3.		
1	-	-	-	-	1	-	-	-	-	-	-	-	-		
12	-	-	-	-	12	14	11	-	25	23	2	-	12.		
-	-	-	-	-	-	-	3	-	3	3	-	-	20.		
10	-	1	2	-	13	8	5	-	13	12	1	-	8.		
8	-	-	-	-	8	8	4	-	12	9	3	-	12.		
8	-	1	1	-	10	10	5	-	15	13	2	-	14.		
4	-	-	-	-	4	5	8	-	13	9	4	-	16.		
-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14	-	-	-	-	14	10	. 7	-	17	17	-	-	17.		
-	-	-	-	-	-	2	-	-	2	1	1	-	17.		
4	-	-	-	1	5	2		-	2	2	-	-	5.		
-	-	-		-	-	1	1	-	2	1	1	-	4.		
1	8	-	1	-	5	4	2	-	6	6	-	-	6		
-	1	-	-	-	1		- ^	-			-	-	21		
۱ - ا.	-	-	-	-	- ,	3	2	-	5 2	4	1	-	21. 5		
1 1	-	-	_	-	1	1	1	_	4	3	- ,	-	9.		
1	-	-	1	_	1		1	-	-	2	1	-	9		
- 1	- 1	-		_	2	3	1	-	1	1	2	-	9 6		
_ 1	J.	_		_	²	<u>'</u>	-	_	_ 1	'	_	_	0		
_	_	_	_	_	_	3	1	-	4	- 4	_	-	49		
_	_	_	_	_	_	_ "	- 1	_	_ *	-	_		-		
238	- 32	12	- 86	2	320	302	301		608	487	113	3	13		

TABLE Births, Marriages and Deaths YORK

					1	BIRTHS	3.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1890.	Male.	Female.	Not stated.	Total.	- Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	878	7	6	Æ	13	14.81	11	1	-	-	1
Alfred	1,030	12	8	-	20	19.42	19	-	-	1	-
Berwick	2,294	31	21	-	52	22.67	43	8	-	1	-
Biddeford	14.448	277	255	-	532	36.83	94	362	35	35	6
Buxton	2,036	19	17	_	36	17.68	33	-	1	-	2
Cornish	1,118	10	13	-	23	20.57	22	-	1	-	-
Dayton	500	7	4	-	11	22.00	ìı	-	-	-	-
Eliot	1,463	13	19	-	32	21.87	26	8	2	1	-
Hollis	1,278	11	16	-	27	21.13	22	1	2	2	-
Kennebunk	3,172	23	27	_	50	15.76	42	6	-	1	1
Kennebunkport	2,196	18	12	-	30	13.66	27	-	1	1	1
Kittery	2,864	17	21	-	38	13.27	29	3	2	2	2
Lebanon	1,263	6	5	-	11	8.71	10	-	1	-	_
Limerick	966	11	9	-	20	20.70	18	-	-	2	-
Limington	1,092	12	8	-	20	18.32	17	-	1	1	1
Lyman	854	6	5	-	11	12.88	10	1	-	-	_
Newfield	796	4	5	-	9	11.31	9	-	-	-	-
North Berwick	1,803	26	8	-	34	18.86	32	-	-	1	1
Old Orchard	877	4	5	-	9	10.26	6	1	1	1	-
Parsonsfield	1,398	10	8	-	18	12.88	18	-	-	-	-
Saco	6,075	68	48	-	116	19.09	62	40	10	3	1
Sanford	4,201	90	70	-	160	38.09	71	64	14	10	1

No. 7—Continued. for the Year 1895. COUNTY.

			THS.	DEA									
	у.	ativit	N		x.	Se		,		AGES.	MARR		
Death rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
11.39	-	-	10	10	-	5	\ 5	8	-	· _	1	-	2
12.62	-	-	13	13	-	6	7	5	-	1	-	-	4
10.46	-	1	23	24	-	14	10	15	-	1	1	-	13
22 50	-	87	238	325	-	167	158	128	-	11	12	67	3 8
13.75	-	-	28	28	-	11	17	17	-	2	-	-	15
18.42	1	1	13	15	-	10	5	13	-	-	-	1	12
20.00	-	-	10	10	-	5	5	6	-	-	1	-	5
12.99	-	-	19	19	-	8	11	5	-	-	-	-	5
16.43	-	-	21	21	-	10	11	5	-	-	-	-	5
14.82	-	2	45	47	-	27	20	15	-	1	1	-	13
16.85	-	1	36	37	-	17	20	9	-	-	2	-	7
10.82	2	-	29	31	-	13	18	10	-	-	-	-	10
25.34	-	1	81	32	-	11	21	8	-	-	1	-	7
8.28	-	1	7	8	-	5	3	6	-	1	-	-	5
12.82	-	-	14	14	-	5	9	7	-	-	-	-	7
14.05	-	-	12	12	-	4	8	5	-	-	-	-	5
17.58	2	-	12	14	-	8	6	5	-	1	-	-	4
18.86	-	2	82	34	-	15	19	18	-	1	1	-	11
25.09	1	4	17	22	-	13	9	8	- '	-	-	-	8
14.31	-	1	19	20	-	11	9	12	-	-	-	-	12
14.82	1	10	76	87	-	48	39	57	-	1	5	3	48
19.76	-	8	75	83	-	42	41	45	-	3	8	12	27

TABLE Births, Marriages and Deaths YORK

		BIRTHS.														
				Sex.				Pare	ntag	e.						
Towns.	Population in 1890.	Male.	Female,	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.					
Shapleigh	968	13	7	_1	20	20.66	16	-	-	4						
South Berwick	3,434	37	35	-	72	20.97	34	22		7						
Waterboro	1,357	9	6	-	15	11.05	15	-	-	-	-					
Wells	2,029	19	19	-	38	18.73	37	1	-	-	-					
York	2,444	26	31	-	57	23.32	48	3	3	3	-					
Total	62,829	786	688	-	1,474	23.46	782	516	80	76	20					

No. 7—Concluded. for the Year 1895. COUNTY—CONCLUDED.

		W							DEA	THS.			
		MARR	IAGES	•			86	x.		N	ativity	7.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
4	_	-	-	_	4	10	6	-	16	14	1	1	16.58
20	2	-	2	_	24	21	22	-	43	35	6	2	12.52
11	-	-	-	-	11	10	9	-	19	19	-	-	14.00
7	-	1	-	-	8	18	16	-	29	29	-	-	14.29
8	-	-	-	-	8	18	18	-	36	35	1	-	15.14
313	85	29	25	-	452	523	526	-	1,049	912	127	10	16.70

5

TABLE RECAPITULATION

						Bir	Births.								
				Sex.				Pa	renta	ge.					
Counties.	Population in 1890.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.				
Androscoggin	48,968	638	606	-	1,244	25.40	474	590	83	78	19				
Aroostook	49,589	1,000	946	-	1,946	39.56	1,001	351	294	280	20				
Cumberland	90,949	1,093	1,052	1	2,146	23.60	1,203	598	142	178	30				
Franklin	17,053	191	171	-	362	21.43	294	31	18	10	9				
Hancock	37,312	391	391	-	782	21.13	684	18	33	29	18				
Kennebec	57,012	576	498	1	1,075	18.86	631	226	84	113	21				
Knox	31,473	817	304	1	622	19.78	487	62	41	24	8				
Lincoln	21,996	189	187	-	376	17.09	349	4	4	13	6				
Oxford	30,586	300	288	-	588	19.85	479	50	34	18	7				
Penobscot	72,865	792	681	6	1,479	20.37	920	281	140	120	18				
Piscataquis	16,134	166	167	_	333	21.14	256	33	17	21	6				
Sagadahoc	19,452	198	189	-	387	19.90	278	59	18	29	3				
Somerset	32,627	321	300	1	622	19.19	486	56	41	32	7				
Waldo	27,759	215	197	_	412	14.84	375	4	12	20	1				
Washington	44,482	429	479	6	914	20.72	610	98	86	98	22				
York	62,829	786	688	-	1,474	23.46	782	516	80	76	20				
Total	661,086	7,602	7,144	16	14,762	22.33	9,309	2,977	1,127	1,134	215				

No. 8.
BY COUNTIES.

			THS.	DEA							••		
	y .	ativit	N		ex.	s			•	IAGES.	MARR		
Death rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
14.40	19	166	681	866	-	441	425	459	4	28	47	128	252
13.52	13	129	528	665	2	310	353	543	4	85	85	96	273
17.91	97	243	1,289	1,629	1	822	806	813	5	57	84	133	534
16.10	8	11	25 8	272	-	151	121	158	-	7	8	5	143
13.78	5	27	478	510	_	260	250	321	1	22	14	8	276
17.79	86	90	888	1,014	2	495	517	506	3	33	43	57	370
16.73	7	41	478	526	1	258	267	287	4	12	13	10	248
14.78	5	8	312	325	-	159	166	150	2	3	6	1	138
14.98	6	15	434	455	1	230	224	249	1	13	9	8	223
15.51	59	136	935	1,130	2	547	581	684	189	45	25	34	391
13.14	2	10	195	207	-	113	94	151	4	13	10	7	117
14.75	3	32	252	287	-	142	145	111	1	6	10	2	92
16.07	9	25	487	521	-	259	262	307	4	26	11	11	255
14.59	4	15	386	405	1	214	190	218	-	7	7	2	202
13.67	3	113	487	603	-	301	302	320	2	36	12	32	23 8
16.70	10	127	912	1,049	-	526	523	452	-	25	29	85	313
15.83	281	1,188	8,995	10,464	10	5,228	5,226	5,729	224	418	408	614	4,065

TABLE No. 9,
Births and Birth-Rates by Counties for the Years 1892-95.

	189	92.	189	03.	189	34.	1895.	
	Births.	Rate.	Births	Rate.	Births.	Rate.	Births.	Rate.
State	14,028	21.21	13,908	21.04	13,940	21.09	14,762	22.33
Androscoggin	991	20.23	1,053	21.50	1,079	22.03	1,244	25.40
Aroostook	1,610	32.46	1,553	32.44	1,750	35.84	1,946	39.56
Cumberland	2,048	22.51	2,017	22.17	2,032	22.34	2,146	23.60
Franklin	345	20.23	314	18.60	328	19.43	362	21.43
Hancock	757	20.28	739	19.97	750	22.07	782	21.13
Kennebec	1,064	18.66	1,149	20.15	997	17.49	1,075	18.86
Knox	572	18.14	652	20.73	600	19.05	622	19.78
Lincoln	402	18.27	348	15.89	362	16.50	376	17.09
Oxford	524	17.13	498	16.36	564	18.47	588	19.35
Penobscot	1,452	19.92	1,375	18.91	1,444	19.89	1,479	20.37
Piscataquis	343	21.25	339	21.66	288	18.19	333	21.14
Sagadahoc	375	19.27	391	20.10	367	18.87	387	19.90
Somerset	629	19.27	642	19.90	558	17.14	622	19.19
Waldo	404	14.55	435	15.67	390	14.04	412	14.84
Washington	1,081	24.30	1,001	22.64	1,106	25.02	914	20.72
York	1,431	22.77	1,402	22.31	1,330	21.17	1,474	23.46

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1895.

Counties.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	638	606	-	1,244	82	-	105.2
Aroostook	1,000	946	-	1,946	54	-	195.7
Cumberland	1,093	1,052	1	2,146	41	-	103.9
Franklin	191	171	-	362	20	-	111.7
Hancock	391	391	-	782	-	-	100.0
Kennebec	576	498	1	1,075	78	-	115.7
Knox	317	304	1	622	13	-	104.8
Lincoln	189	187	-	376	2	-	101.1
Oxford	300	288	-	588	12	-	104.2
Penobscot	792	681	6	1,479	111	-	116.8
Piscataquis	166	167	-	333		1	99.4
Sagadahoc	198	189	-	387	9	-	104.8
Somerset	321	300	1	622	21	-	107.0
Waldo	215	197	-	412	18	-	109.1
Washington	429	479	6	914	-	50	89.5
York	786	688	-	1,474	98	-	114.2
Total	7,602	7,144	16	14,762	458	-	106.4

TABLE No. 11.

Number of Births in Each Month of 1892, 1893, 1894, and 1895, with Monthly Ratio Compared with a Standard of 100.

	18	82.	18	93.	18	94.	1895.	
Months.	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,016	85.3	1,151	97.5	962	81.3	1,182	94.8
February	1,113	103.4	1,082	101.5	980	91.7	1,082	95.6
March	1,345	112.9	1,162	98.4	1,335	116.6	1,329	106.1
April	1,275	110.6	1,259	110.1	1,324	115.6	1,287	106.1
May	1,323	111.1	1,273	107.7	1,255	106.1	1,308	104.4
June	1,176	101.9	1,162	101.7	1,200	104.8	1,236	101.9
July	1,222	102.6	1,176	99.6	1,286	108.7	1,290	103.0
August	1,191	100.0	1,213	102.7	1,213	102.5	1,312	104.7
September	1,144	99.2	1,115	97.6	1,168	102.0	1,283	101.6
October	1,047	87.9	1,126	95.3	1,064	89.9	1,189	94.9
November	1,002	86.9	1,032	90.3	980	85.6	1,115	91.9
December	1,111	93.1	1,109	93.9	1,164	98.4	1,198	95.2
Unknown	63	-	48	-	9	-	6	-

^{*} In this column the inaccuracies due to the unequal lengths of the months are eliminated.

BIRTHS. 71

TABLE No. 12.
Births by Sex and Months, by Counties, 1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total
Androscoggin, males females	60 50	44 45	56 55	56 53	60 49	46 41	55 54	69 48	63 63	42 62	42 44	44 41	1	638 606	124
not stated Aroostook, males females	80 67	73 67	96 95	106 92	87 86	69 82	96 94	99 71	73 89	63 65	83 67	75 70	ī	1000 946	1946
not stated Cumberland, males females	96 89	83 78	87 97	90 79	107 93	89 82	100 86	88 107	86 86	96 84	79 86 1	92 85		1093 1052	214
Franklin, males females	10 4	19 11	22 24	12 12	21 9	13 18	17 12	12 17	19 22	13 15	14 13	19 14	111	191 171	365
Hancock, males females not stated	29 31	20 27	34 22	29 39	27 31	39 23	38 39	33 49	38 32	34 48	31 22	39 27	1	391 391	78
Kennebec, males females not stated	39 28	57 40	56 43	51 39	36 48 1	53 48	54 46	49 45	54 42	39 50	39 35	49 34		576 498 1	1078
Knox, males females not stated	33 21	23 25	32 36	22 24	21 21 1	23 27	29 33	30 18	15 22	29 19	32 27	28 31	7	317 304	62
Lincoln, males females not stated	14 11	18 21	14 21	20 12	21 19	20 10	15 19	20 8	11 15	10 15	18 24	8 12		189 187	37
Oxford, males females not stated	22 21	26 15	28 23	20 21	31 25	26 27	23 28	26 29	21 31	18	28 28	36 26	-	300 288	58
Penobscot, males females not stated	82 59	43 48 1	84 55	70 53	67 64	60 65 2	64 56 1	45 62	71 50	68 53	58 49 1	75 66	1	792 681 6	147
Piscataquis, males females not stated	16 11	13 14	23 10	16 19	13 13	15 12	13 14	11 24	13 22	14 7	11 13	8	1.1.1	166 167	33
Sagadahoc, males females not stated	24 16	13	11 12	29 25	12 16	15 17	14 21	16 19	15 16	15 17	21 8	13 13	111	198 189	38
Somerset, males females not stated	28 28	21 22	30 27	20 30	29 33	28 35 1	27 10	25 30	15 21	33 18	29 27	36 19	101	321 300 1	625
Waldo, males females not stated	13 18	14 13	19 16	24 17	19 21	22	15 13	23 13	12 18	16 18	19	19 13	111	215 197	41
Washington, males females not stated	37 40	26 36	35 40 1	32 44 1	51 39 1	40 43	36 42 1	31 43	38 43 1	39 44 1	29 30	34 35	1	429 479 6	91
York, males females not stated	50 54	60 52	68 57	73 57	71 65 -	59 63	72 53 -	82 70 -	67 49	65 60	53 50 -	66 58	1.11	786 688	147
Total, males females not stated	633 548 1	558 523	695 633	670 616 1	673 632 3	617 616 3	668 620 2	659 653	611 621 1	594 594 1	581 532 2	641 552	2 4	7602 7144 16	111
not stated	_	1082	-	-	_		1290	1312	1233	1189	1115	1193	6	14762	1476

TABLE No. 13.
Births in Cities for 1895, with Rate per 1,000 of Population.

CITIES.	Population in 1890.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	11,250	97	123	-	220	19.56	78.9
Augusta	10,527	130	115	9	245	23.27	113.0
Bangor	19,103	187	185	2	374	19.58	101.0
Bath	8,723	.95	95	-	190	21.78	100.0
Belfast	5,294	36	17	2.	53	10.01	21.2
Biddeford	14,443	277	255	~	532	36.83	108.1
Brewer	4,193	65	57	2	124	29.57	115.1
Calais	7,290	89	117	-	206	28.26	76.0
Deering	5,353	65	77		142	26.53	84.4
Eastport	4,908	-	-	-	-	-	-
Ellsworth	4,804	26	37	-	63	13.11	70.8
Gardiner	5,491	62	49	-	111	20.21	126.
Hallowell	3,181	18	23	-	41	12.89	78.3
Lewiston	21,701	347	297	50	644	29.68	116.8
Old Town	5,312	64	60	-	124	23.34	106.
Portland	36,425	438	465	1	904	24.82	94.5
Rockland	8,174	67	73	1	141	17.25	91.8
Saco	6,075	68	48	-1	116	19.09	141.7
Waterville	7,107	128	104	ì	233	32.78	123.1
Westbrook	6,632	127	102	-	229	34.53	124.5
Total	195,986	2,386	2,299	7	4,692	23.94	103.7

TABLE No. 14.

Percentage of American and Foreign Births by Counties, 1895.

	ľ	ARENTS.	The second second	
Counties.	American-born.	Foreign-born.	One foreign-born.	Births with parentage not stated.
Androscoggin	38.10	47.43	12.94	1.53
Aroostook	51.44	18.04	29.50	1.02
Cumberland	56.06	27.87	14.68	1.39
Franklin	81.22	8.56	7.73	2.49
Hancock	87.47	2.30	7.93	2.30
Kennebec	58.70	21.02	18.33	1.95
Knox	78.30	9.97	10.45	1.28
Lincoln	92.82	1.07	4.52	1.59
Oxford	81.47	8.49	8.83	1.21
Penobscot	62.28	18.96	17.55	1.21
Piscataquis	76.88	9.91	11.41	1.80
Sagadahoc	71.83	15.25	12.14	0.78
Somerset	78.13	9.00	.11.74	1.13
Waldo	91.02	0.97	7.77	0.24
Washington	66.74	10.72	20.13	2.41
York	53.05	35.01	10.58	1.36
State	63.05	20.17	15.32	1.46
				1

TABLE No. 15.

Percentage of American and Foreign Births, by Cities, 1895.

		PARENTS.		
CITIES.	American-born.	Foreign-born.	One foreign-born.	Births with parentage not stated.
Auburn	46.82	39.09	11.36	2.73
Augusta	52.65	27.75	16.75	2.85
Bangor	55.62	24.06	18.45	1.87
Bath	66.32	16.84	16.31	0.53
Belfast	88.68	-	11.82	- ·
Biddeford	17.66	68.05	13.16	1.13
Brewer	38.71	38.71	20.97	1.61
Calais	33.01	26.69	37.38	2.92
Deering	61.97	18.31	14.79	4.93
Eastport	-	-	-	-
Ellsworth	80.96	1.59	9.51	7.95
Gardiner	61.26	18.02	18.92	1.80
Hallowell	48.78	31.70	19.52	-
Lewiston	18.63	66.93	12.73	1.71
Old Town	33.86	28.23	37.09	0.82
Portland	46.46	32.96	19.25	1.83
Rockland	79.43	8.51	11.35	0.71
Saco	53.45	34.48	11.21	0.86
Waterville	30.04	36.48	32.62	0.86
Westbrook	84.94	51.97	12.66	0.43
Collectively	41.69	38.81	17.84	1.66
		l		I

TABLE No. 16.
Twin Births by Months and Counties, 1895.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	1	1	2	3	3	3	1	8	-	2	_	2	21
Aroostook	5	2	- :	5	3	1	4	-	2	1	2	1	26
Cumberland	1	1	3	4	3	2	2	3	3	-	1	2	25
Franklin	-	-	1	-	-	-	-	1	-	-	_	-	2
Hancock	-	1	-	-	-	-	-	3	-	1	_	1	6
Kennebec	-	1	2	1	2	_	1	1	1	3	1	_	13
Knox	_	1	3	2	-	1	_	2	-	_	_	_	9
Lincoln	-	-	-	-	1	-	_	-	2	-	_	_	3
Oxford	-	-	-	-	-	1	1	_]	-	1	_	-	3
Penobscot	2	-	1	1	1	1	_]	2	3	2	1	1	15
Piscataquis	1	-	2	-	-	_	_	1	-	_	1	_	5
Sagadahoe	2	-	-	1	_	-	_	_	_	_	2	_	5
Somerset	1	1	2	_	_	1	_	_	_	_	1	_	6
Waldo	-	_	1	-	_	_	_	_	_	1	1	_	3
Washington	1	1	_	1	_	1	_	_	1	2	1	1	9
York	٠ _	1	2	1	1	_	2	4	1	_]	1	1	14
Total	14	10	19	19	14	11	11	20	13	18	12	9	165

TABLE No. 17.

Twin Births, by Sex and Parentage, by Counties, 1895.

						==	-==						
		SE	x.					PAR	ENT.	AGE.			
Counties.	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	14	14	12	2	14	26	-	2	-	42	35	7	42
Aroostook	20	20	12	-	24	12	10	6	-	52	50	2	52
Cumberland	24	14	· 12	-	28	16	2	2	2	50	40	10	50
Franklin	-	4	-	-	4	-	-	-	-	4	4	-	4
Hancock	2	6	4	1.1	8	_	_	4	-	12	11	1	12
Kennebec	6	8	12	- ,	18	6	-	2	_	26	25	1	26
Knox	6	2	10	_ :	12	4	-	2	-	18	14	4	18
Lincoln	2	-	4	-	6	-	_	-	-	6	4	2	6
Oxford	4	2	-	-	2	2	2	-	_	6	6	_	6
Penobscot	12	12	6	-	16	8	4	2	_	30	30	_	30
Piscataquis	6	-	4	-	6	_	-	2	2	10	4	6	10
Sagadahoc	4	2	4	-	8	2	_	_	_	10	10	_	10
Somerset	4	_	8	_	12	_	-	_	_	12	11	1	12
Waldo	4	_	2	_	6	_	_	_	_	6	3	3	6
Washington	4	8	6	_	12	6	_	_	_	18	17	1	18
York	10	6	12	_	14	14	_	_	_	28	26	2	28
Total	122	98	108		190	 96	18	22	 4	330	290	40	830
									•			-"	

TABLE No. 18.
Still-Births by Sex and Parentage, by Counties, 1895.

		1	1				
Counties.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	23	24	7	54	31	20	3
Aroustook	46	33	3	82	49	33	-
Cumberland	57	51	2	110	63	45	2
Franklin	8	6	-	14	14	-	-
Hancock	18	16	-	34	.33	1	-
Kennebec	35	18	2	55	41	13	1
Knox	13	. 7	1	21	17	4	-
Lincoln	9	6	-	15	15	-	-
Oxford	14	9	-	23	22	1	-
Penobscot	34	30	4	68	49	17	2
Piscataquis	12	5	-	17	13	3	1
Sagadahoc	11	3	2	16	12	4	_
Somerset	22	11	-	33	27	5	1
Waldo	17	9	-	26	26	-	-
Washington	15	34	1	30	26	4	-
York	40	30	-	70	34	36	-
Total	374	272	22	668	472	186	10

TABLE No. 19. Still-Births by Seasons, 1895.

Months.			
January	56		
February	59		
March	71	Total for first quarter	186
April	59		
May	53		
June	46	Total for second quarter	158
July	50		
August	55		
September	60	Total for third quarter	165
October	47		
November	46		
December	65	Total for fourth quarter	158
Month not stated	1	Total not stated	1
Total	668		668

NOTES ON BIRTHS.

In the year 1895, 15,430 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, and 14,607 in 1894).

The number of living children born was 14,762, and the number of still-births was 668.

Of the whole number of living children of which the sex was certified, 7,602 were males and 7,144 were females. In 16 births, the sex was not stated. For each 100 girls born there were 106.4 boys (106.7 in 1892, 107.4 in 1893, and 104.7 in 1894).

Birth-Rate.—The birth-rate of living children for the State was 22.23 for each 1,000 of population, using the figures as given in the census returns for 1890 as the basis of calculation.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 of population was 23.94 as compared with 21.65, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 39.56, and the lowest in Waldo, 14.84. In four counties, Aroostook, Androscoggin, Cumberland, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

For the purpose of comparison it may be stated that in 1895 the birth-rate in New Hampshire was 21.08; in Vermont, 21.18; in Massachusetts, 27.02; in Rhode Island, 25.68; and in Connecticut, 24.41.

Parentage.—Of the total births in the State, 63.05 per cent. were of native parents; 20.17 per cent. were of foreign parentage; 15.32 per cent. were of parents, one of whom was foreign; while of 1.46 per cent. the nationality was not stated.

Lincoln county, as in each of the previous years, had the largest percentage of native-born parents, to wit, 92.82 per cent. Waldo followed with 91.02 per cent. of native parentage, and only 0.97 per cent. in which both parents were foreign-born.

In Hancock county, in 87.47 per cent. of the births, the parents were native-born.

In Franklin, the percentage was 81.22, and in Oxford, 81.47.

Low percentages of native-born parents were shown in Androscoggin county, where, in 38.10 per cent. of the births, the parents were native-born, and 47.43 per cent. were foreign-born; and in York county with 53.05 per cent., and in Aroostook with 51.44 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 41.69 per cent. of the births were of American parentage, while in the rural

parts of the State, the percentage of American-born children was 73.01.

The largest percentage of foreign-born parents was in Biddeford, 68.05, and in Lewiston, 66.93 per cent.

The lowest percentage of foreign-born parents was again in Belfast where no birth was reported in which both parents were foreign, while in Ellsworth only 1.59 per cent., and in Rockland 8.51 per cent. of the births had both parents foreign-born. For further comparisons see Table No. 15.

Comparing the statistics of the other New England States with our 63.05 per cent. of American-born parents, we find that in 1895, in Vermont 78.93 per cent. of the births were of American-born parents; in Massachusetts, 32.45 per cent.; in Rhode Island, 33.31 per cent.; and in Connecticut, 41.4 per cent.

Seasons and Births.—The largest number of births in any one month in 1895 was 1,329 in March; the smallest was 1,115 in November; the largest quarterly total was 3,835 in the third quarter; the smallest, 3,497 in the last quarter.

The following is a tabular statement of the number of births in each quarter of each of the four years 1892-95:

	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1892	8,474	8,774	3,557	3,160
1888	3,395	8,694	8,504	3,267
1894	8,277	8,779	3,667	3,208
1895	3,593	3,881	8,885	3,497

The three consecutive months in which the largest number of births occurred were March, April, and May. 3,924.

Twin Births.—In 1895, 165 twin births occurred; in 61 instances the twins were both boys; in 49, both girls; in 54, a boy and a girl. In 95 cases the parentage was American; in 48, foreign; and in 20 instances the parentage was mixed. Of the 330 children, 290 were born alive, and 40 were still-born.

Triplets in Portland and Jonesboro. Other facts may be learned by consulting Tables No. 16 and No. 17.

Still-Births.—Of the 668 still-born children, 374 were males, and 272 females. In 22 the sex was not stated. With the exception of 10 still-births, as to which the nativity of the mother was not stated, 472 were of American mothers, and 186 were of foreign mothers.

The largest number of still-births, 110, occurred in Cumberland county; while the minimum number, 14, was reported in Franklin county.

The largest number of still-births, 71, was returned in March; the smallest number was 46 in June and November. See Tables No. 18 and No. 19 for other details.

TABLE No. 20.

Marriages and Marriage Rates by Counties for the Years 1892-95.

	189	92.	189	33.	189	34 .	189	95.
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,726	8.56	5,795	8.76	5,591	8.46	5,729	8.67
Androscoggin	479	9.78	463	9.46	456	9.31	459	9.37
Aroostook	458	9.24	494	9.96	492	9.92	543	10.95
Cumberland	779	8.57	820	9.02	757	8.32	813	8.94
Franklin	145	8.50	150	8.80	166	9.78	158	9.27
Hancock	307	8.23	311	8.33	327	8.76	821	8.60
Kennebec	553	9.70	529	9.28	478	8.38	506	8.88
Knox	276	8.77	318	10.10	270	8.58	287	9.12
Lincoln	172	7.82	155	7.05	143	6.50	150	6.81
Oxford	224	7.32	223	7.29	217	7.10	249	8.14
Penobscot	697	9.58	694	9.52	631	8.66	684	9.39
Piscataquis	133	8.24	143	8.86	144	8.92	151	9.35
Sagadahoc	157	8.07	131	6.78	131	6.78	111	5.71
Somerset	297	9.10	298	9.13	285	8.74	307	9.41
Waldo	240	8.65	225	8.11	226	8.14	218	7.89
Washington	354	7.96	406	9.13	414	9.31	320	7.19
York	455	7.24	435	6.92	454	7.23	452	7.19

. 6

TABLE No. 21.

Marriages by Counties and Nativity, 1895.

Counties.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	252	128	47	28	4	459
Aroostook	273	96	85	85	4	543
Cumberland	534	133	84	57	5	813
Franklin	143	5	3	7	-	158
Hancock	276	8	14	22	1	321
Kennebcc	370	57	43	33	3	508
Knox	248	10	13	12	4	287
Lincoln	138	1	6	3	2	150
Oxford	223	3	9	13	1	249
Penobscot	391	34	25	45	189	684
Piscataquis	117	7	10	13	4	151
Sagadahoc	92	2	.10	6	1	111
Somerset	255	11	11	26	4	307
Waldo	202	2	7	7	-	218
Washington	238	32	12	36	2	320
York	313	85	29	25	-	453
Total	4,065	614	408	418	224	5,729

TABLE No. 22.

Marriages by Months and Counties, 1895.

COUNTIES.	January.	February.	March.	A pril.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	36	44	19	33	36	53	35	35	36	52	49	31	-	459
Aroostook	36	47	15	60	41	43	33	50	61	59	52	46	-	543
Cumberland	53	52	41	50	48	129	54	61	80	91	89	65	-	813
Franklin	20	11	12	11	12	8	13	10	16	13	23	9	-	158
Hancock	37	14	20	13	28	27	16	25	27	37	39	38	-	321
Kennebec	56	32	24	3 6	3 8	59	19	39	57	48	54	44	-	506
Knox	23	22	19	21	18	23	21	17	26	33	81	33	-	287
Lincoln	9	7	9	7	13	18	11	14	11	19	16	16	-	150
Oxford	17	16	18	7	16	20	15	18	31	32	37	22	-	249
Penobscot	51	55	45	52	33	85	42	52	71	76	75	46	1	684
Piscataquis	6	7	10	12	13	17	9	7	13	23	21	13	-	151
Sagadahoc	3	11	2	6	6	15	12	8	8	16	9	15	-	111
Somerset	25	18	15	23	32	27	18	28	32	84	27	28	-	807
Waldo	22	9	11	15	16	24	7	15	24	18	20	37	-	218
Washington	26	15	24	21	21	26	40	23	34	27	32	31	-	320
York	29	24	23	23	29	48	87	31	49	54	56	49	-	459
Total	449	384	307	390	400	622	382	433	576	632	680	528	1	5,729

TABLE No. 23.

Number of Marriages in Each Month of 1892, 1893, 1894, and 1895, with Monthly Ratio Compared with a Standard of 100.

	189	92.	189	83.	189	94.	189	1 5.
Months.	Marriages.	*Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	321	66.1	397	80.7	400	84.2	449	92.2
February	334	76.1	315	70.8	298	64.9	384	87.5
March	822	66.0	345	70.1	842	72.0	307	63.0
April	456	96.8	476	100.0	414	90.2	390	82.8
May	390	80.2	425	86.4	386	81.3	400	82.1
June	542	115.1	652	137.0	603	131.0	622	132.1
July	444	91.4	428	87.0	37 8	79.6	382	78.4
August	437	89.9	421	85.6	393	82.7	433	88.9
September	567	120.4	551	115.8	541	117.9	576	122.2
October	569	117.1	582	118.3	636	133.9	632	129.8
November	698	148.2	652	137.0	628	136.8	630	133.8
December	608	125.1	515	104.7	554	116.6	523	107.4
Unknown	38	-	36	-	18	-	1	-

^{*} In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 24.

Marriages by Ages and Counties, 1895.

	_									_		=	_	_	
Counties.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	85 to 40.	40 to 45.	45 to 50.	50 to 56.	66 to 60.	2	70 to 80.	80 and over.	Not stated.	Total.
Androscogginmales females	ī	22 114	173 171	118 76	58 38	27 28	19 11	17 9	13 5	4	4	4	-	-	459 459
Arcostookmales females	4	15 223	220 204	166 56	56 24	43 18	17 5	9 3	2 2	6 3	- 6	1 -	-	2 1	548 543
Cumberland males females	-	21 147	277 321	244 191	109 70	62 34	32 19	20 14	15 5	12 5	13 6	7	1	-	813 813
Franklin males females	2	8 54	49 53	48 22	22 9	9 5	4 6	-7 -	3 4	3 1	3 1	2 1	-	-	158 158
Hancockmales females	2	7 115	117 102	92 40	36 20	27 18	11 8	11 11	9 2	5 2	5 1	1 -	-	-	321 321
Kennebecnales females	-	20 151	178 181	124 73	64 34	44 25	25 9	15 11	12 8	12 5	10 8	1 -	-	1	506 506
Knox males females		13 9 6	96 96	78 41	31 23	19 13	16 5	20 5	3 3	4 2	3 2	4	-	-	287 287
Lincolnmales females	-	7 48	45 51	41 23	27 11	11 5	6 3	3 5	-	2	4 1	- 1	1	-	150 150
Oxford males females	1	4 76	86 84	71 29	24 18	14 10	11 6	12 9	6 5	5 2	12 9	3 -	1	-	249 249
Penobscot males females	3	22 177	239 250	185 126	94 48	48 29	31 19	19 10	15 9	13 2	12 7	5	1 -	3	684 684
Piscataquismales females		5 45	46 55	53 23	20 8	8 7	8 6	3 2	3 1	1 1	2 3	2	-	 -	151 151
Sagadahoc males females	-	3 26	33 42	34 18	18 8	13 7	1 2	2 4	3 1	3 1	1		-	- 1	111 111
Somerset males females	3	10 98	112 95	72 54	43 22	23 13	20 10	8 5	6 3	6 1	4 2	3 1	 -	 -	307 307
Waldo males females	ī	7 52	79 82	58 40	18 10	17 8	10 13	12 4	5 3	6 1	4 2	2 1	 -	- 1	218 218
Washingtonmales females	ī	24 112	120 120	93 51	41 13	15 6	5 6	4	- 6	1	5 3	8 1	 -	- 2	820 320
York males females	ī	16 95	182 189	109 70	48 27	84 28	14 13	17 11	9 8	9 3	13 8		-	1	452 452
Total males females	20		2,052 2,096	1,586 933	709 383	414 254	230 141	17 9 107	113 59	95 33	101 58	38 8	4	4 10	5,729 5,72 9
Grand total	20	1,836	4,148	2,519	1,092	668	871	286	172	128	154	46	4	14	11,458

TABLE Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.	Widowers.	Widows.	10,00	Divorced.		rust marringe.	Second marriage.			rong marriage.		rourin marriage.
	Hot	W	A	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.
Androscoggiu	82	86	56	15	17	357	384	93	68	6	4	-	1
Aroostook	49	72	37	5	6	464	499	68	46	8	2	-	1
Cumberland	130	130	83	16	18	667	711	128	96	17	2	1	1
Franklin	20	30	19	6	8	132	131	35	27	1	(F	-	-
Hancock	49	45	34	8	14	267	273	51	45	3	2	-	-
Kennebec	71	100	69	24	16	382	421	107	79	16	6	1	\rightarrow
Knox	37	58	32	18	17	211	238	68	45	8	4	-	-
Lincoln	19	26	22	.6	4	118	124	28	24	4	1	-	1
Oxford	35	52	39	12	11	184	199	52	42	9	8	3	-
Penobscot	93	97	81	28	35	558	564	107	111	16	6	-	-
Piscataquis	23	23	19	8	7	119	123	28	24	3	3	-	-
Sagadahoe	17	17	7	1	4	93	100	16	9	2	2	-	-
Somerset	36	48	36	13	15	245	256	56	47	6	4	-	~
Waldo	44	40	25	14	15	164	179	49	37	5	2	-	-
Washington	37	.51	23	3	6	266	290	50	27	4	2	1	-
York	75	77	43	9	6	365	403	82	46	2	3	2	-
Total	817	952	625	186	199	4,582	4,895	1,018	767	110	51	8	4

No. 25. Relation to Marriage.

	Fifth marriage.	Number of marriages		Total number of persons married.	-	F.	Youngest.	F.	м.	Oldest couple.	м.	roungest couple.
M.	F.	M.	F.	HH	М.	F.	м.	F.	м.	F.	м.	F.
_	-	8	2	918	72	70	18	14	68	70	18	17
_	-	8	1	1,068	70	57	18	14	69	52	18	15
-	-	-	3	1,626	80	76	18	15	80	76	18	17
-	-	-	-	316	75	72	18	14	66	72	19	16
-	1	-	-	642	70	62	18	14	52	62	18	16
-	-	-	-	1,012	77	67	17	15	77	65	17	17
-	-	-	-	574	79	66	18	14	75	64	19	15
-	-	-	-	300	80	74	17	15	80	74	17	15
- ,	-	1	-	498	84	69	19	14	84	60	19	16
-	-	3	3	1,368	81	74	17	14	81	74	17	17
-	-	1	1	302	75	66	19	15	75	56	19	15
-	-	-	-	222	68	67	17	15	68	67	17	19
-	-	-	-	614	76	75	17	14	76	75	17	16
-	-	-	-	436	74	75	17	14	78	75	20	16
-	-	-	-	640	77	76	16	14	77	76	16	16
		1		904	69	62	18	14	65	62	19	15
-	1	12	10	11,458								

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1895 was 5,729 (5,726 in 1892, 5,795 in 1893, and 5,594 in 1894). We have, therefore, for the year 1895, a marriage-rate of 17.34 (persons married) to every 1,000 of population, or at the rate of 8.67 marriages per 1,000 persons.

Marriage-Rates.—The marriage-rate was higher in Aroostook county than elsewhere in the State, as in the preceding year, it being for that county 21.90 per 1,000. The lowest marriage-rate, that of 11.42 per 1,000, was in Sagadahoc county. See Table No. 4.

Comparing the marriage-rate of Maine, 17.34 per 1,000, with that of the other New England States, we find that for the same year, 1895, it was in New Hampshire 20.52; in Vermont, 16.51; Massachusetts, 18.48; Rhode Island, 18.2; and Connecticut, 16.2.

Nativity.—Of the 5,505 records of marriage in which there is a statement of birthplace, in 74 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 7 per cent. the groom was American and the bride of foreign birth; while in 8 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 632, was solemnized in October, while the smallest number in any one month, 307, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 20 brides were married; in the age-period 15-20 years, there were 204 grooms and 1,632 brides; in the period 20-25 years, 2,052 men and 2,096 women were married; from 25-30, 1,586 men and 933 women; from 30-35, 709 men and 383 women; from 35-40, 414 men and 254 women; from 40-45, 230 men and

141 women; from 45-50, 179 men and 107 women; from 50-55, 113 men and 59 women; from 55-60, 95 men and 33 women; from 60-70, 101 men and 53 women; from 70-80, 38 men and 8 women; over 80, 4 men. See Table No. 24.

In 4,912 marriages the groom was older than the bride; while in 817, the bride was the elder; 952 widowers and 625 widows were remarried; 186 men and 199 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 4,582 men and 4,895 women were married the first time; that 1,018 men and 767 women were married the second time; that 110 men and 51 women were united in a third marriage; while 8 men and 4 women contracted marriage a fourth time. In one marriage in which the bride was 41, it was her fifth marriage.

The oldest groom was 84 years of age, and the oldest bride was 76; in 11 marriages the bride was only 14 years old.

TABLE Divorces Decreed by the Supreme Court of Maine for the

Counties.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Extreme cruelty.	Extreme cruelty and intoxication,	Descrtion.	Desertion and intoxication.	Desertion and extreme cruelty.	Desertion and failure to support.	Desertion and cruel and abusive treatment.
Androscoggin	45	18	12	-	-	-	20	1	3	1	1
Aroostook	20	10	4	-	-	12.	6	-	-	-	-
Cumberland	59	25	6	7	-	+	35	-	1	1	1
Franklin	18	4	4		7	18	7	-	-	-	-
Hancock	17	8	- 5	161	2	-	11	4	3	-	-
Kennebec	57	26	10	12	=	-	18	=	=	2	-
Knox	46	20	9	15	2	187	15	1	-	-	-
Lincoln	15	9	4	14	1	-	8	-	-	-	-
Oxford	19	13	6	-	-		13	-	-	-	-
Penobscot	67	19	18	1	2	-	23	-	-	-	-
Piscataquis	9	3	4	-	-	-	3	12	-	-	+
Sagadahoe	12	4	-	-	-	-	9	12	4	-	-
Somerset	27	21	6	-	1	-	11	14	-	1	1
Waldo	19	1	-	-	-	1	3	=	-	1	-
Washington	12	4	3	(2)	-	9	7	-	-	-	~
York	38	16	12	-	3	_	18	-	-	-	-
Total	480	201	103	1	11	1	207	1	1	5	3

No 26. Year 1895, as Returned by Clerks of the Several Counties-

Desertion, cruel and abusive treatment and intoxication.	Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Failure to support, cruel and abusive treatment and desertion.	Nullity of marriage.	No cause reported.	Total.
-	2	-	9	3	1	5	7	1	-	-	-	63
-	5	-	13	-	-	-	1	1	-	-	-	30
-	7	2	12	1	-	6	7	5	-	-	-	84
-	1	-	7	_	-	2	-	1	-	-	-	22
_	3	-	3	-	-	_	-	1	-	- 1	-	25
-	8	6	15	_	-	1	в	9	_	-	8	83
-	8	-	24	_	_	_	4	2	2	_	-	66
-	2	-	4	_	_	-	2	1	-	2	_	24
-	2	1	6	-	-	-	1	2	1	_	-	32
-	16	-	22	-	-	-	4	-	-	-	-	86
-	-	1	3	-	-	-	1	-	-	-	-	12
-	2	1	1	1	-	-	-	1	1	_	_	16
-	2	-	7	1	2	2	3	5	6	-	-	48
-	1	-	· 2	-		9	2	1	_	-	1	20
-	1	1	2	_	_	_	_	2	_		-	16
-	2	-	15	-	-	-	-	4	_	-	-	54
-	62	12	145	6	3	25	38	36	10	2	9	681
1	I								l	1 1		

TABLE No. 27.

Divorces by Causes, the Sex of the Libellants, and the Number of Years Married, 1895.

	1	LIBELLANT	s.		N	UMB N	ER C			RS	5
CAUSES.	Number.	Sex.		Under 6 months.	Underlyear.	1 to 5.	5 to 10.	10 to 20	20 to 30.	Over 30.	Unknown,
Adultery	103	Males, Females,	61	1		28	10	16		1	1 3
Adultery and desertion	1	Males, Females,	ī	1	-	-	1	3	=	ī	-
Desertion and extreme cruelty	1	Males, Females,	1		=	-	-	1	-	-	
Extreme cruelty	1 5	Males, Females,	11	-	12	- 5	-	1	1	-	-
Extreme cruelty and intoxication		Males,	-	-	7	- 0	- 8	-	3	1	
	100	Females, Males,	95	1.3		20	21	31	12	11	-
Desertion	1	Females, Males,	112	1	-	23	34	33	17	3	2
Desertion and intoxication	1	Females, Males,	1	-	9	-	1	3	-	=	-
Desertion and failure to support	-5	Females,	5	-	-	-	1	3	-	1	-
Desertion and cruel and abusive treatment	3	Males, Females, Males.	1 2 3	1.1	1.1.1	1 - 2	1			-	0.0
Intoxication	62	Females,	59	_	-	17	18	15		1	=
Intoxication and failure to support	12	Males, Females,	12	1	-	5	2	4	ī	10	-
Cruel and abusive treatment	145	Males, Females,	33 112	1	1 6	12 37	8 26	31		1 3	=
Cruel and abusive treatment and adultery	6	Males, Females,	1 5	1.1	-	- 2	0	1 3	1.1	1.1	1.1
Cruel and abusive treatment and ex- treme cruelty	3	Males, Females,	1 2	1.1	-	1	-	÷	1.7	1	1.4
Cruel and abusive treatment and failure to support	25	Males, Females,	1 24		-	īı	-1	10	1	ī	1
Cruel and abusive treatment and intoxication	38	Males, Females,	1 37	-	-	1 13	13	10	ĩ	-	1.1
Failure to support	36	Males, Females,	36	_		17	8	8	3	-	=
Failure to support, cruel and abusive treatment and desertion	10	Males, Females,	10	1.1	3	-4	- 2		3	-	- 1.1
Nullity of marriage	2	T. C. LIVIER CO.	2	_	1	1		-	-		-
No cause reported	9	Males, Females,	1 8	-		1 2	-2	1	2	ī	-
Total	-	Males, Females,	201 480	1	3 6	67 146	39 122	58 137	19	13	1 5

NOTES ON DIVORCES.

Six hundred and eighty-one divorces were decreed in the year 1895 (552 in 1892, 627 in 1893, and 674 in 1894). In 1895 there was decreed in Maine one divorce for every 8.4 marriages solemnized within the same year; in New Hampshire, one to every 9.8; in Vermont, one to 9.7; in Massachusetts, one to 24.2; in Rhode Island, one to 9.4; in Connecticut, one to 15.8. The divorce-rate is, therefore, greater in Maine than in any other New England State, and much greater than in some of them.

Some of the causes for which divorces were granted are: Adultery, 103, or 15.1 per cent. of the whole number; extreme cruelty, 11, or 1.6 per cent.; desertion, 207, or 30.4 per cent.; intoxication, 62, or 9.1 per cent.; cruel and abusive treatment, 145, or 21.3 per cent.; failure to support, 36, or 5.2 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 480 divorces, and the husband in 201.

In the divorces granted for adultery, the husband was the libellant 61 times, and the wife 42 times.

On account of extreme cruelty, the wife was the libellant in all of the 11 cases.

For desertion, the husband was the libellant 95 times, and the wife in 112.

For intoxication, the husband was the libellant in 3 cases, and the wife in 59.

For cruel and abusive treatment, the husband was the libellant in 33 instances, and the wife in 112.

For failure to support, the wife was the libellant in the 36 divorces decreed for that cause.

Two divorces were granted before the married life had lasted 6 months; 9, before 1 year; 213, after from 1 to 5 years marriage; 161, after 5 to 10 years; 195, after 10 to 20 years; 68, after 20 to 30 years; and 27, after more than 30 years of married life. Tables No. 26 and 27 may be consulted for more detailed statements.

TABLE No. 28.

Deaths and Death-Rates by Countles, for the Years 1892-95.

	189	92.	189	93.	180	4.	188)5.
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	12,147	18.37	11,134	16.84	11,012	16.66	10,464	15.83
Androscoggin	803	16.39	819	16.73	941	19.22	866	14.40
Aroostook	619	12.48	609	12.72	657	13.46	665	13.52
Cumberland	1,845	20.28	1,719	18.90	1,690	18.57	1,629	17.91
Franklin	337	19.76	319	18.98	276	16.35	272	16.10
Hancock	581	15.57	494	13.35	553	16.27	510	13.78
Kennebec	1,273	22.32	1,153	20.22	1,132	19.86	1,014	17.79
Knox	629	19.99	569	18.09	509	16.18	526	16.73
Lincoln	439	19.95	330	15.06	341	15.50	325	14.78
Oxford	561	18.30	506	16.62	470	15.42	455	14 98
Penobscot	1,208	16.57	1,122	15.48	1,192	16.40	1,130	15.51
Piscataquis	246	15.24	249	15.91	214	13.52	207	13.14
Sagadahoe	352	18.09	326	16.76	290	14.91	287	14.75
Somerset	548	16.79	511	15.84	520	16.12	521	16.07
Waldo	538	19.38	408	14.70	444	16.00	405	14.59
Washington	775	17.42	761	17.22	636	14.39	603	13.67
York	1,393	22.20	1,239	19.72	1,147	18.26	1,049	16.70

TABLE No. 29.

Number of Deaths in Each Month of 1892, 1893, 1894, and 1895, with Monthly Ratio Compared with a Standard of 100.

	189	92.	18	93.	18	94.	189	95.
Months.	Deaths.	* Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	1,577	154.5	849	90.0	1,266	136.6	906	101.9
February	1,292	136.7	845	100.0	980	116.6	821	102.2
March	1,095	106.0	959	108.3	920	103.4	1,053	118.4
April	1,048	106.0	1,037	100.0	994	110.0	854	99.3
May	1,045	106.0	969	100.0	851	93.3	843	94.8
June	833	84.6	819	90.0	816	90.0	715	83.1
July	866	84.6	823	90.0	865	93.3	803	90.3
August	938	82.2	1,080	106.6	953	100.0	938	165.5
September	976	93.9	975	106.6	956	106.6	1,023	118.9
October	844	81.8	917	100.0	821	86.6	902	101.5
November	790	78.8	796	86.6	761	83.3	743	86.4
December	793	76.5	1,037	100.0	819	86.6	858	96.5
Unknown	50		28		10		5	

^{*}In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE Shows the Number of Deaths in the State, and in

	CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
	d causes	11,302 10,755	935 842	757 6 9 8	1,782 1,713
II.—I III.—I IV.—(V.—I VI.—I	CLASSES. Zymotic diseases	2,885 3 35 666 1,688 5,065 413 547	236 - 3 50 135 386 32 93	296 1 1 29 157 191 23 59	439 - 6 103 275 823 67 69
I1. 2. 3. 4. 5.	GROUPS. Infectious diseases	727 1,405 635 1 117	48 107 71 - 10	102 81 102 -	121 227 75 - 16
II1.	Parasitic diseases	3	-]	1	-
III1.	Dietetic diseases	35	3	1	6
IV1.	Constitutional diseases	666	50	29	103
V1.	Developmental diseases	1,688	135	157	275
VI1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. VII1. 2.	Diseases of nervous system Diseases of organs of special sense Diseases of circulatory system Diseases of respiratory system Diseases of diseative system Diseases of lymphatics, etc Diseases of urinary system Diseases of organs of generation Accidents and diseases of reproduction Diseases of senses of the integument Accident, negligence or doubtful Homicide Suicide	1,58b 4 1,048 1,165 693 4 475 35 36 6 14 841 6 66	104 - 99 92 51 - 35 4 - 1 1 30 - 2	50 1 21 51 50 - 13 1 4 - - 19	260 - 152 208 108 2 91 3 3 1 - 577 1 9
VIII1	Deaths from ill-defined causes	547	93	59	69

No. 30.

Each County, Arranged by Classes and Groups.

										 -		
Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
286 273	547 521	1,087 1,050	556 538	343 332	484 465	1,208 1,150	227 218	307 299	562 536	485 418	642 618	1,144 1,089
69 - 2 26 37 128 11	122 - 8 29 74 274 19 26	259 - 1 67 138 555 30 37	146 - 7 86 81 241 27 18	62 1 1 25 58 170 15	93 - - 38 63 258 13	309 - 7 66 178 536 54 58	60 - 13 46 94 5	65 - 18 36 165 15 8	130 1 - 41 92 254 18 26	83 - 30 68 212 20 22	223 - 1 31 83 259 21 24	283 - 3 64 167 519 43 55
23 30 13 - 3	23 77 17 - 5	60 130 60 -	49 65 26 1 5	12 38 10 -	21 48 18 -	85 168 45 - 11	8 38 8 - 6	15 36 7 - 7	27 73 26 - 4	16 49 14 -	41 121 53 - 8	76 117 90 -
-	-	-	-	1	-	-	-	-	1	-	-	-
2	8	1	7	1	-	7	-	-	-	-	1	3
26	29	67	3 6	25	38	66	13	18	41	30	31	64
37	74	138	81	58	63	178	46	36	92	68	83	167
-44	7 <u>4</u>	210 1	- 67 -	-6 6	- 86 	151 -	28	- 51	- 64 	74 -	. 81 1	175 -
27 23 20 1 8	59 65 40	111 123 67	64 42 28 1 34 3	36 30 24	55 64 27	118 127 81	23 20 9	37 38 20	43 62 56	45 36 31	55 60 39	103 124 47
8 1 4	30 1 2 1	34 4 1 -	34 3 1 -	13 1	19 5 1	- 48 2 4 1 1	12 - - 2	17 - 1 - 1	24 1 4	23 2 1	17 3 2 1	57 57 7
9	17	25	20	14	9		4	11	14	17	21	21
- 2	i	- 5	- 7	- 1	- 4	43 2 9	- 1	- 4	- 4	- 3	- "	31 2 10
13	26	37	18	11	19	58	9	8	26	.22	24	55

TABLE No. 30—Continued. Deaths by Classes and Groups.

		1						1	1							_	=
Causes of Death.	State.	Androscoggin,	Aroostook.	Cumberland,	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoe.	Somerset.	Waldo.	Washington.	York.
I.—Zymotic. 1. Infectious diseases. Totals. Small pox Chicken-pox Measles Rötheln Scarlet-fever Typhus fever Infuenza Whooping cough Mumps Diphtheria Croup Tonsilitis, etc Cerebro-spinal meningitis. Tetanus Typhoid fever Simple continued fever Malarial diseases Other specific febrile diseases	727	48 - 1 1 2 - 15 5 - 6 4 - - 12 12 - 13 - 14 - - - - - - - - - - - - - - - - -	102 - - 1 - 3 - 7 24 1 15 19 - - 30 - -	121 - 1 - 18 21 - 33 4 1 1	23 2 - 4 1 1 - 10 3 2 1	23 - - 1 - 7 4 - 5 1 - 3 1	60 - 1 - - 14 5 - 9 14 - 11 2 -	49 - 1 - 12 - 17 3 2 1 2 4 2 1	12 2 1 - 4 1 1 2	21 8 - 22 2 - 3 - 4 - 2	85 4 - 21 7 - 17 1 - 4 1 1 - 26 4 1 1 -	8 - - - 5 1 1 - - - 1 1 1 -	15 - - - - - 3 4 - - 1	27 - - 1 1 7 2 3 - - 5 4 1	16 4 1 - 6 1 1 3	411 	76 - 4 - 12 5 - 12 2 2 2 2 2 7 2
I.—2. Specific neo- plastic. Totals	1,405 82 1,195 31 89	6	81 2 75 2 2	227 20 186 4 16	30 2 27 1 -	7	130 5 111 2 12	65 58 2	38 4 28 2	2	168 8 143 4 10 3	38 2 29 - 7	36 1 34 - 1	73 3 64 2 4	49 2 45 1	121 11 98 4 8	117 5 99 4 8 1
I.—3. Diarrheal diseases. Totals Infantile diarrhea Cholera morbus Dysentery Diarrhea	635 523 25 45 42	71 67 - 3 1	102 89 4 3 6	75 62 3 5	13 9 - 1 3	17 15 - 1	60 48 1 7	26 19 4 1	10 6 - 3 1	18 14 1 2 1	45 39 2 1	8 6 - 2	7 4 1 1 1	26 18 2 5	14 9 1 -	53 32 6 11 4	90 86 - 1 8
I.—4. Zoögenous diseases. Totals	- 1 -	1111			-		-	1 -	1111			-	-		-		-
I.—5. Septic diseases. Totals Phagadena Erysipelas Pyemia, septicemia Puerperal fever	117 - 25 57 85	10 - 3 7 -	11 - 1 4 6	16 -4 7 5	3 - - 2 1	5 - 1 2 2	9 - 3 3 3	5 - 5 -	2 - 1 1	6 - 3 2 1	11 - 3 5 3	6 -2 4	7 - 1 2 4	4 - 1 3	4 - 2 2	8 - 4 2 2	10 - - 8 2

TABLE No. 30—Continued.

Deaths by Classes and Groups.

																	_
Causes of death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Parasitic. Totals	3 - 3		1 - 1	-	11111		11111		1 - - 1	11111	1.1001.1		1111	1 - 1	1111		
III.—Dietetic. Totals	35 -16 -3 16	3	1 - 1 - -	6 - 1 - 1 4	2 - 2 - -	3 - 1 - - 2	1 - - 1	7 -4 - -3	1 - 1	111111	7 4 - 1 2		11111	11111	11111	1 - 1 - -	3 - 1 - - 2
IV.—Constitutional. Totals	666 56 137 62 42 74 165	50 5 7 7 3 6 15	29 6 - 6 1 2 - 7	103 4 - 19 8 8 13 32	26 - 7 3 3	29 2 - 6 2 1 4 7	67 7 12 10 4 10 13		25 1 - 5 1 4 5 7	38 7 8 4 2 1 8	66 5 10 4 2 8 21	13 2 3 1 1 1 3	18 4 - 6 3 1 - 2	41 3 - 8 2 1 3 15	30 3 5 5 2 4	31 2 - 8 6 2 4 6	64 5 - 13 3 5 7 15
Purpura hemorrhagic diathesis	51 77	6 1	- 1 6	1 5 13	- 3 4	2 5	38	- 3 5 -	- 2 -	500	7 9	- 2 -	- 1 1	- 5 4	1 2 3	- 3	- 6 10
V.—Developmental. Totals	1,688 668 170	54 15	82 10	275 110 43	14	74 34 3	18	81 21 9	58 15 3	63 23 6	178 68 10	46 17 8	36 16 4	92 33 8	68 26 4	83 30 9	167 70 25
fancy	208 17 25 5 1 12 3 579	29 3 3 - 1 - 30	1 1 1 - 17	13 4 5 4 - 6 1 89	6 1 16	4 1 1 - 1 - 30	15 1 1 1 - 1 45	11 - 1 - - - 1 38	2 - 1 - - - 37	7 2 - 25	22 1 1 - 1 75	8 2 - - 16	1 2 - 1 - 12	11 1 2 - - - 37	7 -1 - - 30	10 - - 1 33	16 1 6 - - - 49

TABLE No. 30-Continued.

Deaths by Classes and Groups.

VI.—Local. 1.—Diseases of the nervous system. Totals	CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lineoln.	Oxford.	Penobscot,	Piscutaquis.	Sagadahoe.	Somerset.	Waldo.	Washington.	York.
1.—Diseases of the nervous system.		00	5	A	0	T.	9	K	K	17	0	7	н	00	on.	=	=	1
Totals	1.—Diseases of the ner-						1											
Membranes	Totals	1,585	104	50	260	44	74	210	67	66	86	151	28	51	64	74	81	178
Apoplexy						6					17	32	3	5	13	6	99	3
Hemiplegia																	20	5
Paralysis agitans					1	9					7	6	2				3	13
Paralysis			-	0	-	3	2	3		-2		1	0	_1			1	U
Brain, other diseases of .	aralysis							1	19	20	12	27	10			23	9	.80
Brain, other diseases of .				1		1				-	=,	2		1	- 0	-	7	-
Chorea						(2)								1			1	1
Convulsions	horea	2	-	-	1	-	-	-	-	-	-	-	-	-	- 1	~	14	-
Laryngismus stridulus	pilepsy									-				-	1		1	0
Spinal meningitis			10	11		-	_ 2	4	29		2	8	_2		.3	6	8	1
Myelitis 7 1 1 1 1 2 1 1 1 2 1 1 1 1 2 1<			3	1			1	3	1		1.3	1	-	(0)	8	1	2	1
Locomotor ataxia	yelitis	7	0	-	1	-		1		-	1		-	1		1-1	-0	-
Other diseases of spinal cord	araplegia			-		-	÷.	1	-		1	-		-	-	1	-	5
20 1 2 2 1 - 3 - 2 3 1 - 3		10	- 1	-	1	-	1	-	-	2	-	2	-	2	-	-	1	-
Other diseases of nervous system		20	1	2	2	1	-	3	_	9	3	1	_	_	2	_	1	3
of special sense. Totals	ther diseases of ner-	10					3		1	-	1				-		1	8
Diseases of the ear							ij										1	1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			-		-	- 1	1	1	-	*		-	-	-	-	-	1	-
Diseases of the eye 2 - - 1 1 - - - - - -		2	-	1		-1	7	-	-	-	-	-		-	-	-	1	-
VI —3. Circulatory system. Totals		2	-1	~/	-1	-	1	1	- 1				-1	_	-1	-		
system. 1,648 99 21 152 27 59 111 64 36 55 118 23 37 43 45 5 Endocarditis 23 2 1 - - 4 2 - 5 3 - - - - 3 1 24 6 4 7 3 1 Hypertrophy of heart 49 1 - 6 1 4 3 4 3 6 8 1 1 2 3 Pericarditis 12 1 2 2 1 1 - 2 1 1 - - 1 - - 1 - - - 1 -		-	-	-	-		-	=		-	-	-	-	-	-	-	-	-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		-4	H	Н									Ш	Ш				
Endocarditis	Totals				152	27	59	111		36	55	118	23	37	43	45	55	103
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					0-	-	= 1			-			-	-	-	- 1	4	2
Pericarditis				-											7	3	17	2
Diseases of heart, unspecified 602 55 10 82 13 34 66 30 22 27 68 12 27 31 36 2 single pectoris. 45 5 1 2 4 7 4 3 3 3 3 3 2 4 single pectorism 12 1 3 2 3 3 3 3 3 2 4 single gangrene 52 5 3 11 3 4 6 2 3 2 3 4 2 1 1 mbolism, thrombosis. 31 5 9 2 1 2 1 - 5 - 1 1 1 mbolism 11 1 - 5 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1					2				9					1	-2		1	1
Angina pectoris		1-	1		- 1		-	- "		-	-	-		-1	3	. 1		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	specified					13										36	28	61
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		45	-5	1	2	-		7	4	3	3	3		3	2		1	4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	neurism	19		1	9	- 0	-	=1	- 0	3	2	- 12	21	-		=		-
Embolism, thrombosis 31 5 - 9 2 1 2 1 5 1 2 2 1 5 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3			- 5			3	4	15		3		3	1	9	1	T	1	4
Phlebitis	mbolism, thrombosis		5	-		2	1		1	-					-		3	9
	hlebitis	1	1	-	-	-	-	-	-	-	-	+	-	=	-	-	-	-
Others, circulatory system 4 2 1 1		- 1		5	0	5.1	31	9		-	1		- 1	-				

TABLE No. 30-Continued. Deaths by Classes and Groups.

																\equiv	==
CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoe.	Somerset.	Waldo.	Washington.	York.
VI4. Respiratory system.																	Γ
Totals	1,165	92	51	208	23	65	123	42	30	64	127	20	38	62	36	60	124
Laryngitis Other diseases of larynx	6	1	1	1	-	-	-	-	-	1	-	-	-	-	- 1	-	2
and trachea	.2		-	1	-		-		۱	-	-		-	=	- !	1	-
Emphysema, asthma Bronchitis	17 225	2 23	- 9	39	- 2	2 14	2 39	1 2	1 3	10	1 17	1 2	-8	13	7	8 41	1 29
Pneumonia	812	57	34	139	20	42	73	37	26	50	100	14	28	47	27	41	77
Pleurisy Other diseases of res-	19	2	1	4	-	1	-	-	-	-	5	-	~	-	-	2	4
piratory system	84	7	6	21	1	6	9	2	-	8	4	3	2	2	1	6	11
V15. Digestive system.								1									
Totals Diseases of the mouth	693 2	51		103	20	40	67	28	24	27	81	9	20	56	31	39	47
Dyspepsia	23	4	7	2	-	1	2	1	-	-	1 8	-	-	1	1	1	=
Gastric ulcer Hematemesis	17	1	-	1	-	4	2 1 1 5	-1	-	1	3 1	=	1	3	1	-	_1
Gastritis	88	4	5	5	2	5	5	2	6	3	11	3	-	17	5	7	8
Other diseases of stom- ach	16	,	_	2	1	2	5	_	_	_	1	_	1	2	1	_	-
Enteritis	114	14	12	19 5	3	6	11	4	2	6	9	1	4	8	-2	8	7
Stricture and strangula-	y	-	-	P	-	-	-	1	-	-	1	-	-	-	2	-	-
tion of intestines Intussusception of intes-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tines	5	1	-	-	-	-	1	-	-	_	1	-	-	2 2	-	-	-
Hernia Other obstructive dis-	15	-	1	2	-	1	4	1	-	-	-	1	-	2	-	2	1
eases of intestines	43	2		7	2	4	2	1	2	2	4	-	1	4	2	2	8
FistulaPeritonitis	2 125	7	1 16	23	4	-5	12	- 5	-1	- 5	1 13	-1	-5	-,	-8	-8	- 5
Appendicitis, etc	36	5	-2	5	1 1	_	3	2	- 1	3	9	- 1	ĭ	7	4	- 1	2
Ascites Gallstones	11 6	-		1 2	-	- 1	3 1 1	-	-	_	1 2 2 3 8	-	=	-	-1	-1	2 1 2 2 3 8
Cirrhosis of liver	33 28 20	1	-	11	2 1 2 1	8 1	_	3 1	2 3 1	2 1	2	-	2	1	1 1	1 1 3 1	2
Jaundice	20	2 1 5	1 4	5 3 7	2	2	2 1 9	-	1	-	3	71	2	2 1 4	_1	1	3
Other diseases of liver Other diseases of diges-	66	5	4	7	1	5	9	2	6	3	8	2	1	4	1	5	8
tive system.	29	2	-	8	-	1	6	1	1	1	6	-	1	1	8	-	3
VI6. Lymphatics, etc.																	1
Totals	4 3	-	-	2 2	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the spleen	- °	1 1	-	-	-	-	_	_1	-	-	=	-	-	=	-]	=
Bronchocele	- 1	-	-	-	- 1	-	1111	-	1 1 1	-	-	-	-	-	-	-	-
MANAGEMENT & GIBORSC	1	-	_	-	1	_	-	-	-	-	-	-	-	-	-	-	_

TABLE No. 30-Continued.

Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Camberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc,	Somerset.	Waldo.	Washington.	York.
VI7. Urinary system.	475	35	13	91	8	30	34	34	13	19	48	12	17	24	23	17	57
Nephritis	90	6	3	30	1	8	2	4	2	1	9	5	2	2	3	7	7
minuria	234	15	7	38	4	8	19	17	7	12	24	4	9	18	13	6	- 83
Uremia	45	4	1	11	-	2	2	5	-	1	4	2	4	1	2	2	
Suppression of urine	3	-	-	-	+	\times	-	+	-	-	1	-	-	-	1	-	10
Calculus	2	\sim	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Stricture	-	-		-	-	E.		-	-	-	7	-	=/	-	-	-	-
Hematuria Diseases of bladder and	3	Ť	-	1	-	1		7		3	1	-	-	-	-	-	*
prostate	67	6	1	9	3	ð	10	5	2	5	6	-	2	2	2	1	1
Other diseases of urinary system	31	4	1	2	-	5	1	8	1	-	3	1	2	1	2	1	1
VI8. Organs of generation.	07			4	1							i					
Totals	35 11	3	1	3	1	1	4 2	3	-	5	1	-	-	1	2	3	1
Diseases of uterus and	**	9	201	0	-		-			5		-	-	-	- 8	-	-
appendages	20	1	1	1	1		2	1	_	- 0	1		_	1	1	-8	1
Paramenia	1	0	-1		-	2		-	8	1	2		21	-	-	9	
Pelvic abscess	2	-		2	-1	- 1	61			-		51	31		01	31	Ξ
Perineal abscess	- "	-	-		-		_	_		-	-	_		_	31	- 1	
Disease of male organs									- 1								
of generation	1	8	=	-	-	-	-	1	-	~	-	-	-	-	-	-	-
VI9. Accidents and dis- eases of reproduction.																	
Totals	36		4	-3	4	-2	1	- 1	1	1	4	-	1	4.	1	3	10
Abortion, miscarriage	7	75	1	1	1	201	-	1	-	-	-	-	-	2	-	-	5.13
Puerperal mania	- 5	7	1	-		7,	-	-	-	-	~	-	-	-	-	-	-
Puerperal convulsions	4	\tilde{z}	-	1	2	1	-	-	-	-	1	-	1	-	-	-	3
Placenta previa	4	Ğ.		-1	2	-	~	-		=	~	-	100	-	-	-	7
Puerperal hemorrhage Phlegmasia dolens		2.		0	0					-		7	-	-	-	-	-
Other accidents of repro-	-		-					-	-	F	6	-		2	-		-
duction	20	-	2	1	1	1	-1	-	1	1	3	-	-	2	1	2	1
VI10. Osseous system.													Ц				H
Totals	6	-		1		1	-	- 1	-	1	1	-	-	-	-	1	4
Diseases of the joints	1 5	3		1	= 1	1		-	2	1	1	-	-	-	7	~	-
Diseases of the bones	D		-		-	1	=	Ξ	0	-	1	-	\sim		-	1	1
Other diseases	-	7		=	-	Ē		-	Ĭ	-	7	3		-	-	-	-
VI.—11. Integument.	14	1				1		7				6					
Totals	14	1	_	0	-		4	1	3	5	4	2 2	1	3	-	-	-
Phlegmon, cellulitis	2	1	-	Ę,			-1	3	2	2	i		1	*	3	2	-
Ulcer, bed sore	î	3	5	Ξ.	-			-		2	1	-	+	7	-	-	-
Other diseases of integu-	1					-			-							-	-
ment	7	1	-	_	_	1	3	1	-		2	_					
						- 1	.,,		100	2	-	-	(F-1)	7	-	- 1	-

TABLE 30—Concluded.

Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Camberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoe.	Somerset.	Waldo.	Washington.	York.
VII.—Deaths from violence. 1. Accident, negligence or doubtful. Totals	841 45 28 18 27 1 31 10 81 11 88	30 4 - 2 - 3 - 6 1 14 -	19 - 4 2 3 - 1 3 - 6 -	57 5 2 1 8 - 5 - 15 3 17 1	91111	17 - 1 3 1 - - 6 - 5	25 5 1 1 1 7	20 1 1 - - 1 - 8 3 6	14 2 - 1 - 2 1 8	91-1-21-3-	43 9 6 2 5 - 3 2 7 - 9	4 - - - - 3 - 1	11 . 2 . 1 1 1 1 4 - 2 -	14 3 2 1 1 1 - 2 1 1 1	17 3 4 - - 1 - 3 - 6	211 5 11 3 - 3 11 6 11	31 4 4 1 5 1 2 1 8 1 4
VII.—2. Homicide. Totals	6	-		1	- 1] 1	1 1	-	-	-	2 2	-	- 1 - 1	-	-	-	2 2
VII.—3. Suicide. Totals	66 15 10 10 7 15	2 -	4 - 1 1 1	94-	2 1 - 1 - 1 -	1	5 1 2 - 1	7 - 1 1 4 1	1 - - - 1	4 - 2 1 - -	9 4 1 3 - 1	1 1 - - -	1 1 1 1	4 - 1 1 2	3 - 1 - 1 1		10 2 2 1 3 1
VIII.—Deaths from ill- defined causes. Totals	547 37 69 83 81 7 2 9 14 9	93 2 4 9 5 - 1 - 1	59 63 3 2 2 43	69 4 12 36 2 1 1 -	13 1 4 3 1 - - 1 3	26 6 6 4 1 1 2 1 2	37 - 2 5 5 - 1 2 22	18 1 5 2 - 1 - 1	11 2 1 1 1 - - 1 - 2 4	19 1 4 2 3 - 1 1	58 4 15 1 5 1 1 3 5 5 222	9 - 2 2 2 - 1 1 3	8 3 1 1 - 1 - 2	26 3 3 5 2 2 2 2 1	222 3 6 2 3 1 1 - 1 1 5	24 3 3 7 5 - - 2 - 1 8	55 1 4 24 12 1 - - 2 9

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis,	Whooping cough.
MAINE	661,086	50	N S	25	197	4	29	82
	10							
Androscoggin	48,968	-	1	2	10	-2	=	ō
Aroostook	49,589	-	1	3	34	-	2	24
Cumberland	90,949	-	1	1	37	1	2	21
Franklin	17,053	-	-	2	1	-	1	-
Hancock	37,312	-	-	1	6	-	1	4
Kennebec	57,012	-	-	-	23	-	4	
Knox	31,473	-	1	4	20	2	1	-
Lincoln	21,996	-	-	. =	5	-	1	1
Oxford	30,586	-	-	-	4		3	-
Penobscot	72,865	-	-	4	18	-	4	- 7
Piscataquis	16,134	-	-	-	-	-	-	3
Sagadahoc	19,452	-	-	-	7	-	1	-
Somerset	32,627	-	-	1	5	-	1	9
Waldo	27,759	-	-	-	7	-	-	1
Washington	44,482	-	-	3	6	1	2	
York	62,829	-	4	4	14	-	6	
Androscoggin County	-	-	1	2	10	-	-	1
Auburn	11,250	-	~	8	2	-	- 1	1
Durham	1,111	-	-	-	-	-	-	-
East Livermore	1,506	-	-	1.0	-	3	-	-
Greene	885	-	-	-	@	-	-	-
Leeds	909	=	-	-	-	2	-	1
Lewiston	21,701	=	-	1	. 5	-	-	1
Lisbon	3,120	-	1	1	1	-	-	-
Livermore	1,151	-	0	-	2	-	5	-
Mechanic Falls	-	-	-	~	-	-	~	-
Minot	1,355	_	-	_	-	-	-	-
Poland	2,472	-	-	-		_		-
Turner	2,016	-	-	-	-	-	-	-
Wales	451	-	-		-	151	4	-
Webster	951							

No. 31. Causes, Mostly Infectious Diseases.

Typnoid rever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
185	25	35	57	152	45	42	25	523	1,195	202	10	10
12	3	-	7	15	3	1	-	67	92	14	1	_
30	1	6	4	7	3	6	4	89	75	6		-
35	4	5	7	18	5	5	3	62	186	40	1	4
10	-	1	2	4	1	3	-	9	27	3	2	-
3	1	2	2	7	1	1	-	15	64	12	-	-
11	3	3	3	14	7	4	1	48	111	19	-	-
4	-	-	5	12	1	2	4	19	58	7	1	9
2	-	1	1	2	3	1	-	6	28	9	-]
4	8	1	2	8	2	1	1	14	42	6	2	-
26	3	3	5	21	1	3	2	39	143	22	1	-
1	2	-	4	5	-	2	-	6	29	9	-	-
1	1	4	2	6	1	1	1	4	34	2	-	-
5	-	8	1	7	5	1	2	18	64	9	1	-
8	-	2	2	4	-	4	1	9	45	4	-	
11	4	2	2	10	u	4	6	32	98	23	1	-
27	-	2	8	12	1	3	-	86	99	17	-	9
12	8	-	7	15	3	1	-	67	92	14	1	-
1	1	-	1	3	-	-	-	9	20	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	6	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	8	-	-	-
9	1	-	5	7	1	1	-	53	43	6	1	-
-	1	-	-	1	2	-	-	2	6	4	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	-	-	-	6	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	2	-	-	•
-	-	-	1	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	- 1	-	-	2	-	- 1	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
AROOSTOOK COUNTY	25	-	1	3	34	-	2	24
Amity	420	-	-	ú.	2	-		J.
Ashland	568	-	-	-	-	-	-	14
Bancroft	264	-	-	-	-	-	1-	4
Benedicta	317	4	1-0	4	12	-	- 1	-
Blaine	784	4	2	4	-	-	-	-
Bridge water	946	1.4	121	-	-	-	-	_
Caribou	4,087	4	1	-	-1	-	-	2
Dyer Brook	221	-	1 = 1	-	4	-	-	1
Easton	978	-	-	-	4	2	4	-
Fort Fairfield	3,526	-	121	1	-5	-	-	-
Fort Kent	1,826	-	-	= 1	1	-	- 1	5
Frenchville	2,560	4	-		1		-	-
Grand Isle	964		-	-	2	-	-2	4
Haynesville	280	-	-	- 1	1	-	-	3
Hersey	151	œ.	-	-	-		14	-
Hodgdon	1,113	-	-	-	4	-	-	-
Houlton	4,015	-	- 1	-	2	_	-	_
Island Falls	223	-	-	1	3	_	1	2
Limestone	933	-	-	-	-	_	_	_
Linneus	965	-	-	-	-	_	-	1
Littleton	924	-	-	-	1	-	-	1
Ludlow	375	-	-	-	-	-	-	_
Madawaska	1,451	-	-	-	-	_	-	1
Mapleton	832	_	-	-	-	_	_	_
Mars Hill	837	-	-	-	-	_	_	-
Masardis	250	-	-	-	_	-	-	-
Monticello	1,132	-	-	-	-	-	_	-
New Limerick	567	-	_	_	-	_	_	_

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

												
Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantlle diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
30	1	6	4	7	3	6	4	89	75	6	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-		-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	2	2	-	-	-
-	-	1	-	-	-	-	-	-	2	-	-	-
2	-	1	1	-	1	-	-	8	9	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	_	-
9	-	-	-	-	-	1	-	4	-	-	-	-
-	-	1	1	2	-	-	-	16	3	- 1	-	-
1	-	-	-	2	-	-	1	4	12	-	-	-
	-	-	-	-	-	1	-	4	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	- '	-	-
1	1	-	-	-	1	1	-	2	5	ı	-	-
-	-)	-	-	-	-	-	1	-	2	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	4	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	2	- 1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	1	1	-	-	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-
											<u> </u>	

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
New Sweden	707		2	1,2		-	-	4-1
Orient	244	-	-	-	12	-	-	-
Presque Isle	3,046	-	-	4	1	-	1	3
Sherman	909	÷	-	-	-	-		
Smyrna	303	-			-	-	13	-
Van Buren	1,168	-			1	-	-	-
Washburn	1,097	-	-	1	1	5	12/	_
Weston	404		(2)	1.01	-	-	2.	-
Woodland	885	4	-	=	2	-	-	1
Plantations.	200	L	-	-	-1	÷	2	
Cary	390	-	-	1=	-	-	1	-
Castle Hill	537	-	-	1.2	-	-	12	-
Caswell	212	1	-	-	. 3	-	-	-
Chapman	231	-	-	1=	- <u>a</u>	-	-	-
Connor	526	-	-	-	-	-	5	-
Crystal	297	-	-	-	-	-	-	-
Cyr	429	-	-	-	-	-	-	-
Eagle Lake	313	_	-	-	-		4	1
Garfield	86	-	-	-	-	φ,	-	1
Glenwood	183	-	19	-	-	-	-	1
Hamlin	484	12	ů.	-	6	_	_	-
Hammond	109	-	2	-		-	-	-
Macwahoc	216	-	-	42	-		-	-
Merrill	244	_	-	-	-	-	_	100
Molunkus	77		-	-				_
Moro	199	-	10	2	1	12	12	-
Nashville	34	-	-	-	1	2		
New Canada	301	-	-	.0				
Oakfield	720	18		13			12	

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY-CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	8	5	1	-	-
-	-	-	-	1	-	-	-	ı	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	7	2	-	-	-
1	-	-	-	-	-	-	-	4	٠- ا	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
3	-	-	-	-	-	-	-	-	1	1	-	-
2	_	_	_	_	_	_	_	_	_	_	_	_
_]	_	_	_	_	_		_	1	1	_	_	_
1	_	_	_	_	_ 1	_	_	3	1	_	_	_
_]	_	_	_	_	_	_	_	1	1	_	_	_
_ !	-	_	_	_	_	_	_	- 1	_]	_	_	_
_	_	_	· _	1	_	_	1	4	_	_	_	_
_	_	-	_	_]	_	_	- 1	1	-	_	_	_
_	_	_	_	_	_	_	_	2	2	_	_	_
_	_	_	_	_	_	_	_]	2	1	_	_	_
_	_		_	_	_	_	_	-	_	_	_	_
_	_	_	-	_	1	_	_	-	_	-	-	_
_	_	_	_	_	_	_	_	1	1	-	_	_
_	_	-	_	_	-	-	_	-	1	-	_	_
_	_	_	_	_	-	-	-	-	-	-	-	-
_	_	_	_	_	_	-	-	1	-	-	-	_
_	_	-	-	-	-	-	-	-	-	-	-	-
-	_	-	_	- 1	-	-	-	-	1	-	-	-
_	_	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis,	Cerebro-spinal meningitis.	Whooping cough.
Oxbow	94	-	-	-	-	-	-	100
Perham	438	-	-	-	1	-	9	-
Portage Lake	140	-	-	12	4	2	-	-
Reed	203	-	-	-	-	-	9.	-
Sheridan	221	2	- 1	-	-	-	-	-
St. Francis	461	-	-	-	-	-	3-0	190
St. John	226	-	-	-	1	-	-	1
Silver Ridge	195	-	-	-	- 1	-	9.	-
Stockholm	105	-	-	-	-	-	-	-
Wade	158	-	-	-	-	(A)	-	-
Wallagrass	595	-	5,1	φ.	1	-	-	4
Westfield	166	-	~	-	2	1.2	5	-
Westmanland	52	-	-	21		-	-	-
Winterville	72		-	~	2	-	-	2
CUMBERLAND COUNTY	2		1	1	37	1	2	21
Baldwin	932	-	-	-	-	4	3	-
Bridgton	2,605	-	=	-	2		-	-
Brunswick	6,012	-	1	4	-	-	-	2
Cape Elizabeth	5,459	-	2	-	-	4	÷.	1
Casco	844	-	~	-	-	-	-	-
Cumberland	1,487	-	-	-	1	-	-	1
Deering	5,353	-	-	1	3	-	-	5
Falmouth	1,580	90	-	-	2	-	-	-
Freeport	2,482	-	-	-	-	1	74.	1
Gorham	2,888	-	-	-	2	-	1.5	-
Gray	1,517		=	141	1	_	(2)	1
Harpswell	1,766	-	-	-	4	-	-	-
Harrison	1,071							

No. 31-Continued. Causes, Mostly Infectious Diseases.

at later and the second	12 Adv. 10 March 11
COUNTY	CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	۵.	12	-		-	-	-	1.2
-	-	1	-	-	3-0	~	-		~	-	-	-
-	-	-	7-1	-	-	-	-	-	~	-	-	-
3	-	-	-	-	-	-	=	-	1	-	-	-
-		-	~	-	~	-	-	-	1	8	-	-
-	-	200	£	-	-	-	3	-	-	-	+	-
-	-	-	-	-	-	-	13	1	=,	9	-	10
2	-	-	-	(2)	-	2	-	1	-	-	-	-
2	-	-	-	-	S	-	1	-	-	-	-	-
-	-	-	1-1	-	-	-	(-)	-	0-0	~	-	100
-	~	-	-	-	-	-	~	-	1	-	-	+
1	+	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-		=	100
-	-	-		-	-	-	-	-	-	-	=	-
35	4	5	7	18	.5	5	3	62	186	40	1	
=	-	-	1	-	-	1	4		1	-	-	-
-	1	- 1	-	1	-	41	~	-	7	-	1	-
6	1	~	1	1	-	-	- 1	5	17	1	-	-
- 1	-	-		-	-	-	1	-	3	1	-	-
-	-	-	-	-	-	-	-	Œ.	2	-	-	$\dot{\omega}$
-	-	-	-	-	1	12	-	-	3	=	=	-
2	-	1	1	2	-	-	-	1	16	3	-	-
-	1.2	-	= 1	-	~	-	=	2	3	1	=	12
=	-	1	-	3	-	-	1-0	3	3	-	-	-
-	-	-	-	1	-	-	~	1	-0	-	-	-
-	-	-	-	1	-	1	- 1	-	3	-	=	-
-	1	-	-	-	-	-	-	-	3	-	-	-
							1		2			

TABLE

Deaths in Each Town from Special

CUMBERLAND

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Soarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Naples	846		i -	-	-	_	-	1
New Gloucester	1,234	-	-	-	_	_	-	-
North Yarmouth	709	-	-	_	-	_	1	_
Otisfield	838	-	_	-	- 1	_	-	-
Portland	36,425	_	-	-	25	-	_	5
Pownal	712	-	-		-	_	-	-
Raymond	927	_	-	-	-	_	-	_
Scarboro	1,794	_	-	-	-	_	_	_
Sebago	681	_	-	-	-	_	-	_
South Portland	-	-	-	-	2	_	1	2
Standish	1,841	-	-	-	1	-	-	_
Westbrook	6,632	-	-	-	-	_	-	2
Windham	2,216	-	-	-	-	_	-	-
Yarmouth	2,098	-	-	-	-	-	-	_
FRANKLIN COUNTY	-	-	-	2	1	-	1	-
Avon	439	-	-	-	-	-	-	-
Carthage	390	-	-	-	-	-	-	_
Chesterville	770	-	-	-	-	-	-	-
Eustis	321	-	-	-	-	-	-	-
Farmington	3,207	-	-	-	1	-	1	-
Freeman	464	-	-	-	-	-	-	-
Industry	545	-	-	-	-	-	-	-
Jay	1,541	-	-	-	-	-	-	-
Kingfield	601	-	-	-	-	-	-	-
Madrid	441	-	-	-	-	-	-	-
New Sharon	1,064	-	-	-	-	-	-	-
New Vineyard	660	-	-	2	-	-	-	_
Phillips	1,394	-	-	-	-	-	-	-
Rangeley	616	-	-	-	-	-	-	-
				<u> </u>			<u> </u>	

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	_	-	-	1	_	1	-	-
1	-	-	-	1	-	-	-	-	3	-	-	-
-	-	1	-	-	-	-	-	1	1	1	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
21	1	1	4	1	3	1	1	84	84	22	-	2
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	. 1	-	1	-	-	-	1	2	-	-	-
-	-	-	-		-	-	-	-	1	-	-	-
-	-	-	-	2	1	-	-	1	7	1	-	1
-	-	-	-	1	-	-	-	1	3	1	-	-
3	-	-	-	4	-	-	-	11	6	6	-	-
-	-	-	-	-	-	-	-	-	5	-	-	1
-		-	-	1	-	. 2	-	-	2	2	-	-
10		1	2	4	1	3	-	9	27	3	2	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	- 1	-	-	-	-	2	i - I	-	-
-	-	-	-	-	-	1	-	2		-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	1	-	-	-	1	6	1	1	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-		1	1	-	-	-
4	-		-	-	-	-	-	2	4	1	-	-
1	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	- 8	-	1		_	-	-	-	-	-	-	-

Digitized by Google

TABLE
Deaths in Each Town from Special
FRANKLIN

							FKAN	W LIN
COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	· Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Salem	218	-	-	-	-	_	-	-
Strong	627	-	-	-	-	-	-	-
Temple	470	-	-	-	-	-	-	-
Weld	885	-	-	-	-	-	-	-
Wilton	1,622	-	-	-	-	-	-	-
Coplin Pl	71	-		-	-	-	-	-
Dallas Pl	184	-	-	-	-	-	-	-
Greenvale Pl	. 52	• -	-	-	-	-	-	-
Jerusalem Pl	18	-	-	-	-	-	-	-
Lang Pl	51	-	-	-	-	-	-	-
Lowell Pl	49	-	- 1	-	-	-	-	-
Perkins Pl	94	-	-	-	-	-	-	-
Rangeley Pl	58	-	-	-	-	-	-	-
Redington Pl	28	-	-	-	-	-	-	-
Sandy River Pl	. 45	-	-	-	-	-	-	-
Township No. 6	26	-	-	-	-	-	-	-
HANCOCK COUNTY	-	-	-	1	6	-	1	4
Amherst	875	-	-	-	-	-	-	-
Aurora	175	-	-	-	-	-	-	-
Bluehill	1,980	-	-	-	-	-	-	-
Brooklin	1,046	-	-	-	-	-	-	-
Brooksville	1,310	-	-	-	-	-	-	-
Bucksport	2,921	-	-	-	1	-	-	-
Castine	987	-	-	-	-	-	-	-
Cranberry Isles	330	-	-	-	-	-	-	-
Dedham	366	-	-	-	-	-	-	-
Deer Isle	8,422	-	-	-	8	-	-	-
Eastbrook	246	_	-	-	-	-	-	-
Eden	1,946	-	-	-	-	-	-	8
Ellsworth	4,804	-	-	-	-	-	1	-
Franklin	1,264	-		-	-	_		

No. 31—Continued.
Causes. Mostly Infectious Diseases.
COUNTY—CONCLUDED.

Ç00	NTY-CO	MCTODE	, 				1	-				
Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
_	-	-	-	-	1	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	_	-	-	4	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
_	-	-	-	-	-	-	-	-	-	-	-	-
_	-	-	_	-	-*	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-		-	-	-	-	-	-	-	-	-	-
-	-		-		-	-	-	-	-	-	-	_
-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	- ·
3	1	2	2	7	1	1	_	15	64	12	_	_
_	-	_	_	1	_	_	_	_	2	_	-	_
-	1	_	-	_	-	_	_	_	_	_	-	_
1	-	-	-	-	_	_	_	2	2	8	_	_
_	-	-	-	1	-	-	-	-	1	1	-	_
_	-	- 1	_	1	-	-	_	-	2	2	-	_
_	-	1	-	-	-	1	_	-	5	-	-	_
	-	_	-	-	-	-	-	-	-	1	-	_
_	-		-	-	-	-	-	-	-	-	-	-
_	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	7	-	-	-
-	-	- 1	-	-	-	-	-	- [1	-	-	-
-	-	-	-	1	-	-	-	4	4	1	-	_
-	-	-	-	-	-	-	-	4	8	-	-	-
_	-	1	-	-	-		-	-	4	1	-	-
	1	1 1					1					

TABLE
Deaths in Each Town from Special
HANCOCK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Gouldsboro	1,709	_	-	-	1	_	-	-
Hancock	1,190	-	-	-	-	-	- 1	-
Isle au Haut	206	-	-	-	-	-	-	-
Lamoine	726	_	-	_	-	-	_	_
Mariaville	271	_	-	-	-	-	-	· -
Mount Desert	1,355	-	-	-	-	_	_	_
Orland	1,390	٠ -	-	-	-	-	-	-
Otis	239	-	-	-	-	-		_
Penobscot	1,313	-	_	-	-	-	_	_
Sedgwick	1,012	-	-	-	-	-	-	_
Sorrento	-	-	-	-	-	-	_	_
Sullivan	1,379	-	-	-	-	-	_	1
Surry	986	_	-	-	-	-	-	_
Tremont	2,036	-	-	-	-	-	-	_
Trenton	528	-	-	_	-	_	_	-
Verona	323	-	-	-	-	-	-	-
Waltham	242	-	-	-	-	-	-	_
Winter Harbor	-	-	-	-	-	_	_	_
Long Island Pl	132	-	-	1	1	_	-	_
No. 33 Pl	112	-	-	-	-	_	_	_
Swan Island Pl	632	-	-	-		-	-	-
KENNEBEC COUNTY	-	-	-	-	23	-	4	5
Albion	1,042	-	-	-	-	_	-	-
Augusta	10,527	-	-	-	3	-	2	3
Belgrade	1,090	-	-	-	-	-	-	-
Benton	1,136	-	-	-	-	-	-	-
Chelsea	2,356	-	-	-	1	-	-	-
O1 1	1,423	_	_	_	1	_	_	_
China	1,720		1				_ 1	_

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non.puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholers morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	1	-	-	-	-	8		-	-
-	-	-		-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-		-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	8	8	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	,-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	1	_	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	- 1	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	- [']
-	-	-	-	1	-	-	-	-	2	-	-	-
11	8	8	8	14	7	4	1	48	111	19	-	-
-	-	1	-	-	2	-	-	-	2	1	-	-
5	1	-	1	3	1	-	-	26	33	4	-	-
-	-	-	1	-	-	1	-	-	4	-	-	-
-	-	1	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	5	-	-	-
-	1	-	-	1	-	-	-	-	8	-	-	-

TABLE
Deaths in Each Town from Special
KENNEBEC

	0						1	
COUNTY AND TOWNS.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tousilitis.	Cerebro-spinal meningitis.	Whooping cough.
Farmingdale	821	-	-	-	-	-	-	-
Fayette	649	-	-	-	-	-	-	~
Gardiner	5,491	-	-	-	-	-	-	-
Hallowell	3,181	-	-	-	-	-	(3)	-
Litchfield	1,126	-	-	-	-	-	-	-
Manchester	612	~	-	-	-	-	-	-
Monmouth	1,362	-	=	4	-	-	-	-
Mount Vernon	940	-	-	-	-	-	-	-
Oakland	2,044	-	-	-	3	-	-	~
Pittston	1,281	-	-	-	1	~	-	-
Randolph	1,281	-	-	-	-	-	-	-
Readfield	1,176	-	-	-	-	-	-	-
Rome	500	-	14	3	1	4	-	-
Sidney	1,334	-	-21	-	-	-	-	=
Vassalboro	2,052	-	<u>G</u>	-	1	-	1	-
Vienna	495	-	-		-	-	-	-
Waterville	7,107	-	-	-	.9		1	-
Wayne	775	-	-	-	-	- 5	-	-
West Gardiner	853	-	-		-	+	-	1
Windsor	853	-	-	-	-	-	-	-
Winslow	1,814	4	-	1.2	3	-	-	2
Winthrop	2,111	-	1,2	-	5	-	-	-
Unity P1	62	÷	170	-	-	-	-	-
KNOX COUNTY	7		1	4	20	2	1	-
Appleton	1,080	-	-	-	-	-	-	-
Camden	2,471	-	-	-	1	-	-	-
Cushing	688		-	-	-	-	-	-
Friendship	877	-	=	-	-	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthists.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	1	12	1	-	-
1	-	-	-	-	-	1	-	1	4	2	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	_	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-,
-	-	-	-	-	1	-	-	-	3	-	-	-
-	-	-	- ¦	-	-	-	-	-	3	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	1	-	-	- 1	-
1	-	-	-	-	-	-		1	1	1	-	-
2	-	-	1	2	-	-	-	2	-	1	-	_
-	_	-	-	-	-	-	-	-	1	-	-	-
1	1	-	· -	3	-	-	-	13	11	5	-	-
-		-	-	. 1	-	-	-	-	2	-	-	-
1	-	-	-	1	1	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	_		-	-	1	-	1	6	2	_	_
-	-	-	-	-	-	-	-	-	5	-	-	_
-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	5	12	1	2	4	19	5 8	7	1	. 2
_	_	_	_	8	_	_	1	_	4	_	_	_
_	_	_	1	_]	_	_	2	1	9	1	_	1
-	_	_	_	_	- 1	_	_	_ [1	_	_	_
-	-	-	-	-	-	-	_	-	8	1	-	-
									'			

TABLE Deaths in Each Town from Special

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Hope	641	-	15	-	2	-	-1	-
Hurricane Isle	266	-	2	-	-	-	-	-
North Haven	522	Ξ.	-	-	12.	-	~	(-)
Rockland	8,174	-	-	2	.9	1-1	-	-
Rockport	2,150	14	~	1-1	2	-	-	-
South Thomaston	1,534	+	1	1	13	-	-	-
St. George	2,491	-	-	-	2	-	-	-
Thomaston	3,009	3	100	-	2	-	-	-
Union	1,436	-	-	-	1	-	-	-
Vinalhaven	2,617	=	-	1	-	1	1 = 1	-
Warren	2,037	-	-	-	1	-	-	-
Washington	1,230	-	-	æ.	2	-	1	-
Matinicus Isle Pl	196	-	-	-	-	-	-	-
LINCOLN COUNTY	(2)	-	-	(-)	5	-	1	1
Alna	512	H-1	æ	0.0	-	÷	-	-
Boothbay	1,718	-	9	-	-	-	-	-
Boothbay Harbor	1,699	-	-	-	-	- +	-	-
Bremen	842	-	~	-	-	-	-	-
Bristol	2,821	-	-	-	-	-	-	-
Damariscotta	1,012	-	-	-	-	-	-	-
Dresden	1,043	-	-	-	-	-	-	-
Edgecomb	749	-	-	-	(-)	-	-	-
Jefferson	1,391		-	-	-	-	-	-
Newcastle	1,282	-	-	-	-	-	-	-
Nobleboro	947	-	-	-	-	-	-	-
Somerville	453	-	2	_	1	-	-	-
Southport	533	-	-	-	-	- 1		_

No. 31—Continued. Causes, Mostly Infectious Diseases.

COUNTY-CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	- 5	-	-	-	4	1	-	-	40	-	-
5	-	-	-	-	-		-	-	-	-	-	-
-	18	7-3	1	-	-	-	-	-	-	-	-	-
2	10	-	2	3	1	1	-	8	9	1	1	1
ė.	-	-	-	1	-	1	-	1	2	-		-
÷			5	-	-	+	1	1	1	-		2
-	-	-	044	3	-	-	-	3	11	1	-	-
-	-	-	1	1	-	-		1	4	2	-	=
-	-	2	-	1	3	1,-2	-	-	1	-	6	-
1	-	-	12	-0	5.1		(#)	2	9	1	-	4
1	100	-	143	1	-	-	10	2	3	1	-	-
-	4	-	-		-		-	a Bil	1	-	3	-
-	-	-	-	-	-	-	7			-	÷	-
2	-	1	1	2	3	1		6	28	9		1
•	-	-	2	-	-	-	11	3	1	1	4	8
- 1	121	-	-	-	-	-	-	1	3	-	-	=
-		-	0-01	-	-	-	-	-	5	1	-	-
-	-	4	-	-	-	-	-	-	2	1	-	-
2			4	-	2	15	4	-	2	-	-	1.1
-	-		-	3	-	-	-		-	-	-	-
-	-	-	-	-	-	-	+	1	1	-	-	-
-	-2		-	-	-	-	-	-	1	-	-	-
-	-	1 1 1	-	1	-	-	-	-5	1	_	-	4
-	-	2	-	5	1	-	-		1	-	-	-
	-	-		-	-		-	-	2	1	-	-
-		-	-	-	-	-	-	-	-	-	-	4
_		-	2.	-	2	- 1	-	-	1	1		- 2

TABLE
Deaths in Each Town from Special

LINCOLN

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and eroup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Waldoboro	3,505	-	-	12	2		1	-
Westport	451	\sim	-	-	13	Ξ.	-	-
Whitefield	1,215	~	-	-	1	-	-	1
Wiscasset	1,733	~	-	-	1	0	-	÷
Monhegan Pl	90	-	-	-	-	-	-	-
OXFORD COUNTY	-5	-	-	-	4	-	3	-
Albany	645	÷	-	-	-	÷	12	4
Andover,	740	9	-	12	Ξ.	Ξ.	18	-
Bethel	2,209	12	Œ	-	2	-	-	-
Brownfield	1,134	-	1,-	-	-	-	-	-
Buckfield	1,200	-	-	-	2	-	-	-
Byron	180	-	-	-	-	-	-	
Canton	1,303	-	-	12	1	-	1	-
Denmark	755	-	-	-	1	÷	4	-
Dixfield	988	-	-	-	-	4	- 1	2
Fryeburg	1,418	-	-	-	4	-	1	4
Gilead	336		-	-	9.	4	-	
Grafton	98	-	-	-	-	-	-	-
Greenwood	727	-	-	-	- 1	~	-	-
Hanover	212	-	-	-	1	-	-	-
Hartford	689	-	-		-	+	80	-
Hebron	600	-	-	-	=	4	-	-
Hiram	1,063	-	-	-	1	1	-	
Lovell	858	Ġ.	-	0	4	-	9:1	-
Mason	80		-	-	-	-	-	-
Mexico	355	4	-		-	-	-	-
Newry	343	~	-	-	2		-	-
Norway	2,665	-	_	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-		-	1	-	-	-	-3	1	2	2	-	1
+	9	-	-	÷	-	-	=	-	-	-	-	-
-	-	1	+	1	-	1	=	1	1	2	-	-
-	2	-	~	-	-		9.	2	D	8	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-
4	3	1	2	8	2	1	1	14	42	6	9	-
-	-	- 1	-	2	-	-		-	2	-	-	=
-	1	-	-	-	-	-	-	-	1	1	12	-
-		-		-	-	-	-	-	1	-	1	-
1	-	-	-	-	-	-	_	2	3	1	2	_
-	-	- 1	-	1	- 1	-	-	=	1	-	-	_
	-	9 1	-	-	~	-	-	-0	-	-	-	-
-	-	14	-	-	-	-	-0	1	2	-	-	-
-	- 0	4	-	-	-	-	-	-	1	-	-	_
-	1	- 1	-	1	2	~	-	-	-	- 1	1.4	-
14	-	-	-	-	12.11	-	2	-	4	-		-
-		-	-	-	-	13.	-	1	2	9	-	-
-	1.2	4	0	-	-	-	-	-	-	-	-	Ξ,
-	-	1	~	-	-	~	-	1	1	1	-	-
-		2	-	-	-	-	1-1	-	~ 1	-	-	-
	-	4	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	~	-	-
-	-	-	-	-	-	1	-	-	1	-	-	=
-		-	3	-	-	-	-	5	-1	i e	1	-
-	*	0	-	-	-	-	-	-	1	-	=	-
-	-	-	-	- 1	-	-	-	-	-	-	-	=
9	-	-	-	2	-	_	-	1	В	-	-	-

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Oxford	1,455	-	-		1	÷	-	-
Paris	3,156	-	-	-	1	-	1	-
Peru	692	-	-	-	-	-	-	-
Porter	1,015	-	2	-	10-2	-	-	4
Roxbury	222		1	-	-	-	20	12
Rumford	898	-	-	-0	4-3	-	-	-
Stow	291	-	-	~	-	-	-	-
Stoneham	322	-	-	-	-	-	~	-
Sumner	901	-	3.5	-	-	-	-	-
Sweden	338	-	2.1	-	-	14	1	-
Upton	232	8	1	-	14	4	-	-
Waterford	1,001	12	2	15	-	-	= 1	-
Woodstock	859	-	- 1	-	1	-	-	-
Franklin Pl	112	4	-	_				-
Lincoln Pl	59		-	-	-	-	-	-
Milton Pl	211		21		-	•	-	-
Batchelders Grant	26	4	-	-	-	2	-	-
PENOBSCOT COUNTY	-	-	-	4	18	-	4	7
Alton	348	4	-	_	9	3	16/	-
Argyle	263		-	-	-3	-	1-0	-
Bangor	19,103	4		-	4	_	-	~
Bradford	1,215	-	-	-	-	-	-	-
Bradley	823	-	-	15	-	2	-	-
Brewer	4,193		-	12	S-S	3	-	
Burlington	460	-	1.21	-	-	-	-	4
Carmel	1,066	_	-	-	1	12	1	-
Carroll	546			100	1	3	1	2

No. 31-Continued. Causes, Mostly Infectious Diseases.

COUNTY-CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	2	-	191	8	-	2	1	2	1	-	-	-
-	1		- 12	2	-	=	-	=	5	1	-	-
	-1		-	-	-	-	- 1	1	1	-	-	-
-	\sim	-	-	8	+	-	-	-	-	5	-	×
-	-	-	-	-	-	-	8	-	18	-		-
1	-	-	13	0	-	-	-	3	2	-	1	
-	050	-	-	-	-	54	(4)	= 1	2		ė	
1	~	-	-	-	-	-	$ -\rangle$	-	-	-	-	
8	9	= /	14-	-	2	=	81	=	1	-	\sim	18
~	-	-51	-	-	-	3	-	1	-	-	~	-
-	-	-1	100	-	-	-	~	-	-	-	-	-
~	-	-	-		-	-	-	-	1	-	-	3
-	-	-	1	-	-	0	-	=	-	1	0	
-	-		4	-	-	-	-	-	-	-	-	
-	+	0-01	-	-	=	-	-	-	-	13	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-		181	-	-	-	-	-	-	-
26	3	3	5	21	1	3	2	39	143	22	1	
-	~	-	-	-	-	-	-	-	1	-	-	
	-	-	-	-	10	-	-	-	1	-	=	
13	-	3	-	4	÷	=	-	10	47	.9	3	0
	-	-	9	1	101	-	-	1	2	-	9	
-	-	-	1	-	-	-	-	1	1		÷	5
-	-	-	-	4	-	- 5	1	3	13	1	-	
-	-	1.4	-	-	-	-	-	-	3	-	-	-
	-	1-	-	-	-	-	-	-	-	9	1-21	
-	- 1		-		-	-	-	-	1	-		1

TABLE
Deaths in Each Town from Special

PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Searlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Charleston	971	~	-5	2	-	-	1	2
Chester	368	-	-	2	-	-	=	-
Clifton	284	-	21	~	-	-	-	-
Corinna	1,207	-	-	-	~	-	-	-
Corinth	1,154	-	-	~	~	-	1	-
Dexter	2,732	-	3	-	-1	-	-	-
Dixmont	919	-	-	-	- 1	1	~	-
Eddington	729	-		-	-	-	-	-
Edinburg	54	-	=	-	Ę	-		2
Enfield	769	-	-	- 1	-	-	12	-
Etna	646	-	=		4	-	12	-
Exeter	939	-	-	-	-	-	1 -1	-
Garland	973	-	-	-	_	-	-	-
Glenburn	583	-	-	-	-	-	-	-
Greenbush	659	-	-	-	-	-	-	-
Greenfield	231		-	-	50	-	-	-
Hampden	2,484	-	15.	10.4	-	-	ı è	-
Hermon	1,282	-	-	-	5	-	-	-
Holden	609	-	Ξ.	-	=	-	1-	-
Howland	171	-	-	100	-	14	-	-
Hudson	510	-	-	-	-	-	-	-
Kenduskeag	536	-	-	-	-	-	-	-
Kingman	671	-	-	-	-	-	-	2
Lagrange	721	-	-	-	-	-	(-)	-
Lee	929	-	=	-	-	-	-	1
Levant	880	4	=	-	-	-	(2)	-
Lincoln	1,756	(2)	24	2	-	-	-	-
Lowell	439	-		- 1	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

====												
Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	_	-	-	1	_	-	-	-	2	1	-	_
-	-	-	-	-	-	-	-		-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	_	-
-	1	-	-	-	-	-	-	-	2	1	-	-
1	-	-	1	-	-	-	-	-	3	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-•	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	_
-	-	-	-	-	-	-	-	-	ð	-	-	-
1	-	-	-	1	-	1	-		3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	. 1	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	1	7	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	, -	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
1	-	-	-	-	-	-	-	2	3	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Mattawamkeag	633	-	-	-	-	4	13	12
Maxfield	134	-	4	3	=	-	1.0	-
Medway	653	-	-	2	-	-	=	-
Milford	835	=	-	-	-	-	120	-
Mt. Chase	284	-	1.4	-	2	-	-	-
Newburg	867	-	-	-	-	-	-	1
Newport	1,188	_	-	-	-	-	7-51	-
Old Town	5,312	-	-	-	2	-	-	1
Orono	2,790	-	-	=	2	-	2	-
Orrington	1,406	-	10	-	-80	-	-	-
Passadumkeag	343	-	-	=	15	-	-	-
Patten	936		-	-	3	_	1	-
Plymouth	689	-	-	0	-	-	-	-
Prentiss	401	-	-	-	-	-	-	1
Springfield	677	-		-	-	-	-	-
Stetson	618	-	-	-	-	_	-	-
Veazie	£50	-	-	-	-8	-	-	-
Winn	936	-	-	-	1	~	1-0	-
Woodville	242	4	-	-	-	_	1	-
Drew Pl	110	-	_	-	-	13	-	-
Lakeville Pl	144	-	-	5	-	-	-	-
No. 2 Grand Falls Pl	68	-	_	-	-	-	-	2
Seboeis Pl	98	-	-	-	-	-	-	-
Stacyville Pl	250	-	_	-	1	_	-	-
Webster Pl	135	10	-	-	-	-	-	-
PISCATAQUIS COUNTY.	+	-	-	-	-	12	-	1
Abbot,	622	1	-	-	-	-	+	-
Atkinson	605	10	-	-	-	-	-	-
Blanchard	213	0-0	-	-	1	-	-	-



No. 31-Continued. Causes, Mostly Infectious Diseases. COUNTY-CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	- !	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	.1	-	-	
2	-	-	8	4	-	1	-	11	8	1	-	-
1	-	-	-	1	1	1	-	. 2	4	1	-	-
-	-	-	-	1	-	-	-	-	8	-		-
-	-	-	-	-	-	-	-		1	-	-	-
-	1	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	1	1	1	-	-	-
-	1	-	-	-	-	-	-	1	2	-	-	-
	-	-	-	1	-	-	-	-	2	-	-	-
- 1	-		-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-		-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	_	-		_	_	-		_	_	-	-	_
_				_	_		-	1	_		_	_
_	_		_	_			_	1	_	_	_	
1	2	-	4	5	-	2	-	6	29	9	-	-
-	-	-	<u>,</u> 1	-	-	-	-	-	-	-	-	-
-	· -	-	- ,	-	-	-	-	1	1	-	-	-
-	-	-	-	-			-	-	-	-]	-	-

TABLE
Deaths in Each Town from Special
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheris and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping-cough.
Brownville	1,074	_	-	-	-	-	-	_
Dover	1,942	-	-	-	-	-	-	-
Foxcroft	1,726	-	-	-	-	-	-	-
Greenville	781	-	-	-	-	-	-	1
Guilford	1,023	-	-	-	-	-	-	-
Medford	306	-	-	-	-	-	-	-
Milo	1,029	-	-	-	-	-	-	-
Monson	1,237	-	-	-	-	-	-	_
Orneville	492	-	-	_	-	-	-	-
Parkman	813	-	-	-	-	_	_	_
Sangerville	1,236	-	-	-	-	-	-	-
Sebec	725	-	-	-	- 1	-	-	-
Shirley	291	-	-	-	-	-	-	_
Wellington	584	-	-	-	-	-	-	_
Williamsburg	162	-	_	-	-	_	-	_
Willimantic	446	- ·	_	_	-	_	_	_
Barnard Pl	100	_	-	_	-	_	_	_
Bowerbank Pl	87	-	_	_	-	_	_	_
Elliottsville Pl	53	_	-	_	- 1	-	-	_
Kingsbury Pl	205	-	-	_	_		_	-
Lake View Pl	-	_		_	-	_		_
North East Carry	-	-	-	_	-	-	_	_
SAGADAHOC COUNTY.	-	-	-	-	7	-	1	-
Arrowsic	177	-	-	-	-	-	-	-
Bath	8,723	-	- '	-	8	-	1	-
Bowdoin	940	-		_	-	-	-	-
Bowdoinham	1,508	-		-	1	_	-	_
				ı			1 {	

No. 31—Continued,
Causes, Mostly Infectious Diseases.
COUNTY—CONCLUDED.

Typhoid fever. Typh	COUNT	I-CON	CLUDED	•									
-	Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	_	-	-	-	-	3	-	-	_
- - - - - - - - - -	-	1	-	-	-	-	-	-		3	1	-	-
- 1	-	-	-	-	-	-	1	-	1	8	2	-	-
- 1	-	-	-	-	-	-	-	-	-	2	-	-	-
- - - 1 1 - - - - 1 1	-	1	-	-	1	-	-		-	1	1	_	-
1	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	1	1	-	-	-	-	1	1	-	-
- - - - - 1 - - - 1 1	1	-	-	-	-	-	-	-	-	2	1	-	-
- - - - - 1 - - - 1 1	-	-	- ,	-	2	-	-	-	-	1	-	-	-
	-	-	-	-	1	-	-	-	-	1	1	-	-
	-	-	-	-	-	-	1	-	1	2	1	-	-
	-	-	-	1	-	-	-	-	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-		-	-	2	1	-	-
-	-	-	-	-	-	-	-		-	- ,	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - - - - - - - - -	-	-	-	1	-	-	-	-	1	-	-	-	-
1 1 4 2 6 1 1 1 4 34 2	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	= :	-	-	-
1 - 1 1 1 1 1 3 20	1	1	4	2	6	1	1	1	4	84	2	-	-
1 - 1	-	-	-	-	_	-	_	-	_	-	-	-	-
- - 1 - 1 - - - 1 - - -	1	-	1	1	1	1	1	1	8	20	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-
- - - - - - - - 1 - -	-	- :	1	-	1	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
SAGADAHOC

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Perkins	69	-	-	-	-	-	_	_
Phippsburg	1,396	-	-	-	-	_	_	_
Richmond,	3,082	-	-	-	3	_	-	_
Topsham	1,394	_	-	_	-	-	-	_
West Bath	307	-	-	-	-	-	-	+
Woolwich	1,007	-	-	-	-	-	-	-
SOMERSET COUNTY	-	-	-	1	5	_	1	2
Anson	1,444	_	-	-	-	-	-	_
Athens	1,072	-	-	-	-	-	-	-
Bingham	757	-	-	-	-	-	-	_
Cambridge	425	-	-	- 1	-	-	-	_
Canaan	1,130	-	-	-	-	-	-	_
Concord	345	-	-	-	-	-	-	_
Cornville	785	-	-	-	-	-	-	_
Detroit	59 0	-	-	-	-	-	-	_
Embden	579	-	-	-	-	-	- 1	_
Fairfield	3,510	-	-	-	2	-	-	1
Harmony	704	-	-	-	-	-	-	_
Hartland	974	-	-	-	-	-	-	_
Madison	1,815	-	-	-	-	-	1	-
Mercer	584	-	-	-	-	-	-	_
Moscow	422	-	-	-	1	-	-	-
New Portland	1,034	-	-	1	-	-	-	_
Norridgewock	1,656	-	_	-	-	-	-	_
Palmyra	1,004	-	-	-	1	-	-	_
Pittsfleld	2,503	-	-	-	-	-	-	_

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemis, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholers morbus.	Infantile diarrhea.	Phthists.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
- `	-	-	-	-	-	-	-	-	2	1	-	-
-	1	1	1	1	-	-	-	1	4	1	-	-
-	-	1	-	2	-	-	-	-	5	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
5	-	3	1	7	5	1	2	18	64	9	1	-
-	-	1	-	-	-	_	_	-	2	1	_	_
-	-	-	-	-	-	-	-	-	3	-	_	-
-	-	-	-	- }	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	_	_	_
	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	_
-	-	-	-	-	-	-	-	-	-	-	-	-
- - -	-	-	1	-	- i	-	-	1	1	-	-	-
-	-	-	-	1	1	-	1	6	5	1	-	-
-	-	-	-	-	1	-	-	-	3	-	-	-
-	-	1	-	-	-	-	-	-	4	1	-	-
-	-	-	-	1	1	-	-	1	4	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	1	-	1	-
-	-	-	-	3	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	- [-
3	-	-	-	-	-	-	-	-	7	-	- [-
-	-	-	-	-	-	-	-	-	8	1	-	-

TABLE
Deaths in Each Town from Special
SOMERSET

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
St. Albans	1,206	-	3	÷	1-1	1-0	-	-
Skowhegan	5,068	*	-	-	1	-	-	-
Smithfield	479	-	-	2	9	-	-	-
Solon	977	-	3	-		+	-	-
Starks	766	-	-	-	13	-	1.5	-
Bigelow Pl	62	-	-	+	-	4	15-	-
Brighton Pl	434	-	-	+	-	-	-	=
Carratunk Pl	192	-	-	l-a	=	2	12.9	-
Dead River Pl	104	-	-	~	12	-	-	-
Dennistown Pl	66	-	-	-	-	-	-	(-)
Flagstaff Pl	87	-	-	-	-	3	-	-
Highland Pl	76	-	0	-	-	_	-	-
Jackman Pl	217	-	-	-	-	-	+	-
Lexington Pl	199	-	~		-	-	-	_
Mayfield Pl	74	-	~	100	-	-	-	-
Moose River Pl	170	-	-	-	12	-	-	
No. 1, R. 2, W. K. R. Pl	128	_	12	0	-	-	-	-
The Forks Pl	195	9	-	8		-	-	-
West Forks P1	146	-	-	-	-	-	-	-
Long Pond	= 1	Y	-	-	-	-	-	-
WALDO COUNTY	-	-	-	-	7	5	-	
Belfast	5,294	-	-	-	3	Ç	_	-
Belmont	475	-	-	1	-	-	-	-
Brooks	730	-	=	-	-	-	1 8	-
Burnham	846	ξ.	-	-	-	-	-	
Frankfort	1,099	-	-	-	-	-	4	-

No. 31—Continued. Causes, Mostly Infectious Diseases.

COUNTY-CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholers morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	_	_	-	-	_	_	-	-	1	1	-	-,
2	-	-	-	1	-	1	1	6	11	8	_	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-		-	-	-	-	-	-	-
-	-	·-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-		-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-		-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	2	2	4	-	4	1	9	45	4	-	1
1	-	-	-	-	-	-	-	-	10	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	1	5	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	1

TABLE

Deaths in Each Town from Special

WALDO

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Freedom	510	-	-	~	-	-	-	14
Islesboro	1,006	-	-	-	+	-	-	-
Jackson	522	-	-	-	-	1.8	-	-
Knox	657	~	-	-	~	2	-	-
Liberty	835	-	-	-	=	.8	-	-
Lincolnville	1,361	-	-	-	-	-	-	-
Monroe	1,079	-	-	-	-	-	-	-
Montville	1,049	-	-	-	-	-	-	-
Morrill	460	-	-	-	-	-	-	-
Northport	691	-	-	-	-	- i	-	-
Palermo	887	-	-	-	2	-	-	1
Prospect	697	-	Ä.		-	4	-	1
Searsmont	1,144	-	-	-	-	-	-	-
Searsport	1,693	-	-	-	-	+	-	-
Stockton Springs	1,149	-	-	-	-	-	-	-
Swanville	689	-	-	-	-	-	-	-
Thorndike	589	1	-	-	-	-	-	-
Troy	868	-	-		-	-	-	-
Unity	922		=	-	-		-	-
Waldo	581		-	-	2	11.	-	-
Winterport	1,926	-	-	-	-	0.0	-	-
WASHINGTON COUNTY.	-	2	-	3	6	1	2	(
Addison	1,022	-	15		-	-	-	-
Alexander	337		=	-	-	9	-	-
Baileyville	226	÷	-	12	-	6.	-	-
Baring	273	-	3	181	12	14.	15	13
Beddington	184	-	-	-	5	3.5	2	-

No. 31-Continued. Causes, Mostly Infectious Diseases.

COUNTY -CONCLUDED.

Typhoid fever. Puerperal fever.	Tetanus.
	-
	-
	-
-	-
1 2 2 2 2	
1 1 1 1 1	-
1 - 1 1 1 1 1	-
1 1 1 1 - 1 1 1 1	-
- - - - - 1 - - 1 - -	-
	-
- - - - 2 - - - - -	-
	-
- - - - - - 1 ;- 1 2 - -	-
- - - - 1 - - 1 1 1 - -	-
1 - - - - - - - 1 - -	-
- - - 1 - - - - 1 - -	-
- - - - - - - - 1 - -	-
- - - - - - - - - 3 - -	-
- - - - - - - - 3 - -	-
- - - 1 - - - - 1 - -	-
- - - - - - - 1 2 - -	-
- - - - 1 - - 2 2 1 -	-
11 4 2 2 10 11 4 6 32 96 23 1	-
- - - - - - - - 4 - -	-
1 - - - - 1 - - 1 -	-
- - - - - - 1 - - -	i
- - - - 1 - - - 1 - -	-
- - - - - - - - - -	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1890,	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Brookton	429	-	-	=	-	_	-	(H)
Calais	7,290	2	2	-	2	-	1	2
Centerville	114	-	-	-	1=5	-	-	-
Charlotte	381	-	-	-	~	-	15	1.
Cherryfield	1,787	~	5	-	-		-	-
Columbia	587	2	-	-	- 5	-	-	-
Columbia Falls	698	-	1-	-	-	÷	-	-
Cooper	264	-		-	-	-	-	-
Crawford	140	-	12	-	-	-	-	-
Cutler	662	-	=	-	-	~		-
Danforth	1,063	-	y=.	-	-	-	-	-
Deblois	76	-	-	-	-	\sim	-	-
Dennysville	452		-	-	_	-	-	-
East Machias	1,637	-	-	-	-	4	-	-
Eastport	4,908	-	-	-	1	-	-	2
Edmunds	395	-	-	-	-	4	-	-
Forest City	287	-	Œ.	4	-2	-	-	-
Harrington	1,150	-	4	-	-01	_	-	-
Jonesboro	470	=	(4)	1	-	-	61	-
Jonesport	1,917	-	-	-	-	_	-1	1
Lubec	2,069	-	4	-	-	_	-1	-
Machias	2,035	_	-	_	-	-	-	-
Machiasport	1,437	= 1	-	-	-	-	12	-
Marion	90	4	-	-	-	4	2	-
Marshfield	299	_	2	9	-	-	-	-
Meddybemps	156	_	2			-	-	-
Milbridge	1,963	-	1	2	-			

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
_	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	5	2	-	-	12	19	7	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-' l	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	- ,	-	-	-	-	2	l	-	-
	- 1	-	1	1	7	-	-	-	1	1	-	-
2	1	-		_	_ '	2	2	- 8	18	_ ₁	-	_
-		_	_	_	_		1	1	10	_ *	_	-
	-	1	_	_		_	_ ^	_ 1	1	-	_	-
_	_	<u> </u>	_	_	-	_	_	_	1	1	_	_
_	1	-	_	_ '	-	_	_	-	1	l .	_	_
. 2	_	-	-	-	-	-	-	-	1		-	-
2	1	-	-	-	-	-	1	8	5	1	-	-
-	-	-	-	1	1	-	-	-	5	I	-	-
1	-	-	-	2	1	-	-	-	1	1	-	-
-	<u> -</u>	-	-		-	-	-	-	-	-	-	-
- '	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	+	i 1	-	-	-	-	-	2	8	1	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Northfield	143	-	-	-		-	·	_
Pembroke	1,514	-	-	-	-	4	-	-
Perry	945	-	-	-	2	-	-	1
Princeton	1,027	-	-	-	-	-	1	-
Robbinston	787	-	-	-	-	-	4	-
Roque Bluffs	154	-	=	-	-	(2)	2	-
Steuben	982	-		-	-	(2)	-	1
Talmage	112	_	- 2	-	-		-	
Topsfield	375	-	-	-	-		_	-
Trescott	485	_	-	-	~	-		-
Vanceboro	870	-	~	-	-	1	-	-
Waite	159	-	-	_		-	-	-
Wesley	227	1	-	647	1	-	-	-
Whiting	393	-	-	= 1	_	_	.21	-
Whitneyville	413		-	-	-6	14	0-	-
Grand Lake Stream Pl	404	_	_	4	-	-	-	-
Lambert Lake Pl	152	4	-	-	-	-		-
No. 14 Pl	37	-	-	2	-	-	-	_
No. 21 Pl	81	-	-	_	-	-	-	-
Kossuth	68	-	-	-	-	-	-	-
YORK COUNTY	-	-	4	4	14	-	6	5
Acton	878	-	-	-	-	-	1	=
Alfred	1,030	=	-	-		-	-	-
Berwick	2,294	-	104	-	1	-0	4	-
Biddeford	14,448	-	4	4	7	-	1	4
Buxton	2,036	~	-	-	-	-	-	4
Cornish	1,118	~	-	-	-	-	-	-
Dayton	500	-	-	-	-	-	-	-
Eliot	1,463	-	4	2		-	-	-

No. 31-Continued. Causes, Mostly Infectious Diseases.

COUNTY-CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease,	Tetanus.
-	-	-	1	-	-	=	-	-	1	1	1	10
-	1	-	-	-	-	-	-	-	- 5	-	-	1 -
-	G	-	-	-	-	1	-	-	2	-	-	13
\sim	-	-	1-	-	-	-	-	3	2	-	-	-
:-0	0-1	-	-	81	-	-	5	-	1	2	-0	~
-	-	1-	-	-	-	-	-	-	-	-	-	-
~	-	-	~	\times	-	-	-	1	4	1 +1		-
A STATE OF	-	-	-	-	-	-	2	+	-	-	-	-
-	100	-	-	(-)	~	-	1	0	-	-		-
	-	+		-	-	12	=	÷	1	-	-	2
-	-	-	-	-	-	-	-	1	14	-	-	-
-	10	-	-	-	-	-	\subseteq	-	-	-	=	-
S		-	-	-	-		-	-	-	-	-	-
	100	10	~	-	10		-	~	1	-	-	-
-	(e	-	-	-	-	-	3	-	1	1	-	-
3	-	-	-	- 1	-	-	-	7	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	100	-
-	-	-		-	100	rān	-	۵	-	-	-	-
-	-	-	-	-	-	-	2	-	12	-	-	-
-	=	-	-	-	-	-	9:	-	-		-	-
27		2	.8	12	1	3	-	86	99	17	-	3
-	10	-	-	1	-	-	-	-	1	-	-	-
~	-	=	-	-	-	-	-	-	1	-	-	
1		-	1		-	-	-	-	2		-	-
12		2	-	-	-	1	-	60	28	4	~	3
1	-	=	-	4	-	1	-	-	5	-	-	-
-	-	-	1	3	-	Ξ.	9	-	3	-	÷	8
-	-	-	-	-	-	-	=	-	2	1	-	-
-1	le-c	-	1	-	-	-	-0	-	1	1	-	5

TABLE

Deaths in Each Town from Special

YORK

Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
1,278	-	-	-	-	_	-	_
8,172	-	-	-	1	-	1	-
2,196	-	-	-	-	-	-	-
2,864	-	-	-	-	-	-	-
1,263	-	-	-	1	-	-	-
966	-	-	-	-	_	-	-
1,092	-	-	-	-	_	-	-
854	-	-	-	-	_	-	-
796	-	-	-	-	-	-	_
1,803	-	-	-	_	_	-	_
877	-	-	-	_	-	-	-
1,398	-	-	-	_	-	-	_
6,075	_	-	-	_	_	1	1
4,201	-	_	-	8	_	1	_
968	_	-	_	-	_	-	_
3,434	_	_	-	-	_	-	-
1,357	_	-	-	_	_	1	-
2,029	1	-	_	1	_	_	_
2,444	-	-	-	-	-	-	-
	1,278 3,172 2,196 2,864 1,263 966 1,092 854 796 1,603 877 1,398 6,075 4,201 968 3,434 1,357 2,029	1,278 - 3,172 - 2,196 - 2,864 - 1,263 - 966 - 1,092 - 854 - 796 - 1,808 - 1,808 - 6,075 - 4,201 - 968 - 3,434 - 1,357 - 2,029 -	1,278	1,278	1,278 1 2,196 1,263 1,092 1,803 1,388 6,075 3 3,434 1,357 1 1,357 1 2,029 1	1,273	1,278 1 2,196 1,263 1,092 1,803 1,803 1,803 1,803 1,803 1,396 1,396 1,398 1,398 1,398 1 1,398 1 1,398 1 1,398 1 1,398 1 1,398 1 1,398 1 1,398 1 1,398 1 1,398 1 1,398

No. 31-Concluded.

Causes, Mostly Infectious Diseases.

COUNTY-CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal:	Influenza,	Dysentery.	Diarrhen.	Cholera morbus.	Infantile diarrhea,	Phthisis.	Tuberculosis, other forms,	Malarial disease.	Tetanus.
1	-	-	-	-	(6)	-	-	-	1	-	-	-
1	-	-	-	-	=	-	-	3	9	-	-	=
1	-	12	1	4	-	-	-	14	4	1	-	-
-	-	-		-	-	-=	=	1	3	4	4	-
2.	-	-	-	2	_	. =	-	-	3	-	-	-
-	-		-	-	-	-	->		-	-	-	9
-	-	-	-	2	-	-	-	-	1	-	-	-
-	~	-	-	-	-	-	-	-	-	1	7	-
-	-	-	-	-	-	-	-	5-0	-	1	+	-
1	-	-	-	-	-	-	-	2	4	15	-	10-
-	-	-	-	-	-	-	-	1	2	1	4	-
-	14	-	-	-	- 1	(2)	-	-	2	12	-	-
6	1.2	-	9	2	-	1	-	3	8	4	14.	1-
1	14	-	2	-	-	-	-	11	7	1	-	1-
-	-	15	-	1	-	-	-	1	3	1	-	1-
2	-	-	1 - 1	1	-	-	- 1	3	3	-	11	8
-		-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	_	-	-	1	4	-	4	9
	-	-	2	-	1	2	-	-	2	2	-	

TABLE
Deaths in Each Town from Certain

		De	aths	in Ca	ach 1	own	fron	n Cei	rtain
THE STATE AND COUNTIES.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitu- tional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or mem- branes.
Maine.	661,086	16	19	56	480	130	584	271	261
Androscoggin	48,968	2	1	5	38	7	30	36	13
Aroostook	49,589	-	1	6	16	. 7	17	48	13
Cumberland	90,949	4	2	4	80	19	89	33	47
Franklin	17,053	-	2	-	19	7	16	7	6
Hancock	37,312	2	1	2	20	7	81	7	14
Kennebec	57,012	1	-	7	49	11	46	20	23
Knox	81,473	3	4	-	28	8	38	13	8
Lincoln	21,996	-	1	1	22	2	87	3	7
Oxford	30,586	-	-	7	23	8	25	9	17
Penobscot	72,865	2	5	5	45	16	76	25	32
Piscataquis	16 4	-	_	2	9	2	16	10	3
Sagadahoc	19,452	-	-	4	12	2	12	4	5
Somerset	32,627	-	-	8	29	9	3 8	14	13
Waldo	27,759	-	-	3	21	6	80	8	6
Washington	44,482	-	1	2	26	3	33	11	22
York	62,829	2	1	5	43	16	50	23	32
Androscoggin County	-	2	1	5	38	7	80	36	13
Auburn	11,250	-	-	2	5	8	9	8	2
Durham	1,111	-	-	-	1	-	1	-	-
East Livermore	1,506	-		-	3	-	1	-	-
Greene	885	-	-	-	2	- !	4	1	1
Leeds	999	-	-	-	-	-	1	-	-
Lewiston	21,701	2	1	2	15	2	8	18	7
Lisbon	3,120	-	-	-	2	-	1	5	· -
Livermore	1,151	-	-	1	1	-	-	2	1
Mechanic Falls	-	-	-	-	2	-	1	1	-
Minot	1,355	-	-	-	1	-	1	4	-
Poland	2,472	-	-	-	3	-	1	1	1
Turner	2,016	-	-	-	1	-	2	-	1
Wales	451	-	-	-	-	-	-	-	-
Webster	951	-	-	-	2	2	-	1	

No. 32. Diseases and Groups of Diseases.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonis.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
488	836	948	812	225	128	693	324	151	35	36	341	66
36	55	88	57	23	12	51	21	14	4	-	30	2
8	29	17	34	9	8	50	10	3	1	4	19	4
101	112	127	1 39	39	30	103	68	23	3	3	57	9
14	24	20	20	2	1	20	5	3	1	4	9	2
21	39	54	42	14	9	40	16	14	1	2	17	1
50	137	102	73	39	11	67	21	13	4	1	25	5
15	44	58	87	2	3	28	2[13	3	1	20	7
19	40	33	26	3		24	9	4	-	1	14	1
30	39	52	50	10	1	27	18	6	5	1	9	4
47	72	107	100	17		81	33	15	2	4	43	9
9	16	22	14	2	}	9	9	3	-	-	4	1
28	18	35	28	8	I	20	. 9	8	-	1	11	4
14	37	42	47	13		56	20	4	1	4	14	4
26	42	43	27	7	1	31	16	7	2	1	17	3
20	39	51	41	8		39	13	4	3	2 7	21	- 10
50	93	97	77	29	18	47	40	17	5	•	31	10
3 6	55	88	57	23	12	51	21	14	4	-	30	2
5	16	15	15	3	3	13	6	1	1	-	3	1
-	2	2	1	-	-	1	3	1	-	-	3	-
2	1	3	3	-	-	5	-	-	-	-	1	-
2	1	2	1	-	-	1	-	1	-	-	-	-
1	1	2	1	-	-	1	1	-	-	-	1	-
18	19	34	20	18	8	18	7	1	2	-	19	1
3	4	4	1	1	1	4	-	1	1	-	2	-
-	-	1	3	1	-	1	-	1	-	-	-	-
-	3	5	1	-	-	1	1	2	-	-	-	-
2	1	1	-	-	-	-	2	1	-	-	1	-
2	2 2	4	8 3	-	-	3 2		1 2	OF N		. 30	<u>.</u>
- 1	1	6 6	3	-	-	2	1	2	15		1	
_ *	2	3		_	_	1	_	2	031			
	z	ိ	-		- :	1		2	22	7	1,50	

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitu- tional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or mem.
AROOSTOOK COUNTY	-	-	1	6	16	7	17	48	13
Amity	420	-	-	-	-	1	_	-	-
Ashland	568	-	-	-	-	-	-	-	-
Bancroft	264	-	-	-	-	-	-	-	-
Benedicta	317	-	-	-	-	-	-	_	-
Blaine	784	-	-	-	_	-	1	-	-
Bridgewater	946	-	-	-	-	-	-	1	-
Caribou	4,087	-	-	-	1	1	3	5	2
Dyer Brook	221	-	-	_	-	1	-	-	-
Easton	978	-	-	-	1	-	-	-	1
Fort Fairfield	3,526	-	-	-	1	1	2	4	1
Fort Kent	1,826	-	-	-	2	-	-	4	-
Frenchville	2,560	-	-	-	-	-	-	2	-
Grand Isle	964	-	-	1	-	-	-	-	-
Haynesville	280	-	-	- 1	-	-	2	-	-
Hersey	151	-	-	-	-	-	-	-	-
Hodgdon	1,113	-	-	1	-	-	-	-	-
Houlton	4,015	-	-	1	-	1	-	1	-
Island Falls	223	-	-	-	-	-	-	1	1
Limestone	933	-	-	-	-	-	-	-	-
Linneus	965	-	-	-	2	-	-	-	-
Littleton	924	-	-	-	-	-	-	-	1
Ludlow	375	-	-	-	-	-	-	1	-
Madawaska	1,451	-	-	-	-	-	-	-	-
Mapleton	832	-	-	-	-	-	1	1	-
Mars Hill	837		-	-	-	-	-	-	1
Masardis	250	-	-	-	-	-	-	-	-
Monticello	1,132	-	-	-	2	-	-	-	1
New Limerick	567	-	-	-	1	-	-	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY-CONCLUDED.

Apoplexy: Apop													
1 - - - - - - 1 - 1 - 2 - <td< th=""><th>Apoplexy.</th><th>Other diseases of nervous system.</th><th>Diseases of heart.</th><th>Pneumonis.</th><th>Bronchitis.</th><th>Other diseases of respiratory system.</th><th>Diseases of digestive system.</th><th>Bright's disease and nephritis.</th><th>Other diseases of urinary system.</th><th>Diseases of organs of generation.</th><th>Fatalities of reproduction.</th><th>Accidents.</th><th>Suicide.</th></td<>	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonis.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1 - - - - - - 1 - 1 - 2 - <td< td=""><td>- </td><td>-</td><td>- </td><td>1</td><td>_</td><td> - </td><td>_</td><td>1</td><td>_</td><td>_</td><td>-</td><td>_ </td><td>•</td></td<>	-	-	-	1	_	-	_	1	_	_	-	_	•
1 - 2 1 - - 1 - <td< td=""><td>1</td><td>-</td><td>-</td><td>-</td><td>_</td><td>- </td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>2</td><td>-</td></td<>	1	-	-	-	_	-	-	1	-	1	-	2	-
2	-	2	-	-	-	-	-	-	-	-	-	1	-
1 4 1 4 - - 3 3 - <td< td=""><td>1</td><td>-</td><td>2</td><td>1</td><td>-</td><td>-</td><td>1</td><td>- </td><td>-</td><td>- </td><td>-</td><td>- </td><td>-</td></td<>	1	-	2	1	-	-	1	-	-	-	-	-	-
1 1 <td< td=""><td>2</td><td>2</td><td>3</td><td>- </td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>- </td><td>2</td><td>•</td></td<>	2	2	3	-	-	-	-	-	-	-	-	2	•
1 4 1 1 - - - - - - - 1 - - 1 - - 1 - - 1 - - - - - - 1 - - - - - - - 1 - <td< td=""><td>1</td><td>4</td><td>1</td><td>4</td><td>-</td><td>-</td><td>3</td><td>3</td><td>-</td><td>-</td><td>-</td><td>- </td><td>-</td></td<>	1	4	1	4	-	-	3	3	-	-	-	-	-
-	1	1	-	-	1	1	-	-	-	-	-	-	-
-	1	4	1	1	-	-	-	-	-	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1
1 2 2 4 - - 1 - <td< td=""><td>-</td><td>-</td><td>-</td><td>- </td><td>-</td><td>-</td><td>-</td><td>-</td><td>- </td><td>1</td><td>-</td><td>2</td><td>-</td></td<>	-	-	-	-	-	-	-	-	-	1	-	2	-
1 3 5 1 1 - 3 5 1 - 1 2 - - - - - 1 1 1 1 - - 1 1 1 - <td>-</td> <td>4</td> <td>1</td> <td>-</td> <td>-</td> <td>-</td> <td>- </td> <td>-</td> <td>- </td> <td>- </td> <td>- </td> <td>1</td> <td>-</td>	-	4	1	-	-	-	-	-	-	-	-	1	-
1 3 5 1 1 - 3 5 1 - 1 2 - - - - - 1 1 1 1 - - 1 1 1 - <td>-</td> <td>- </td> <td>-</td> <td>-</td> <td>-</td> <td>- </td> <td>- </td> <td>- </td> <td>- </td> <td>-</td> <td>-</td> <td>- </td> <td>-</td>	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	2	4	-	-	1	-	1	-	-	-	-
-	1	3	5	1	1	-	3	5	1	-	1	2	-
2 - - - - - 2 - - - -	-	2	2	-	1	1	1	1	-	-	-	1	1
4 1 2 1 - - 1 - <td>-</td> <td>- </td> <td>- </td> <td>2</td> <td>-</td> <td>-</td> <td>- 1</td> <td>- </td> <td>-</td> <td>- [</td> <td>- </td> <td>- </td> <td>-</td>	-	-	-	2	-	-	- 1	-	-	- [-	-	-
2 2 2 2 2 1 1 1 1 1	2	-	-	-	-	-	2	-	-	-	-	-	-
-	_	1		i	-	-	- 1	-	-	-	-	-	-
5 2 6 2 8 - 3 - <td>2</td> <td>2</td> <td></td> <td></td> <td>-</td> <td>- </td> <td>- 1</td> <td>- </td> <td>- </td> <td>- </td> <td>- </td> <td>1</td> <td>-</td>	2	2			-	-	- 1	-	-	-	-	1	-
20	-	-	I		-	-		-	-	-	-	-	-
1 - 3 1 - 2 1 - 1 - 2 1 1	5	2	6	2	8	-	8	-	-	-	-	-	-
-	20	39	51	41	8	11	39	13	4	3	2	21	-
	1	-	8	1	-	-	2	-	-	-	-	1	-
- - 1 - - - - - - - -	-	-	-		-	-	2	-	-	-	-	1	-
	-	-	-	2	-	-	1	-	-	-	-	-	-
- - 1 1 - - - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
WASHINGTON

COUNTY AND TOWNS.	Population in 1896.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitu-	Old age.	Other develop- mental diseases.	Inflammation of brain or mem. branes.
Brookton	420	2	-	-	1		1	6	-
Cadais	7,290	-	-	-	9	1	3	2	9
Centerville	114	-	-	-	-	-	1	-	-
Charlotte	381	-	-	1		-	-	-	-
Cherryfield	1,787	-	- 1	-	1	-	1	-	1
Columbia	587	-	-	. =	-	-	-1	12	-
Columbia Falls	698	-	-	-	-	-	1	1.4	-
Cooper	264	-	-		-	1	1	-	-
Crawford	140	-	-1	-	9.1	-	-	1	-
Cutler	662	-	-	-	-	-	-	-	-
Danforth	1,063	-	-	-	1	_	1	-	1
Deblois	76	-	-	-	3	-	_	1	-
Dennysville	452	-	- 1	-	1	-	_	0	_
East Machias	1,637	-	21	1	2	_	6	(4)	-
Eastport	4,908	-	(-)	-	1	1	4	1	
Edmunds	395	-	(4)		1	_	E)	-	-
Forest City	287	14	-	1	2	-	1		12
Harrington	1,150	-		-	-	-	4	12	
Jonesboro	470	1	-	- I	-	-	1	i d	3
Jonesport	1,917	-	-	-	-	- 1	1	2	-
Lubec	2,069	0	1	-	1	-20	_	-	
Machias	2,035		-		1.24	2	3	4	2
Machiasport	1,437	1		1	1		3		10
Marion	90	-	5	1	-	_	_		
Marshfield	299	4	-	-	1	_		1	
Meddybemps	156						10	2	
Milbridge	1,963			Ü	3		17/	13	1

No. 32—Continued. Diseases and Groups of Diseases.

COUNTY-CONTINUED.

A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	-	1	_	_	-	_	-	_	_	_	-	_
3	5	12	15	4	2	7	2	1	-	-	1	-
-	-	-	-	-	-	1	-	-	-	_	-	_
-	-	-	-	-	1	-	-	-	-	-	1	-
-	3	1	2	-	-	1	-	-	- ,	-	2	-
-	-	1	-	-	-	-	1	-	-	-	1	-
-	-	1	-	٠-	-	1	1	-	-	-	-	-
1	-	-	-	-	-	2	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-		-
-	3	8	5	1	-	-	-	-	-	-	2	-
1	8	5	2	1	3	3	2	1	-	-	2	-
1	-	-	1	-	-	-	-	-	-	-	-	-
-		-	-	-	-		-	-	-	-	-	-
1	1	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-
	2	1	1	-	1	1	-	-	-	-	2	-
2	-	1	2	-	1	1	-	-	-	-	1	-
-	8	2	-	-	- *	3	-	1	2	-	2	-
1	2	8	1	-	-	8	-	1	-		. 1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
- ,	- ,	- 3	-	-	-		- ,	-	-	-	-	-
1	1	3	1		1	2	1	-	-	-	1	-

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitu- tional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or membranes.
Northfield	143	_	_	1	_	_	-	_	_
Pembroke	1,514	_	-	-	1	-	-	1	1
Perry	945	_	_	_	-	_	1	1	_
Princeton	1,027	-	-	-	-	-	-	_	1
Robbinston	787	-	-	-	-	-	2	-	-
Roque Bluffs	154	-	-	-	-	-	-	-	-
Steuben	982	_	-		1	-	-	2	_
Talmage	112	_	-	-	-	-	-	-	-
Topsfield	375	-	-	-	-	-	-	1	-
Trescott	485	-	-	-	-	-	-	-	-
Vanceboro	870	-	-	-	-	-	-	1	1
Waite	159	-	-	-	-	-	-	-	-
Wesley	227	-	-	-	-	1	-	_	-
Whiting	393	-	-	-	-	-	-	-	1
Whitneyville	413	-	-	-	-	-	-	-	-
Grand Lake Stream Pl	404	-	-	-	1	-	-	-	-
Lambert Lake Pl	152	-	-	-	-	-	-	-	-
No. 14 Pl	87	-	-	-	-	-	-	-	-
No. 21 Pl	81	-	-	-	-	-	-	1	-
Kossuth	68	-	-	-	-	-	-	-	-
YORK COUNTY	-	2	1	5	48	16	49	28	33
Acton	878	-	-	-	-	1	-	-	-
Alfred	1,030	-	-	-	-	-	-	-	-
Berwick	2,284	-	-	-	3	1	1	1	-
Biddeford	14,448	-	-	1	9	6	3	8	17
Buxton	2,086	-	-	-	-	-	2	-	-
Cornish	1,118	-		1	1	-	1	-	-
Dayton	500	-	-	-	-	-	-	-	1
Eliot	1,463	_	-	-	-	1	8	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

A													
-	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	- 1	-	-	-	-	-	-	-
1 1 2 1 - - 2 1 - <td< td=""><td>- </td><td>1</td><td>1</td><td>-</td><td>-</td><td>1</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></td<>	-	1	1	-	-	1	-	-	-	-	-	-	-
-	-	1	-	2	-	-	-	-	-	- 1	-	1	-
- - <td< td=""><td>1</td><td>1</td><td>2</td><td>1</td><td>-</td><td>-</td><td>2</td><td>1</td><td>-</td><td>-</td><td> - </td><td>-</td><td>-</td></td<>	1	1	2	1	-	-	2	1	-	-	-	-	-
-	-	1	1	1	-	-	1	2	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
- - - - - - - - - -	4	-	2	-	-	-	-	2	-	-	1	-	•
1 - 1 - <td< td=""><td>- </td><td>-</td><td>1</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>- </td><td>-</td><td>-</td><td>1</td><td>-</td></td<>	-	-	1	-	-	-	-	-	-	-	-	1	-
1 - 1 - - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	· -	-	-	-	-	-	-	-	-	-
1 2 2 - - - - 1 - <td>-</td> <td>-</td> <td>-</td> <td>1</td> <td>1</td> <td>-</td> <td>1</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	-	-	-	1	1	-	1	-	-	-	-	-	-
1 2 2 - - - - 1 - <td>- </td> <td>-</td>	-	-	-	-	-	-	-	-	-	-	-	-	-
1 2 2 3 1 - - - 1 - - - 1 - - - 1 - - - 1 - - - - 1 - <th>50</th> <th>93</th> <th>97</th> <th>77</th> <th>29</th> <th>18</th> <th>47</th> <th>40</th> <th>17</th> <th>5</th> <th>7</th> <th>81</th> <th>10</th>	50	93	97	77	29	18	47	40	17	5	7	81	10
- 2 2 1 - 1 2 - - 2 - 11 29 18 25 13 3 9 4 2 3 2 4 1 4 - 4 1 1 2 - - - - - - - - 2 1 - 2 - - 2 - - - - - - 1 2 1 2 - - - - - - - - - -	1	1		-	-	-	-	1	-	-	-	-	-
11 29 18 25 13 3 9 4 2 3 2 4 1 4 - 4 1 1 2 1 2 1 2	1				1	-	-	-	1	-	-	-	1
4 - 4 1 1 2 1 2 1 2	-					-	1	2	-	-	-	2	-
- 2 1 - 2 - - 2 - <td>11</td> <td>29</td> <td></td> <td>25</td> <td>18</td> <td>i i</td> <td>9</td> <td>4</td> <td>2</td> <td>3</td> <td>2</td> <td>4</td> <td>1</td>	11	29		25	18	i i	9	4	2	3	2	4	1
1 2 1 2	4	-		1		2	-	-	-	-	-	-	-
	-	- 1		-	2	-	-	2	-	-	-	-	-
- 3 1 1 2 2 - - - 1 1	1				-	-	-	-	-	-	-	-	-
	-	8	1	1	1	2	2	-	-	-	-	1	1

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitu- tional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or mem- branes.
Hollis	1,278	-	-		-	1	2	1	-
Kennebunk	3,172	-	-	4	2	1	6	1	-
Kennebunkport	2,196	-	-	-41	8	+	2	-	-
Kittery	2,864	1	9	7	1	1	4	1	1
Lebanon	1,263	+	-	1	-3	-	1	-	10
Limerick	966	×÷.		141	-	4	2	-	-
Limington	1,092	-	-	12	(5)	1	-	-	-
Lyman	854	2	-	-	<u>-</u>	5	2	-	-
Newfield	796	-	-	-	-	-	3	1	1-
North Berwick	1,803	~	-	140	3	-	4	3	2
Old Orchard	877		-	-	8	1	1	100	-
Parsonsfield	1,398	4	-	-	1	2	2	12.	5-
Saco	6,075	1	1	2	5	4	4	2	3
Sanford	4,201	+	-		4	1	1	3	5
Shapleigh	968	-	-	-	1	-	-	12	2
South Berwick	3,434	. +	113	1.4	1	-	-	1	-
Waterboro	1,357	-	-	ē	1	-	1	-	-
Wells	2,029	-	-	-	2	-	4	-	12
York	2,444	2	-	-	1	-	4	á	1

No. 32—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	4	3	1	-	-	3	2	1	_	-	1	-
1	5	6	1	-	. 2	3	1	-	-	-	1	-
2	2	7	-	1	-	4	-	1	-	-	8	-
1	5	1	2	-	1	2	1	-	-	-	4	-
1	-	8	2	2	-	1	4	-	-	1	1	1
-	3	-	3	-	-	-	-	-	-	-	-	-
-	-	2	1	-	-	-	3	2	-	-	2	-
-	-	8	2	-	-	1	-	-	-	1	-	1
-	2	4	-	-	1	2	-	-	-	-	-	-
1	2	2	2	-	_	8	4	2	-	-	-	1
3	3	-	1	-	-	2	2	-	-	-	2	-
2	8	8	4	-	-	1	-	-	-	-	-	-
3	5	9	6	-	-	2	5	2	1	1	2	1
9	1	5	9	-	2	2	5	-	-	2	2	1
1	-	1	1	_	1	1	1	1	-	-	_	-
4	2	5	4	4	2	2	-	3	1	-	2	1
-	7	1	1	2	-	-	-	1	_	-	1	-
1	2	4	-	-	1	1	8	-	-	-	8	1
2	5	2	8	1	1	5	-	1	-	-	-	-

TABLE Deaths by Ages, Sex

Counties.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 t0 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males	121	29	10	18	25	29	18	28	48	62	34	4	_	4
females	99	27	11	25	37	34	23	43	53	47	29	8	-	5
not stated	138	38	7	22	24	15	17	20	33	23	12	-2	-	-2
Aroostook, males	94	41	13	23	38	24	îi	10	20	22	13	ĩ	-	
not stated	2	-	-	-	-	-	-		-	-	-		[
Cumberland, males	157 108	60 40	22 31	32 44	62 61	60 64	55 67	91 76	73 103	130 120	56 86	4 21	1	8
females not stated	100	-	- 01	-	- 01	-	- 01	-	100	-	-	-1	-1	_
Franklin, males	16	10	1	6	6	6	4	10	20	25	15		1	1
females	10	6	8	10	18	10	9	15	17	26	20	2	_	-
not stated Hancock, males	28	13	-8	15	19	21	20	18	35	46	20	-5	=	-2
females	30	5	8	23	22	. 25	13	20	26	46	33	8	-	Ī
not stated	- 89	29	- 5	14	30	29	31	47	86	86	- 56	7	-	-,
Kennebec, males	54	35	8	25	38	43	40	35	60	71	63	16	=	8
not stated	2	-	-	-	-	-	-	-	-	-	-	-	- 1	_
Knox, males	40	.8	12	14	23 24	16 12	14	26 26	37	48	25	3 7	-	1 2
females	32 1	10	3	19	- 24	12	23	20	28	34	38	_'	-	_z
Lincoln, males	14	7	2	6	12	6	6	10	33	40	26	2	-	2
females	8	6	2	6	13	15	7	8	21	29	34	9	-	1
not stated Oxford, males	25	- 9	-3	- 9	- 8	- 13	15	20	40	49	- 25	-6	-	-2
females	18	10	6	7	19	18	19	21	33	40	35	3	1	
not stated	1	-	-			-	-		=	-			-	-
Penobscot, males	86 71	32 27	22 15	24 29	41 60	29 37	38 40	67 45	75 60	96 77	64 74	4 8	-	8 4
not stated	'n		-	-	-	-	-	-	-		- 1	-	_	1
Piscataquis, males	17	9	- 1	2 7	8	5	5	5	14	17	8	2	-	2
females not stated	12	_3	1	7	12	4	10	12	21	14	12	4	-	1
Sagadahoc, males	15	9	-3	-4	-8	13	-6	- 9	35	24	15	3	- 1	1
females	8	9	4	7	13	10	7	15	26	21	20	2	-	-
not stated	- 34	12	-3	10	11	14	16	26	42	51	37	-5	-	- 1
Somerset, males females	30	8	5	21	27	26	14	20	33	42	23	8	-	2
not stated				=.	-			- 1	-	-	-	-	- [-
Waldo, males	24 16	7 6	4	11 11	8 22	7 12	14 11	18 19	28 33	43 35	23 40	3 5	-	-1
not stated	ĭ	- 1	_"			-	-	-	-	-	-	· -"	- i	
Washington, males	48	30	7	15	26	10	7	21	49	46	33	5	-]	5
females	55	27	6	25	27	16	18	24	28	37	30	_5	-	3
not stated York, males	121	47	11	17	29	29	28	38	66	76	45	14	-	2
females	75	35	16	25	40	39	31	40	72	76	53	21	-	3
not stated	-	-		-		-	-	_	-	-				
Total, males	973	349	120	219	340	302	294	454	709	862	494	69		39
females	720	295	140	307	471	389	543	429	634	737	603	128	2	30
not stated	9	-		-		- 1				_				1
Grand total	1702	644	260	526	811	691	637	883	1343	1599	1097	197	4	70
]]		[Ì	

No. 33. and Months by Countles.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
30 38	42 82	50 46	29 46	22 40	26 20	40 87	51 50	46 88	82 85	28 28	29 81	-	425 441	=
26 28	19 15	26 15	22 26	82 27	22 19	85 27	43 82	47 48	26 82	23 24	81 21	- 1 1	858 310	84 -
78 74 1	60 70	- 82 96	57 57	70 69	- 60 53	85 27 1 71 78	70 70	- 85 77	58 69	- 55 59	65 55		806 822 1 121	-
1 8 8	- 7 11	- 10 8	- 5 15	12 10	- 13	10 17	- 8 13	- 18 10	11 16	- 8 18	- 11 18		1 121 151	1,65
27 29	28 17	16 24	- 18 15	23 20	19 22	23 16	- 22 20	22 81	28 19	12 81	17 16	-	250 260	27
49 43	- 80 45	- 69 63	52 32	- 46 83	- 83 35	24 40	81 45	- 54 43	- 41 58	86 85	52 28	-	517 495	5
17 20	21 27	21 29	81 15	23 22	21 15	20 18	25 23	26 18	- 19 25	19 18	24 28	-	267 258	1,0
15	- 11 17	- 14 20	15 15 12	15 17	1 10 10	-16 14 14	15 6	18	- 17	- 11	15	-1	166 159	55
- 8 - 24	- 19	- 20	- 24	-18	- 21	18	-17	9 - 27	18	7 11	21 17	-	224 236	82
18 - 54	14 1 89	21 - 55	82 - 59	20 - 41	- 51	11 - 88 40	18 54	21 - 41	20 - 58	17 48	20 - 48] -	280 1 581 547	44
- 40 - 9	- 89 - 9	62 - 10	- 87 - 6	47 1 8	- 41 8	- 6	- 53 - 8	- 46 - 14	58 - 9	84 1 7	50 - 5	-	547 2 94	1,15
16 - 11	_10 _ 18	- 7 17	- 16	15 - 14	- 7	- ⁶	18 - 18	-8 -11	9 - 18	- 7	11 11	-	113 - 145	20
9 - 24	13 - 23	-12 -28	14 - 26	_12	12 12 -	11 -	- 18		_14	1 i - 20	22	-	142	20
24	26 -	_18	26	12 19	21 13 -	12 20	81	80	26 16	19	27 17	-	262 259 -	5
17 14	17 24	14 23 1	16 15	17 18	18 18	18 15	9 17	17 14	23 20	15 18	14 23	-	190 214	4
25 80	17 14	38 25	25 19	22 26	19 15	28 21	28 86	87 88	19 85	21 26	28 21	-	302 801	- 6
42 55	48 43	48 65	42 45	84 88	35 81	36 41	60 42	64 47	84 46 -	33 87	46 86	1 -	523 526	1,0
451 454 1	403 417 1	518 584 1	448 411 -	409 488 1	379 335 1	895 407 1	467 470 1	547 474 2	417 485	354 388 1	440 418	3 2	5,226 5,228 10	=
906	821	1,053	854	848	715	808	988	1,028	902	748	858	5	10,464	10,4

TABLE No. 34.

Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were Registered During Four Years, (1892-95).

											==
	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	113	170	207	700	131	1,034	5,108	2,044	4,409	918	1,806
Males	54	76	89	353	66	550	2,174	-	2,213	410	916
Females	59	94	118	347	65	484	2,934	-	2,196	508	890
January	14	16	18	85	13	69	459	13	859	132	181
February	6	14	14	65	12	55	436	18	661	118	163
March	20	15	11	49	16	81	496	19	572	174	159
April	16	21	16	46	14	41	474	32	518	109	143
May	17	13	16	44	9	57	483	29	424	94	150
June	9	15	19	46	10	56	422	71	215	48	122
July	11	11	17	38	9	56	416	351	89	50	135
August	5	7	26	33	10	84	395	696	88	31	148
September	2	18	18	47	11	151	871	561	121	39	157
October	4	11	14	69	11	166	409	185	192	56	132
November	4	10	21	82	8	131	350	48	254	50	146
December	5	19	17	94	8	84	395	20	413	67	170
Not stated	-	-	-	2	-	3	.2	1	3	-	-

TABLE No. 35.

Mortality by Months Reduced to a Standard Mean of 100-Four Years, (1892-'95).

Months.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
January	145.88	110.82	102.38	142.98	116.84	78.57	105.80	7.49	229.40	169.30	117.01
February	69.23	107.35	113.35	121.04	119.41	69.34	111.27	11.48	195.43	167.57	117.66
March	208.40	103.89	62.57	82.42	143. 81	92.23	114.33	10.94	152.75	223.16	107.11
April	172.28	150.29	94.05	79.96	130.03	48.25	112.90	19.05	142.94	144.46	96.34
Мау	177.14	90.06	91.01	74.01	80.89	64.91	111.33	16.71	113.23	120.56	97.80
June	96.90	107.85	111.68	79.86	92.88	65.89	100.52	42.26	59.33	63.62	82.19
J uly	114.62	76.18	96.69	63.92	80.89	63.77	95.89	20 2.19	23.77	64.13	88.02
August	52.10	48.48	147.89	55.49	89.88	95.65	91.04	400.92	23.50	39.76	96.49
September	21.54	128. 82	105.80	81.73	102.16	177.67	88.37	357.78	33.39	51.69	105.77
October	41.68	76.19	79.63	116.06	98.87	189.02	94.28	106.56	51.27	71.82	86.06
November	43.07	71.57	123.44	142.53	74.30	154.14	83.37	28.04	70.09	66.27	98.36
December	52.10	131.60	96.70	1 58.1 2	79.61	95.65	91.05	11.52	10.29	85.93	110.84
Mean	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

NOTES ON DEATH AND THE CAUSES OF DEATH.

Death-Rates.—The number of deaths registered in the year 1895 was 10,464 (12,147 in 1892, 11,134 in 1893, and 11,012 in 1894). The number of deaths for this registration year was, therefore, 548 less than that for the year 1894, 670 less than for 1893, and 1,683 less than for 1892. The death-rate for the State for the year 1895 was 15.83 for every 1,000 of population as returned by the census of 1890 (18.37 in 1892, 1684 in 1893, and 16.66 in 1894). Based on the estimated population of 1895, the death-rate would be slightly lower, 15.67.

By referring to Table No. 4, it will be seen that the death-rate of Piscataquis county was lower than that of any other county, being only 13.14, while the counties Cumberland, Kennebec, Knox, and York show death-rates of 17.91, 17.79, 16.73, and 16-70, respectively.

The death-rate in the cities was 18.36 (20.46 in 1892, 19.89 in 1893, and 19.65 in 1894) as compared with that of the rest of the State with the cities omitted, which death-rate was 14.77 (17.46 in 1892, 15.54 in 1893, and 15.39 in 1894).

Death-Rates Compared.—For the year 1895, the death-rate of Maine was 15.83; of New Hampshire, 17.71; of Vermont, 16.51; of Massachusetts, 19.01; of Rhode Island, 19.06; and of Connecticut, 17.8.

Season and Mortality.—The largest number of deaths occurred in March, 1,053. In 1894 the largest number was in January, 1,266. The smallest number of deaths in any one month was 715 in June. In the preceding year the smallest number was 761 in November. During the spring months 2,750 deaths occurred; during the summer, 2,456; during the autumn, 2,668; in the winter, 2,585.

The following is a tabular statement of the number of deaths in each quarter of each of the four years 1892-95:

	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,508

Table No. 29 exhibits the total number of deaths which occurred in each month of the four years for which a report has now been made. In 1892 the highest mortality occurred in January; in 1893, in August; in 1894, in January; in 1895, in March. The smallest number of deaths in all four years has been in November. The number of deaths for 1895 in each month by counties is shown in Tables No. 4 and No. 33.

Sex and Mortality.—Of the 10,464 decedents, 5,226 were males and 5,228 were females. The sex of 10 was unstated.

Among children dying before they were 5 years old, 1,322 were males and 1,015 were females; there were 307 more deaths among boys under 5 years of age than among girls within the same ageperiod. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80. At the age of 100 years and over, four persons died, two men and two women. See Table No. 33.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1	year	of	age	1,702 = 16.27 per cent.
From 1- 5	years	of	age	644 = 6.15 "
66 5-10	66	"	"	260= 2.48 "
" 10-20	"	"	"	526= 5.03 "
~~ 20-30	66	66	66	811= 7.76 "
" 30-40	66	66	66	691= 6.60 "
" 40-50	"	"	"	637= 6.09 "
" 50-60	"	"	"	883= 8.45 "
" 60-70	46	66	"	1,343=12.83 "
" 70-80	"	66	"	1,599=15.28 "
" 80-90	"	"	"	1,097=10.48 "
" 90-100) "	"	"	197= 1.88 "
Over 100	"	66	"	4= 0.04 "
Ages not st	ated			70= 0.66 "

The Causes of Death.—Of the 11,302 deaths, including still-births and premature births, the cause of 10,755 was certified, leaving 547 of which the cause of death was unspecified or so ill-defined as to preclude satisfactory classification.

The following table shows the mortality from ten prominent causes in the four years 1892-95. In 1895, as well as in the two preceding years, diseases of the brain have headed the list, while in each of the four years the next most prominent cause of mortality in the State has been consumption. In 1892, on account of the existing epidemic of influenza, pneumonia was raised to the first place in the list of the causes of death.

MORTALITY FROM TEN PROMINENT CAUSES-1892-1895.

Causes of Death.	1895.	1895.	1894.	1893.	1892.
Brain disease*	1,328	1	1	1	8
Consumption	1,195	2	2	2	2
Heart diseases	948	3	4	4	4
Pneumonia	812	4	3	3	1
Old age	584	5	5	5	5
Infantile diarrhea	523	6	7	6	6
Cancer	480	7	6	7	7
Kidney diseaset	3 69	8	8	8	8
Bronchitis	225	9	9	9	9
Diphtheria and croup	197	10	10	. 10	10

^{*}Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

By referring to Table No. 30 it will be noticed that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed into several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table 30, and the classification of the causes of death to be found in the latter part of this report.

Zymotic Diseases.—The lists of the zymotic diseases usually include small-pox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup, and the diarrheal diseases. The following table shows the number of deaths that resulted from each of these causes in 1895 in each of the New England States, the total deaths from these causes, and the zymotic death-rates per

[†]Including deaths certified as from nephritis, Bright's disease, albuminuria, and uremia.

10,000 of living population. It will be noted that the zymotic death-rate of Vermont was lower than that for any other of these states, and that the highest rate in 1895 for these diseases was in Massachusetts.

ZYMOTIC DEATH RATES-1895.

Diseases.	Maine.	New Hampshire.	Vermont.	Massachusetts.	Rhode Island.	Connecticut.
Small-pox	-	-	-	_	-	3
Measles	8	7	7	117	53	26
Scarlet fever	25	58	68	483	107	65
Typhoid fever	185	99	88	680	125	259
Whooping cough	82	26	29	269	45	127
Diphtheria and croup	197	127	80	1,984	370	388
Diarrheal diseases	635	494	236	3,149	601	1,252
F18Total	1,132	811	508	6,682	1,301	2,120
Zymotic death-rate per 10,000	17.12	21.53	15.29	29:85	33.81	25.96

SEVEN ZYMOTIC DISEASES BY COUNTIES-1895.

COUNTIES.	Population in 1890.	Aggregate deaths from zymotic diseases—1895.	Zymotic death-rate per 10,000—1896.	Mean zymotic death-rate—1892-96.
Androscoggin	48,968	101	20.62	27.26
Aroostook	49,589	194	39.12	28.38
Cumberland	90,949	170	18.69	18.94
Franklin	17,953	26	15.25	14.81
Hancock	37,312	91	24.39	13.53
Kennebec	57,012	99	17.36	21.53
Knox	81,473	55	17.48	15.33
Lincoln	21,996	18	8.18	7.27
Oxford	30,586	26	8.50	10.95
Penobscot	72,865	100	13.72	15.40
Piscataquis	16,134	10	6.20	8.98
Sagadahoc	19,452	15	7.71	11.56
Somerset	32,627	39	11.95	12.10
Waldo	27,759	25	9.01	8 .28
Washington	44,482	79	17.76	18.66
York	62,829	144	22.92	24.95
State	661,086	1,192	18.08	18.06

In the foregoing table the third column shows, for each county, the whole number of deaths in 1895 from the zymotic diseases, the fourth column shows the zymotic death-rate for the same year, and the last column gives the mean, or average zymotic death-rate in each county for the four years 1892-95. The following table makes a similar comparative exhibit for the cities:

ZYMOTIC DISEASES BY CITIES-1895.

CITIES.	Population in 1890.	Aggregate deaths from seven zymotic diseases—1896.	Zymotic death-rate per 10,000—1896.	Mean zymotic death-rate—1892-95.							
Auburn	11,250	13	11.56	21.55							
Augusta	10,527	3 8	36.10	36.57							
Bangor	19,103	27	14.13	20.15							
Bath	8,723	10	11.46	14.90							
Belfast	5,294	4	7.56	9.92							
Biddeford	14,443	92	63.70	58.50							
Brewer	4,193	4	9.54	17.88							
Calais	7,290	18	24.69	35.66							
Deering	5,353	12	22.41	14.47							
Eastport	4,908	18	36.67	30.05							
Ellsworth	4,804	4	8.33	7.29							
Gardiner	5,491	3	5.46	11.83							
Hallowell	3,181	3	9.43	14.92							
Lewiston	21,701	73	33.64	40.66							
Old Town	5,312	17	32.00	30.12							
Portland	36,425	90	24.71	19.49							
Rockland	8,174	23	28.14	23.24							
Saco	6,075	11	18.11	19.75							
Waterville	7,107	23	32.36	43.97							
Westbrook	6,632	16	24.13	38.05							
Collectively	195,986	499	25.46	27.44							

Infectious Diseases.—Disregarding influenza, the number of deaths caused by this group of diseases was 684 in 1892, 678 in 1893, 536 in 1894, and 575 in 1895. In 1895 there were, therefore, 39 more deaths from these causes than in the preceding year. By consulting the table which follows it will be seen that the number of deaths from measles, scarlet fever, cerebro-spinal meningitis, and typhoid fever was smaller than in any previous registration year, that from whooping cough the mortality was much greater,

and that the combined mortality from diphtheria and croup was larger than for the two preceding years, but smaller than in the year 1892.

INI	FFCTI	PILO	DISFA	SFS-1	892-95.

DISEASES.	1892.	1893.	1894.	1895.	Total.
Small-pox	_	-	-	_	_
Chicken-pox	-	1	-	1	2
Measles	29	55	21	8	113
Rötheln	-	-	-	1	1
Scarlet fever	36	80	29	25	170
Typhus fever	-	-	1	1	2
Influenza	755	153	295	152	1,355
Whooping cough	54	51	20	82	207
Mumps	-	-	-	1	1
Diphtheria	106	69	77	135	387
Croup	106	83	62	62	313
Tonsilitis, etc	9	7	1	4	21
Cerebro-spinal meningitis	3 8	30	34	29	131
Tetanus	7	10	6	10	33
Typhoid fever	255	257	258	185	955
Simple continued fever	31	29	19	21	100
Malarial diseases	13	5	8	10	36
Other specific febrile diseases	_	-	-	-	_

Small-Pox.—No death has resulted from this cause in any of the four years covered by the Vital Statistics reports, 1892-95.

Measles.—This disease caused the death of 8 persons of whom 4 were males and 4 were females.

Ages: Under 1, 2; 1-5, 5; over 60, 1.

Scarlet Fever—The total mortality from this disease was 25 (36 in 1892, 80 in 1893, and 29 in 1894),—13 males and 12 females. The largest number of deaths occurred at the age-period 5-10. The largest monthly number of deaths from this cause was 8 in December. There were 3 deaths in the first quarter, 3 in the second, 7 in the third, and 12 in the last three months of the year. Knox, Penobscot, and York counties each had 4 deaths from scarlet fever; Aroostook and Washington had three each. In six counties no death occurred from scarlet fever. Of the 25 deaths

from this cause, 8 were in the cities. The following is an exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the three years 1893-95:

SCARLET FEVER BY COUNTIES, MONTHS AND AGE-PERIODS
-1893-95.

By counties.	By months.	By age-periods.
Androscoggin 7	January 8	Under 1 10
Aroostook 11	February 11	1-5 59
Cumberland 13	March 10	5-10 38
Franklın 4	April 16	10-20 20
Hancock 7	May 9	20-30 6
Kennebec 14	June 12	Not stated 1
Knox 6	July 11	Total 134
Lincoln	August 7	
Oxford	September 17	
Penobscot 9	October 9	
Piscataquis	November 7	
Sagadahoc 2	December 17	
Somerset 6	Total 134	
Waldo 2		
Washington 12		
York 41		
State 134		

The scarlatinal death-rate per 10,000 for the State was 0.38; for the cities, 0.40. In the same year it was, in New Hampshire, 1.48; in Vermont, 2.04; in Massachusetts, 1.93; in Rhode Island, 2.90; and in Connecticut, 0.79.

Influenza.—During the year for which this report is made, 152 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 7.2; February, 11.9; March, 28.3; April, 21.7; May, 13.8; June, 2.0; July, 2.6; August, 1.3; September, 53; October, 2.6; November, 2.0; December, 1.3. The following shows the age incidence of deaths reported as having occurred from influenza.

Under 1 year,		22	50-60 y	ears,	8
1-5	years,	4	60-70	"	19
5-10	"	0	70-80	"	41
10-20	66	3	Over 80	"	38
20-30	"	5	Unknown		2
30-40	66	3			
40-50	66	7	Total		152

The influenza death-rate for the whole State was 2.30 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, and 4.46 in 1894).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS-1895.

COUNTIES.	January.	February.	March.	April.	Мау.	June.	July.	August.	September.	October.	November.	December.	Totals.
Androscoggin	-	2	5	5	-	-	-	-	2	-	1	-	15
Aroostook	-	1	-)	3	1	-	-	1	-	-	-	7
Cumberland	2	-	6	3	3	-	-	1	2	1	-	-	18
Franklin	1	-	1	1	1	-	_	-	-	-	-	_	4
Hancock	3	1	1	-	2	-	-	-	-	-	-	-	7
Kennebec	1	3	3	2	3	1	1	-	-	-	-	-	14
Knox	-	3	2	4	1	1	1	-	-	-	-	-	12
Lincoln	1	1	-	-	-	-	-	-	-	-	-	-	2
Oxford	1	-	-	2	2	-	-	-	-	1	2	-	8
Penobscot	1	1	12	4	1	-	-	-	1	1	-	-	21
Piscataquis	-	2	2	-	-	-	-	-	-	-	-	1	5
Sagadahoc	1	1	1	_	-	-	1	1	_	1	-	-	6
Somerset	-	1	1	3	_	_	_	-	1	-	-	1	7
Waldo	-	-	3	-	-	-	_	-	1	-	-	_	4
Washington	-	-	2	6	2	-	-	-	-	_	-	_	10
York	-	2	4	2	3	-	ı	-	_	_	_	-	12
State	11	18	43	83	21	3	4	2	-8	4	8	2	152

Whooping Cough.—The number of deaths from whooping cough was 82 (54 in 1892, 51 in 1893, and 20 in 1894),—of which 37 were males and 45 were females. The number of deaths in the cities was 31. Fifty-seven of the 82 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.24 per 10,000; that of the cities, 0.66; of Vermont, 0.97; of Massachusetts, 1.07; of Rhode Island, 1.17; of Connecticut, 1.56.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

WHOOPING COUGH BY COUNTIES, MONTHS AND AGE-PERIODS-1895.

		FERIODS 1899.	
By counties.		By months.	By age-periods.
Androscoggin	5	January 4	Under 1 57
Aroostook	24	February 1	1 to 5 19
Cumberland	21	March 5	5 to 10 6
Franklin	-	April 3	
Hancock	4	May 9	
Kennebec	5	June 4	
Knox	-	July 6	
Lincoln	1	August 11	
Oxford	-	September 7	
Penobscot	7	October 11	
Piscataquis	1	November 12	
Sagadahoe	-	December 9	
Somerset	2		
Waldo	1		
Washington	6		
York	5		

Diphtheria.—There were, for the year 1895, 135 deaths from diphtheria (106 in 1892, 69 in 1893, and 77 in 1894). Of the decedents, 58 were males and 77 were females.

Ages: Under 1, 7; 1-5, 44; 5-10, 45; 10-20, 32; 20-30, 4; 30-40, 1; 40-50, 1; 50-60, 1.

Of the 135 deaths, 57 were in the cities, and 78 in other places. The diphtheria death-rate for the State was 2.04, and for the cities, 2.91.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS-1895.

														_
COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	per 10,000.
Androscoggin	1	-	-	2	_	1	-	-	1	-	1	-	6 1	.23
Aroostook	. 2	1	1	-	1	-	1	-	3	1	4	1	15 3	.02
Cumberland	7	1	3	-	-	2	5	6	5	2	2	-	33 3	.63
Franklin	-	-	-	-	-	-	1	-	-	-	-	_	1,0	.59
Hancock	-	4	-	-	-	-	-	-	-	-	1	-	5 1	.34
Kennebec	5	-	1	_	1	1	-	-	-	-	-	1	9 1	.58
Knox	1	-	-	-	-	-	-	2	-	5	5	4	17,5	.40
Lincoln	-	1	-	1	-	2	-	-	_	-	-	-	· 4 1	.81
Oxford	-	-	-	-	-	1	-	-	-	-	-	1	20	.65
Penobscot	2	1	4	1	2	-	-	-	_	4	2	1	17 2	.33
Piscataquis	-	-	-	-	-	-	-	-	_	-	-	-	-	-
Sagadahoc	-	-	-	-	-	2	-	-	_	-	-	1	3 1	.54
Somerset	1	-	-	-	-	-	-	-	-	-	1	-	2 0	.61
Waldo	1	-	2	1	-	1	_	1	-	-	-	-	6 2	.16
Washington	1	-	_	-	_	_	-	1	-	-	-	1	3 0	.67
York	1	-	_	-	_	1	2	_	-	1	1	6	12 1	.91
State	22	-8	11	- 5	4	11	9	10	9	13	17	16	135 2	.04

Croup.—The number of deaths referable to this cause was 62 (106 in 1892, 83 in 1893, and 62 in 1894). Of the 62 decedents, 29 were males and 33 females. All were less than 10 years of age.

Ages: Under 1, 20; 1-5, 34; 5-10, 8.

The death-rate for croup was, for the State, 0.94; for the cities, 1.02.

The distribution of croup by counties and months is shown in the following table:

CDALID	RV	COUNTIES	CINA	MONT	HS_180K
LKUUP	D I	COUNTIES	o and		113-1095

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	1	-	-	1	-	-	-	-	1	-	1	_	4	0.82
Aroostook	1	3	-	1	2	-	3	1	1	1	2	4	19	3.83
Cumberland	1	1	-	-	-	-	1	-	-	-	1	-	4	0.44
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock		1	-	-	-	-	-	-	-	-	-	-	1	0.27
Kennebec	2	3	3	_	2	-	-	-	2	1	1	_	14	2.46
Knox	-	-	-	-	1	-	-	-	-	1	-	1	3	0.95
Lincoln	-	-	-	1	-	-	-	-	-	-	-	-	1	0.45
Oxford	-	-	1	-	-	-	-	-	-	1	-	-	2	0.65
Penobscot	1	-	_	-	-	-	-		-	-	-	-	1	0.14
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	1	-	-	-	-	-	-	-	1	1	1	4	2.06
Somerset	-	-	-	-	1	-	-	-	-	1	1	-	3	0.92
Waldo	-	-	-	-	-	-	-	-	-	-	-	1	1	0.36
Washington	-	-	-	-	-	-	-	-	-	-	1	2	3	0.67
York	-	-	-	-	-	-	-	-	-	-	1	1	2	0.32
State	6	9	4	8	- 6	-	4	1	4	6	9	10	62	0.94

It is now conceded that the two diseases, croup and diphtheria, are etiologically one and the same. The combined death-rate for the two diseases is, for Maine 2.98 per 10,000 of living population; of our cities, 3.93; and in the same year, for New Hampshire, 3.25; Vermont, 2.44; Massachusetts, 7.16; Rhode Island, 9.61; Connecticut, 4.75.

The following tabulation shows the number of deaths from diphtheria and croup for the four years 1892-95, arranged by counties, months, and age-periods:

DIPHTHERIA	AND	CROUP	BY	COUNTIES,	MONTHS	AND	
AGE-PERIODS-1892-95.							

By counties.	By months.	By age-periods.
Androscoggin 54	January 85	Uuder 1 118
Aroostook 89	February 65	1-5 298
Cumberland 128	March 49	5-10 162
Franklin 8	April 46	10-20 89
Hancock 21	May 44	20-30 14
Kennebec 86	June 46	30-40 10
Knox 43	July 38	40-50 4
Lincoln 12	August 33	50-60 2
Oxford 10	September 47	60-701
Penobscot 50	October 69	Not stated 2
Piscataquis 11	November 82	700
Sagadahoc 19	December 94	
Somerset 18	Not stated 2	
Waldo 17	700	
Washington 45	,,,,	
York 79		
State		

Cerebro-Spinal Meningitis.—The number of decedents was 29 (38 in 1892, 30 in 1893, and 34 in 1894), 15 males and 14 females. Eight of these deaths were in the cities. Deaths from this cause occurred in every month; distributed by quarters, they were 8, 8, 6, 7. The death-rate from this disease was 0.44.

The distribution of deaths from cerebro-spinal meningitis by counties, months, and age-periods is shown in the following:

CEREBRO-SPINAL	MENINGITIS	BY	COUNTIES,	MONTHS	AND	
AGE-PERIODS-1895.						

By counties.	By months.	By age-periods.				
Androscoggin	January 2	Under 1 7				
Aroostook 2	February 3	1 to 5 11				
Cumberland 2	March 3	5 to 10 3				
Franklin 1	April 4	10 to 20 5				
Hancock 1	May 1	20 to 30				
Kennebec 4	June 3	30 to 40				
Knox 1	July 8	40 to 50 1				
Lincoln 1	August 1	50 to 60				
Oxford 3	September 2	60 to 70 1				
Penobscot 4	October 1	70 to 80 1				
Piscataquis	November 3					
Sagadahoc 1	December 3					
Somerset 1						
Waldo						
Washington 2						
York 6						

Tetanus.—This disease was the cause of 10 deaths (7 in 1892, 10 in 1893, and 6 in 1894). The decedents were, males 9, and females 1. All these deaths occurred in the months from May to December,—May, 1; June, 2; August, 1; September, 3; October, 2; December, 1. No county had more than one case.

Ages: Under 1, 1; 5-10, 1; 10-20, 4; 20-30, 1; 50-60, 3.

Typhoid Fever.—Including 10 deaths from "gastric fever," 9 "bilious fever," 1 "fever," and 1 from "slow fever," there were 206 deaths from typhoid fever. Of these, 91 were of males and 115 of females. As indicative to the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value,—73 per cent. died between 10 and 50 years of age.

Ages: Under 1, 2; 1.5, 14; 5.10, 11; 10.20, 43; 20.30, 63; 30.40, 29; 40.50, 15; 50.60, 10; 60.70, 9; 70.80, 7; over 80, 1; not stated, 2.

The largest number of deaths, 35, occurred in September, and the smallest number, 8, in June. By quarters, 44 were in the first quarter, 31 in the second, 58 in the third, and 72 in the last quarter of the year, and 1 not stated.

The typhoid death-rate of 4.44 in the cities is considerably greater than that in the villages and rural towns, which is 2.56. The rate for the State is 3.12. The typhoid death-rate for the same year was, in New Hampshire, 3.76; Vermont, 2.65; Massachusetts, 2.71; Rhode Island, 3.25; Connecticut, 3.17.

The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county:

		TY	PH	OIL) F1	LVE	.K-	189	95.						
COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 1,000.
Androscoggin	3	1	1	2	_	-	2	-	1	2	-	1	-	13	2.65
Aroostook	1	-	2	1	3	-	1	-	7	7	4	3	1	30	6.05
Cumberland	5	1	6	1	1	4	3	1	7	4	2	-	-	35	8.85
Franklin	-	2	-	-	1	1	1	-	2	-	3	3	-	18	7.62
Hancock	-	-	-	-	1	-	-	-	1	2	-	-	-	4	1.07
Kennebec	1	1	1	2	-	-	-	-	4	2	-	2	-	13	2.28
Knox	-	1	1	-	-	-	-	2	1	-	-	1	-	6	1.91
Lincoln	-	-	-	-	-	1	-	-	-	-	-	1	-	2	0. 91
Oxford	-	-	-	-	-	-	-	-	1	-	2	1	-	4	1.81
Penobscot	2	1	-	1	1	2	3	-	2	6	7	5	-	30	4.12
Piscataquis	-	-	-	-	-	-	1	-	-	1	-	-	-	2	1.24
Sagadahoc	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.51
Somerset	1	1	2	-	1	-	-	2	-	-	2	-	-	9	2.76
Waldo	-	-	-	-	1	-	-	1	-	-	1	-	-	3	1.08
Washington	3	-	-	-	1	-	-	-	3	2	3	-	-	12	2.70
York	2	1	4	5	-		2	4	6	8	2	-	-	29	4.62
State	18	9	17	12	11	8	13	10	35	29	26	17	1	206	3.12

The following exhibits, for the four years 1892-95, the distribution of deaths from typhoid fever by counties, months, and age periods:



TYPHOID FEVER BY COUNTIES, MONTHS AND AGE-PERIODS
-1892-95.

By counties.	By months.	By age-periods.
Androscoggin 126	January 70	Under 1 15
Aroostook 102	February 57	1-5 47
Cumberland 148	March 82	5–10 53
Franklin 39	April 44	10-20
Hancock 45	May 59	20-30 330
Kennebec 82	June 57	30-40 135
Knox 26	July 59	40-50 73
Lincoln 18	August 87	50-60 54
Oxford 49	September 153	60-70 42
Penobscot 151	October 167	70-80 33
Piscataquis 16	November 131	Over 80 11
Sagadahoc 19	December 86	Not stated 11
Somerset 37	Not stated 3	1,055
Waldo 28	1.055	-,
Washington 55		
York 114		
Totals		

Malarial Diseases.—Ten deaths were returned as from malarial diseases. The diagnosis in 6 of these was "malarial poisoning;" in 2, "malarial fever;" in 1, "chronic malaria;" and in 1, "the result of fever and ague." The age of 1 of the decedents was between 30 and 40; 3, between 50 and 60; 3, between 60 and 70; 2, between 70 and 80; and 1, 82. With the exception of one, the decedents were all men. It is stated that 6 of them contracted the disease in the army; that 1, the woman, received the disease in the South; in 1, it is said that it was contracted outside of the State; in 2, "chronic malaria and dropsy caused by malarial poisoning." There is no statement as to whether the infection was received within or without the State.

In the other New England States, in the same year, the number of deaths attributed to this cause was, in Vermont, 4; Massachusetts, 67; Connecticut, 116; and New Hampshire and Rhode Island, none.

Tuberculosis.—Tuberculosis, a communicable and, therefore, a preventable disease, destroys more lives than any other malady. In 1895, it was the cause of 1,397 deaths (1,513 in 1892, 1,446 in 1893, and 1,449 in 1894). The death-rate per 10,000 from this cause was 21.13. The death-rate from tuberculosis in the same year was 19.49 in New Hampshire; 17.48 in Vermont; 29.36 in Massachusetts; 22.48 in Rhode Island; and 20.94 in Connecticut.

Cerebral Tuberculosis (Tubercular Meningitis).—The number of deaths was 82; 36 were of males and 46 of females. The number in the cities was 35. The death-rate for the State was 1.24; for the cities, 1.79.

Ages: Under 1, 23; 1-5, 26; 5-10, 9; 10-20, 11; 20-30, 3; 30-40, 5; 40-50, 2; 50-60, 1; 60-70, 2.

Pulmonary Tuberculosis (Consumption).—From this cause 1,195 deaths were registered in 1895 (1,352 in 1892, 1,299 in 1893, and 1,262 in 1894). There were, therefore, in 1895, 157 fewer deaths than in 1892; 104 fewer than in 1893; and 67 fewer than in 1894.

Ages: Under 1, 15; 1-5, 16; 5-10, 9; 10-20, 158; 20-30, 351; 30-40, 240; 40-50, 117; 50-60, 102; 60-70, 103; 70-80, 66; 80-90, 16; over 90, 1; not stated, 1.

It is thus shown in this report, as it was in the three preceding reports, that the smallest number of deaths occurred at the age-period 5 to 10 years, and that, of the decedents whose ages were given, 81 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 523 of the decedents, or 43.8 per cent., were males; and 672, or 56.2 per cent., were females.

The State's death-rate from consumption was 18.08 in each 10,000 of population; that of the cities, 21.08. Outside of our State, in the same year, the death-rate from consumption was, for Vermont, 15.07; Massachusetts, 21.94; Rhode Island, 22.48; Connecticut, 16.63.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS-1895.

												_		
Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	4	11	11	3	9	5	11	8	4	8	11	7	92	18.79
Aroostook	8	6	6	12	7	5	5	8	6	8	6	3	75	15.12
Cumberland	14	16	14	13	16	14	18	15	14	15	22	15	186	20.45
Franklin	3	1	1	6	2	1	4	2	.2	1	8	8	27	15.83
Hancock	7	6	4	5	4	7	2	5	8	4	7	5	64	17.15
Kennebec	12	7	14	13	7	8	10	12	5	9	9	5	111	19.47
Knox	-	5	12	7	7	4	6	6	4	3	-	4	58	18.43
Lincoln	3	4	3	5	-	1	8	1	3	2	1	2	28	12.73
Oxford	1	5	6	6	3	7	4	1	2	2	2	8	42	13.78
Penobscot	16	13	18	12	8	13	15	14	7	9	9	14	143	19.63
Piscataquis	2	4	2	-	4	4	1	2	3	3	1	3	29	17.97
Sagadahoc	-	5	2	3	3	3	8	3	1	2	4	5	34	10.42
Somerset	9	7	6	5	4	5	9	3	5	8	2	6	64	19.62
Waldo	8	4	6	8	2	4	4	2	3	8	8	3	45	16.21
Washington	10	9	16	6	9	7	8	4	7	9	4	9	98	22.03
York	6	13	12	10	12	10	7	7	3	4	5	10	99	15.76
State	96	116	128	109	97	98	110	88	77	90	89	97	1195	18.08

For the four years 1892-95, the distribution of deaths from pulmonary consumption is shown by counties, months, and ageperiods in the following table:

CONSUMPTION	BY	COUNTIES,	MONTHS	AND	AGE-PERIODS
		-1892	2-95.		

By counties.		By months.		By age-periods.	
Androscoggin	363	January	459	Under 1	77
Aroostook	261	February	436	1-5	79
Cumberland	703	March	496	5-10	44
Franklin	142	April	474	10-20	614
Hancock	271	Мау	483	20-30	1,486
Kennebec	474	June	422	30-40	949
Knox	305	July	416	40-50	575
Lincoln	158	August	395	50-60	442
Oxford	176	September	371	60-70	410
Penobscot	603	October	409	70-80	314
Piscataquis	130	November	351	Over 80	91
Sagadahoc	147	December	394	Not stated	27
Somerset	264	Not stated	2		5,108
Waldo	231		5,108		
Washington	389				
York	491				
State	5,108				

Tuberculosis Mesenteric.—There were 31 deaths from this cause, 12 males and 19 females.

Ages: Under 1, 3; 10-20, 3; 20-40, 13; 40-60, 9; over 60, 3.

Tuberculosis, Other Forms.—Of these deaths, 89 in all, the cause assigned was, in 66, tuberculosis, general tuberculosis, or acute tuberculosis; in 12, scrofula; in 1. disease of bone; in 5, psoas abscess; in 2, miliary tuberculosis; in 2, tubercular adenitis; and in 1, tuberculosis of kidney.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 635 (662 in 1892, 642 in 1893, and 602 in 1894). The death-rate for this group of diseases was 9.60 per 10,000. That of New Hampshire, for the same year, was 13.12; Vermont, 8.15; Massachusetts, 12.60; Rhode Island, 16.11; and Connecticut, 15.33.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 523 deaths (546 in 1892, 507 in 1893, and 468 in 1894). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates for this cause. There were in the first quarter of the year but 13 deaths from this cause; in the second quarter, 29; in the third quarter, 392; and in the fourth quarter, 89. The largest number of deaths occurred in August, 162.

Of the children dying from this cause, 55 per cent. were less than 6 months old, and another 33 per cent. were less than 1 year of age, making 88 per cent. of deaths within the first year of age.

Ages: Under 6 months, 287; 6-12 months, 172; 1-2 years, 64.

In the classification of deaths from diarrheal diseases, only the deaths among children 2 years old, or younger, are included under 'infantile diarrhea.' The deaths from diarrheal diseases, other than those under this cause, were cholera morbus, 25; dysentery, 45; and diarrhea, 42.

Of the 523 deaths from infantile diarrhea, 272 were returned from the cities. This represents an urban death-rate from this cause of 13.78 (15.20 in 1892, 14.33 in 1893, and 13.27 in 1894), which is strongly in contrast with 5.44, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, and 4.47 in 1894).

The death-rate for the State from this affection was 7.91. For the same year it was, in New Hampshire. 10.92; in Vermont, 5.51; in Massachusetts, 9.50; for Rhode Island, 13.00; for Connecticut, 10.89.

INFANTILE DIARRHEA BY COUNTIES AND MONTHS-1895.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	1	2	8	2	1	2	15	20	13	5	8	-	67	13.68
Aroostook	-	2	-	3	2	3	16	26	25	10	1	1	89	17.95
Cumberland	1	-	1	1	-	-	15	25	12	7	-	-	62	6.82
Franklin	-	-		-	-	-	1	2	8	8	-	-	. 9	5.28
Hancock	-	-	-	-	-	-	-	2	7	6	-	-	15	4.02
Kennebec	-	-	-	1	1	-	7	18	15	8	1	2	48	8.42
Knox	-	_	-	-	1	-	2	5	9	1	-	1	19	6.04
Lincoln	-	-	-	-	1	-	-	2	-	2	1	-	6	2.78
Oxford	-	-	-	-	-	1	1	4	5	2	1	-	14	4.58
Penobscot	-	-	1	2	1	1	-	23	6	5	-	-	39	5.85
Piscataquis	-	-	-	1	-	-	-	1	2	2	-	-	6	8.72
Sagadahoc	-	-	-	1	-	-	-	2	-	1	-	-	4	2.06
Somerset	-	-	-	-	1	1	-	5	8	8	-	-	18	5.52
Waldo	-	1	-	-	-	-	-	-	3	5	-	-	9	8.24
Washington	-	-	-	1	-	-	4	9	18	5	-	-	82	7.19
York	-	_	1	-	1	-	11	23	87	10	2	1	86	13.69
State	2	5	6	12	9	8	72	162	158	75	9	5	523	7.91

The preceding table exhibits the number of deaths from infantile diarrhea in 1895, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the four years 1892-95, by counties, months, and age-groups:

INFANTILE DIARRHEA BY COUNTIES, MONTHS AND AGE-PERIODS-1892-95.

By counties.		By months.		By age-periods.	
Androscoggin	290	January	13	Under 6 months	1,102
Aroostook	282	February	18	6-12 months	665
Cumberland	271	March	19	1-2 years	240
Franklin	30	April	32	Over 2 years	29
Hancock	44	May	29	Unknown	8
Kennebec	239	June	71	-	2,044
Knox	77	July	351		
Lincoln	13	August	696		
Oxford	44	September	561		
Penobscot	175	October	185		
Piscataquis	20	November	48		
Sagadahoc	30	December	20		
Somerset	58	Not stated	1		
Waldo	24	_	2,044		
Washington	134				
York	313				
State	2,014				

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the four years 1892-95:

14

INFANTILE DIARRHEA IN THE CITIES-1892-95.

CITIES.	1892.	1893.	1894.	1895.	Totals
Auburn	10	18	10	9	47
Augusta	26	15	18	26	85
Bangor	14	13	20	10	57
Bath	5	4	9	3	21
Belfast	3	1	-	-	4
Biddeford	53	45	52	60	210
Brewer	2	2	8	3	15
Calais	15	13	1	12	41
Deering	5	6	2	1	14
Eastport	10	9	9	8	36
Ellsworth	1	1	-	4	6
Gardiner	8	2	4	12	26
Hallowell	7	-	2	4	13
Lewiston	47	7 5	45	53	220
Old Town	9	8	9	11	37
Portland	29	18	19	34	100
Rockland	14	11	6	8	39
Saco	3	5	5	3	16
Waterville	21	18	21	13	73
Westbrook	16	13	14	11	54
Totals	298	277	254	285	1,114

Septic Diseases.—Of deaths from the diseases in this group, there were 25 from erysipelas; 57 from pyemia and septicemia, and 35 from puerperal fever,—giving a special death-rate of 1.77. The following shows the distribution of puerperal fever by months and counties:

January	5	Androscoggin	0
February	3	Aroostook	6
March	6	Cumberland	5
A pril	2	Franklin	1
May	4	Hancock	2
June	3	Kennebec	3
July	1	Knox	0
August	4	Lincoln	1
September	1	Oxford	1
October	4	Penobscot	3
November	0	Piscataquis	0
December	2	Sagadahoc	4
		Somerset	3
Total	35	Waldo	2
	•	Washington	2
		York	2
		m	_
		Total	35

Dietetic Diseases.—Thirty-five deaths were returned under this class of causes; 16 of malnutrition of infants; 3 of rickets; and 16 of alcoholism. The special death-rate from alcoholism was 0.24. For the same year it was 0.02 in Vermont; 0.71 in Massachusetts; 0.62 in Rhode Island; and 0.66 in Connecticut.

Constitutional Diseases.—With tuberculosis transferred to the class of zymotic diseases, there were 666 deaths from constitutional diseases, or a death-rate of 10.07 per 10,000 for the State.

Rheumatism.—The returns give 56 deaths from this cause (68 in 1892, 46 in 1893, and 66 in 1894),—24 males and 32 females. Eighteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.85, while that in the cities was slightly higher, 0.91. For the same year it was, in Vermont, 0.90; Massachusetts, 0.97; Rhode Island, 0.96; Connecticut, 1.11. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS AND AGE GROUPS-1895.

By counties.		By months.		By age-groups.
Androscoggin	5	January	4	Under 1 0
Aroostook	6	February	7	1.5 1
Cumberland	4	March	6	5-10 1
Franklin	0	April	6	10-204
Hancock	2	May	4	20-30 6
Kennebec	7	June	4	30-40 3
Knox	0	July	3	40-50 2
Lincoln	1	August	6	50-60 9
Oxford	7	September	3	60-70 15
Penobscot	5	October	4	70-80 8
Piscataquis	2	November	2	Over 80 6
Sagadahoc	4	December	7	Not stated 1
Somerset	3	-	56	56
Waldo	3			
Washington	2			
York	5			
State	56			

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the three years 1893-95:

RHEUMATISM BY COUNTIES, MONTHS AND AGE-PERIODS —1893-95.

By counties.	By months.	By age-periods.
Androscoggin 12	January 22	Under 1
Aroostook 12	February 13	1-5 9
Cumberland 21	March 15	5-10 4
Franklin	April 18	10-20
Hancock 11	May 16	20-30 18
Kennebec 16	June 13	30-4010
Knox 7	July 9	40-50 18
Lincoln 5	August 11	50-60 29
Oxford 10	September 9	60-70 34
Penobscot 19	October 15	70-80 31
Piscataquis 3	November 9	Over 80 15
Sagadahoc 9	December 16	Not stated
Somerset 10	Not stated 2	168
Waldo 9	168	
Washington 7		
York 17		
State 168	-	

Cancer.—From cancer in its various forms and locations there were 480 deaths (404 in 1892, 433 in 1893, and 474 in 1894). Of the decedents, 173 were males and 307 females. The cancer deathrate for the State was, therefore, 7.26. In the same year the death-rate was, in Vermont, 5.93; in Massachusetts, 7.00; in Rhode Island, 6.10; in Connecticut, 5.77.

Distributed as to its more frequent locations, there died of cancer of the stomach 137; of the breast, 62; liver, 42; uterus, 74; abdominal and intestinal, 34; throat, 11; rectum, 11; lip, 6; neck, 3; face, 16; tongue, 4; mouth, 3; jaw, 5; thigh, 2; nose, 3; various, 19; parts unspecified, 48.

The distribution of cancer by counties and by age-groups, and the special death-rate for each county are shown in the following, for 1895 and for the four years 1892-95:

	189	95.	189	2-95.		NUMB DEA	ER OF
COUNTIES.	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.	AGE-GROUPS.	1895.	1892-96.
Androscoggin	38	7.76	143	7.80	Under 1 year	-	2
Aroostook	16	3.23	49	2.47	From 1 to 5 years	-	3
Cumberland	80	0.88	310	0.85	" 5 to 10 "	-	-
Franklin	19	11.14	73	10.70	" 10 to 20 "	4	8
Hancock	20	0.54	97	0.65	" 20 to 30 "	3	22
Kennebec	49	8.59	176	7.72	" 30 to 40 "	26	93
Knox	28	8.90	103	8.18	" 40 to 50 "	55	222
Lincoln	22	10.00	67	7.61	" 50 to 60 "	121	399
Oxford	23	7.52	67	5.48	" 60 to 70 "	115	472
Penobscot	45	6.15	174	5.97	" 70 to 80 "	110	406
Piscataquis	9	5.58	25	3.87	Over 80 years	45	150
Sagadahoc	12	6.17	62	7.97	Not stated	1	14
Somerset	29	8.89	94	7.20		480	1,791
Waldo	21	7.57	71	6.39			
Washington	26	5.85	102	5.73			
York	43	6.84	178	7.08			
State	480	7.26	1.791	6.77			

CANCER-1895 AND 1892-95.

Diabetes.—The deaths from this cause numbered 77 (55 in 1892, 65 in 1893, and 71 in 1894). The special death-rate from diabetes was, therefore, 1.16 in 1895. Forty-one of the decedents were males and 36 were females.

Ages: 1-5, 8; 5-10, 3; 10-20, 8; 20-30, 7; 30-40, 9; 40-50, 7; 50-60, 5; 60-70, 19; 70-80, 15; over 80, 1.

Old Age.—There were registered 579 deaths as due to old age, 238 men and 341 women. Of these decedents, 101 were between 70 and 80 years of age; 352 were from 80 to 90; 119 were from 90 to 100; while 3 were over 100 years old; and the age of 4 was unknown.

From Table No. 33, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years

or more was 2,897 (3,801 in 1892, 3,147 in 1893, and 3,242) in 1894), or one death in every three and one-half was of a person who was between 70 and 100 years of age or older. Assuming that all these 2,897 died of old age, the death-rate from old age would be 43.82 among every 10,000 living at all ages.

Comparing with other states, we find that, in the same year, the death-rate of old persons (70 years of age and over) was, in Vermont, 51.47; Massachusetts, 34.09; Rhode Island, 31.26; and Connecticut, 37.49.

The following shows the number of deaths in each county, of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

Counties.	Deaths.	Rate per 10,000.	Counties.	Deaths.	Rate per 10,000.
Androscoggin	184	37.58	Oxford	159	51.98
Aroostook	73	14.72	Penobscot	323	44.33
Cumberland	419	46.07	Piscataquis	57	3 5.33
Franklin	89	52.19	Sagadahoc	85	43.70
Hancock	158	42.35	Somerset	166	50.88
Kennebec	299	52.45	Waldo	149	53.68
Knox	155	49.25	Washington	156	35.07
Lincoln	140	63.65	York	285	45.36

OLD AGE-1895.

Centenarians.—Among the persons whose decease occurred in 1895, four had reached or exceeded the age of 100 years. Two of these persons were women and two were men. Their names, together with a few facts relating to the life history of each, are as follows:

September 28, Jane Neely died at Portland at the age of 102 years. She was born in Ireland. Her father was Cornelius Kerwin. The maiden name of her mother was Ellen Armstrong.

March 30, Jonathan S. Ellis died in Farmington at the age of 101 years, 7 months, and 20 days. He was born in Nova Scotia.

February 16, Samuel Higgins died in Gorham at the age of 100 years, 9 months, and 5 days. He was born in Gorham. The birthplace of his father and mother was Cape Cod, Massachusetts.

January 24, Rachel Rice died in Waterford at the age of 100 years, 8 months, and 17 days. Waterford was her birthplace.

Diseases of the Nervous System.—The number of deaths registered under the causes included in this group was 1,585 (1,459 in 1892, 1,451 in 1893, and 1,543 in 1894), or 23.97 to every 10,000 of population.

In the same year the death-rate from this group of causes was, in Vermont, 38.45; Massachusetts, 24.64; Rhode Island, 20.56; Connecticut, 24.15.

Inflammation of the Brain or Membranes.—The number of deaths was 261 (236 in 1892, 263 in 1893, and 286 in 1894),—125 males and 136 females. Of these, 114 were in the cities. The death-rate from the several diseases grouped under this head was 3.95.

Ages: Under 1, 104; 1-5, 61; 5-10, 18; 10-20 13; 20-40, 23; 40-60, 20; over 60, 22.

Apoplexy.—From this cause 488 deaths occurred (488 in 1892, 422 in 1893, and 408 in 1894),—267 males and 221 females. Of these, 154 were in the cities. The State's death-rate from apoplexy was, therefore, 7.38; that of the cities, 7.86; that of New Hampshire in the same year, 8.53; Vermont, 4.57; Massachusetts, 7.25; Connecticut, 8.44.

The largest number, 49, occurred in February; the most fatal of the four seasons was the winter, and this is true of the years 1892 and 1893.

In 1894, the greatest mortality from this cause occurred in the spring.

Conversely, the smallest number of deaths, 33, was in April; the smallest number in any one season was 119 in the autumn months. Over 77 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY	BY COUNTIES.	MONTHS, A	ND AGE-P	'ERIODS-1895.
-----------------	--------------	-----------	----------	---------------

By counties.	By months.	By age-periods.
Androscoggin 36	January 44	Under 1 3
Aroostook 8	February 49	1-5 1
Cumberland 101	March 56	5-10
Franklin 14	April 33	10-20 1
Hancock 21	May 38	20-30 8
Kennebec 50	June 34	30-40
Knox 15	July 37	40-50 29
Lincoln 19	August 40	50-60
Oxford 30	September 43	60-70
Penobscot 47	October 39	70-80 162-
Piscataquis 9	November 37	Over 80 89
Sagadahoe 28	December 38	Not stated 3
Somerset 14	488	488
Waldo 26		
Washington 20		
York 50		
488		

Softening of the Brain.—From cerebral softening there were 77 deaths,—those of 36 males and 41 females.

Ages: 20-30, 1; 30-40, 6; 40-50, 6; 50-60, 8; 60-70, 13; 70-80, 35; over 80, 13.

Paralysis.—Of the 261 deaths from "paralysis," 106 persons were males and 155 were females.

Ages: Under 1, 3; 1-5, 2; 5-10, 4; 10-20, 1; 20-40, 9; 40-50, 13; 50-60, 21; 60-70, 39; 70-80, 103; over 80, 65; not stated, 1.

Hemiplegia.—From this form of paralysis there were 12 deaths reported, eight men and four women.

Ages: 30-40, 1; 50-60, 2; 60-70, 1; 70-80, 6; over 90, 2.

Epilepsy.—Twenty-six males and 8 females died of epilepsy, 34 in all.

Ages: under 1, 4; 1-5, 2; 5-10, 2; 20-40, 10; 40-60, 6; over 60, 8; not stated, 2.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, valvular disease of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 948 deaths (816 in 1892, 875 in 1893, and 940 in 1894). The following exhibits the age and sex distribution of each form of disease for the year 1895:

Disease.	Under 1.	1-10.	10 -20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Totals.
Endocarditis	1	2	1	1	3	15	-	14	9	23
Valvular disease of heart	-	3	5	16	38	154	1	119	98	217
Hypertrophy of heart	-	-	-	2	10	37	-	32	17	49
Pericarditis	-	-	2	1	3	6	-	4	8	12
Unspecified diseases of heart	14	3	14	3 3	133	400	5	339	263	602
Angina pectoris	-	-	-	1	12	31	1	25	20	45
Totals	15	-8	22	54	199	643	7	533	415	948

For the year 1895, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties.

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	88	17.97	Oxford	52	17.00
Aroostook	17	3.43	Penobscot	107	14.68
Cumberland	127	13.96	Piscataquis	22	13.64
Franklin	20	11.73	Sagadahoc	35	17.99
Hancock	54	14.66	Somerset	42	12.87
Kennebec	102	17.89	Waldo	43	15.49
Knox	58	18.43	Washington	51	11.47
Lincoln	33	15.00	York	97	15.44
			State	948	14.34

As may be noted, Knox county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 14.34; that of New Hampshire for the same year was

18.3; Vermont, 18.54; Massachusetts, 15.07; Rhode Island, 13.90; Connecticut, 12.44.

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,165 persons died from the various respiratory diseases, as tabulated on page 101 (1,796 in 1892, 1,407 in 1893, and 1,312 in 1894). From these diseases there were, therefore, 631 fewer deaths than in 1892, 246 fewer than in 1893, and 147 fewer than in 1894. Although 1892, our first registration year, was noted as an influenza year, the falling off in the mortality from the diseases of the respiratory system is very encouraging. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1895 the number of deaths was 788 smaller than in 1892, 346 smaller than in 1893, and 214 smaller than in 1894.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1895, was 17.62 in each 10,000 of population, as compared with 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892. For the New England States the death-rate from this group of diseases was: Maine, 17.62; New Hampshire, 21.94; Vermont, 17.36; Massachusetts, 27.25; Rhode Island, 26.97; Connecticut, 25.27.

Pneumonia.—The number of deaths registered under this cause was 812 (1,431 in 1892, 1,143 in 1893, and 1,023 in 1894), of which 427 were males and 385 were females. The death-rate from this disease was, therefore, 12.28 per 10,000 (21.56 in 1892, 17.27 in 1893, and 15.47 in 1894). As 282 of the deaths occurred in the cities, the urban death-rate was 14.39. For the same year the pneumonia death-rate was, in New Hampshire, 16.97; Vermont, 14.47; Massachusetts, 18.61; Rhode Island, 17.81; Connecticut, 15.78.

The age distribution for pneumonia is shown in the following:

Under	1	year,	119	40-50	years,	49
	1-5	years,	76	50-60	"	72
	5-10	"	21	60-70	"	125
	10-20	"	3 3	70-80	"	141
	20-30	"	34	Over 8	0 "	100
	30-40	66	39	Not st	ated,	3

PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATES PER 10,000-1895.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	6	7	17	12	3	_	1	3	1	1	1	5	57	11.64
Aroostook	6	7	4	3	-	3	2	3	2	-	1	3	34	6.86
Cumberland	19	16	28	10	12	6	2	3	10	10	7	16	139	15.28
Franklin	4	-	2	2	-	3	1	-	_	2	5	1	20	11.73
Hancock	5	6	4	3	8	1	2	2	`2	3	4	2	42	11.26
Kennebec	5	9	21	5	4	3	2	-	3	4	9	8	73	12.80
Knox	5	5	4	5	1	-	-	1	3	3	9	1	37	11.76
Lincoln	-	2	7	3	3	1	-	-	4	_	1	5	26	11.82
Oxford	5	3	5	17	1	2	2	-	4	3	2	6	50	16.35
Penobscot	17	6	17	10	8	10	4	5	-	7	3	13	100	13.72
Piscataquis	6	2	3	-	2	-	-	-	-	-	-	1	14	8. 6 8
Sagadahoc	2	2	2	9	5	1	2	1	1	-	1	2	28	14.39
Somerset	5	8	6	6	1	4	-	1	1	6	2	7	47	14.41
Waldo	7	3	2	3	2	1	1	2	-	1	3	2	27	9.72
Washington	2	-	7	4	11	2	1	-	2	4	5	3	41	9.22
York	4	10	19	13	4	-	1	3	-	5	8	10	77	12.26
State	98	86	148	105	65	37	21	24	33	49	61	85	812	12.28
				1				•						1

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the four years 1892-95.

P	NF	UN	ION	IA-1	1892	-95.

By counties.		By months.	By age-periods.
Androscoggin	279	January 859	Under 1 549
Aroostook	187	February 661	1 to 5 339
Cumberland	731	March 572	5 to 10 79
Franklin	109	April 518	10 to 20 133
Hancock	224	May 424	20 to 30 220
Kennebec	435	June 215	30 to 40 261
Knox	201	July 89	40 to 50 311
Lincoln	166	August 88	50 to 60 417
Oxford	230	September 121	60 to 70 692
Penobscot	498	October 192	70 to 80 816
Piscataquis	92	November 254	Over 80 576
Sagadahoc	137	December 413	Not stated 16
Somerset	227	Not stated 3	4,409
Waldo	158	4,409	
Washington	256		
York	479		
State	409		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 225 deaths were registered (287 in 1892, 197 in 1893, and 209 in 1894). Among these decedents, 109 were males and 116 females. Of these 225 deaths, 101 were in the cities. The largest number of deaths in any one month was 43 in March. The smallest number of deaths occurred in August. The largest number of deaths in three consecutive months was 90 in January, February, and March; the smallest number in any three consecutive months was 37 in August, September, and October. The number of deaths by quarters was 90, 55, 38, and 42.

The bronchitis death-rate of the State was 3.40; of the cities, 5-15. For the same year the bronchitis death-rate was, in New Hampshire, 4.97; Vermont, 1.65; Massachusetts, 6.24; Rhode Island, 7.12; Connecticut, 6.60.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life:

Under	1	year,	71	40-50	years,	8
	1-5	years,	24	50-60	66	14
	5-10	"	4	60-70	"	23
	10-20	"	1	70–80	"	39
	20-30	"	4	Over 80) "	33
	30-40	46	3	Not sta	ted.	1

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

BRONCHITIS-1895.

Counties.	January.	February.	March.	April.	May.	June.	July.	Angust.	September.	October.	November	December.	Totals.	Death-rate per 10,000.
Androscoggin	1	6	6	-	2	1	4	1	-	1	1	-	23	4.70
Aroostook	-	1	1	1	4	-	1	-	-	1	-	-	9	1.81
Cumberland	3	5	7	4	1	3	7	1	-	1	5	2	39	4.29
Franklin	-	-	1	-	-	-	-	_	-	-	1	-	2	1.17
Hancock	-	1	2	2	2	2	-	-	2	1	1	1	14	3.83
Kennebec	3	4	10	2	3	2	2	2	4	2	2	3	39	6.84
Knox	1	-	-	-	-	-	-	-	-	1	-	-	2	0.64
Lincoln	-	-	1	-	1	-	-	-	-	1	-	-	3	1.36
Oxford	3	2	-	1	-	2	1	1	-	- '	-	-	10	3.27
Penobscot	-	2	3	5	-	-	-	-	2	3	1	1	17	2.33
Piscataquis	-	-	-	-	1	-	-	-	-	-	-	1	2	1.24
Sagadahoc	1	1	1	1	-	-	-	-	2	1	-	1	8	4.11
Somerset	1	2	1	1	-	1	-	4	1	-	2	-	13	3.98
Waldo	-	-	-	2	2	1	-	-	-	1	-	1	7	2.52
Washington	-	-	3	1	1	1	-	-	-	-	1	1	8	1.79
York	5	5	7	1	2	2	2	1	-	3	-	1	29	4.62
State	18	29	43	21	19	15	17	10	11	16	14	12	225	3.40

Pleurisy.—Nineteen deaths were charged to this disease (18 in 1892, 19 in 1893, and 15 in 1894),—8 males and 11 females.

Ages: 1-5, 1; 10-20, 4; 20-30, 2; 30-40, 3; 40-50, 2; 50-60, 1; 60-70, 2; 70-80, 2; 80-90, 2.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 693 (659 in 1892, 653 in 1893, and 685 in 1894), or a death-rate of 10.48. The distribution of these under their several causes will be found on page 101.

Peritonitis.—There were 125 deaths from this cause (129 in 1892, 151 in 1893, and 137 in 1894),—47 males and 78 females. Forty-six of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS-1895.

Hancock 5 May 5 20-30 14 Kennebec 12 June 14 30-40 9 Knox 5 July 13 40-50 12 Lincoln 1 August 10 50-60 10 Oxford 5 September 12 60-70 12 Penobscot 13 October 7 70-80 70-80 70 Piscataquis 1 November 7 Over 80 15 Sagadahoc 5 December 15 Unknown Somerset 7 Waldo 8	Androscoggin	7	January	9	Uuder 1	8
Franklin 4 April 7 10-20 Hancock 5 May 5 20-30 Kennebec 12 June 14 30-40 9 Knox 5 July 13 40-50 9 Lincoln 1 August 10 50-60 10 Oxford 5 September 12 60-70 12 Penobscot 13 October 7 70-80 7 Piscataquis 1 November 7 Over 80 15 Sagadahoc 5 December 15 Unknown Somerset 7 Waldo 8	Aroostook	16	February	15	1-5	5
Hancock 5 May 5 20-30 20-30 12 Kennebec 12 June 14 30-40 9 Knox 5 July 13 40-50 12 Lincoln 1 August 10 50-60 12 Oxford 5 September 12 60-70 12 Penobscot 13 October 7 70-80 70-80 70-80 70-80 12 Sagadahoc 5 December 15 Unknown 15 Unknown Somerset 7 Waldo 8 8 8 8	Cumberland	23	March	11	5-10	7
Kennebec 12 June 14 30-40 30-40 5 Knox 5 July 13 40-50 6 6 60-70 60-70 60-70 60-70 60-70 60-70 60-70 60-70 7 70-80 <td>Franklin</td> <td>4</td> <td>A pril</td> <td>7</td> <td>10-20</td> <td>15</td>	Franklin	4	A pril	7	10-20	15
Knox 5 July 13 40-50 Lincoln 1 August 10 50-60 50-60 Oxford 5 September 12 60-70 60-70 Penobscot 13 October 7 70-80 70-80 Piscataquis 1 November 7 Over 80 90 Sagadahoc 5 December 15 Unknown Somerset 7 Waldo 8	Hancock	5	May	5	20-30	16
Lincoln 1 August 10 50-60 50-60 50-60 50-60 60-70 60-70 60-70 70-80 70-	Kennebec	12	June	14	30-40	25
Oxford 5 September 12 60-70 60-70 12 60-70 12 60-70 12 60-70 12 60-70 12	Knox	5	July	13	40-50	12
Penobscot 13 October 7 70-80	Lincoln	1	August	10	50-60	14
Piscataquis 1 November 7 Over 80 Sagadahoc 5 December 15 Unknown Somerset 7 Waldo 8	Oxford	5	September	12	60-70	5
Sagadahoc 5 December 15 Unknown Somerset 7 Waldo 8	Penobscot	13	October	7	70-80	10
Somerset	Piscataquis	1	November	7	Over 80	7
Waldo 8	Sagadahoc	5	December	15	Unknown	1
	Somerset	7				
	Waldo	8				
Washington 8	Washington	8				
York 5	York	5				

Appendicitis.—Of the deaths classified under this cause, 36 in number, 33 were returned as due to "appendicitis," and 3 to "perityphlitis." Twenty-four of the decedents were males. The number of deaths in each month was January, 4; February, 1; March, 5; April, 2; May, 1; June, 1; July, 7; August, 3; October, 4; November, 2; December, 6.

Ages: 5-10, 4; 10-20, 5; 20-30, 9; 30-40, 5; 40-50, 5; 50-60, 5; over 70, 3.

Cirrhosis of the Liver.—Thirty-three deaths were ascribed to cirrhosis of the liver—those of 20 men and 13 women. Of these 33 deaths, 13 were in the cities, and 20 in the rural parts of the

State. The death-rate of the State from this one cause was 0.50 per 10,000 (0.19 in 1892, 0.18 in 1893, and 0.29 in 1894); that of Connecticut, for the same year, was 0.87. The data for comparison with other places are wanting.

Diseases of the Urinary System.—There were 475 deaths referred to the diseases under this group, equivalent to a death-rate of 7.18.

Nephritis.—Acute and chronic, caused the death of 90 persons, 55 males and 35 females. The death-rate from nephritis was, therefore, 1.36.

Ages: 1-5, 3; 5-10, 1; 10-20, 4; 20-30, 5; 30-40, 2; 40-50, 8; 50-60, 16; 60-70, 22; 70-80, 23; Over 80, 5; not stated, 1.

Bright's Disease.—This was the cause of 234 deaths (204 in 1892, 217 in 1893, and 219 in 1894),—126 males and 108 females. Of these deaths, 60 were in the cities.

Ages: 1-5, 2; 5-10, 4; 10-20, 11; 20-30, 16; 30-40, 22; 40-50, 21; 50-60, 34; 60-70, 51; 70-80, 60; over 80, 13.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	15	3.06	Oxford	12	3.92
Aroostook	7	1.41	Penobscot	24	3.29
Cumberland	38	4.18	Piscataquis	4	2.48
Franklin	4	2.35	Sagadahoc	9	4.63
Hancock	8	2.14	Somerset	18	5.52
Kennebec	19	3.33	Waldo	13	4.68
Knox	17	5.40	Washington	6	1.35
Lincoln	7	3.18	York	33	5.25
			State	234	3.54

Childbirth.—Under the group of accidents and diseases of reproduction, 36 deaths were registered, not including puerperal fever (69 in 1892, 59 in 1893, and 41 in 1894). This is equivalent to a special death-rate of 0.54.

Accidents.—From accidents of various kinds, 341 persons met their death (376 in 1892, 330 in 1893, and 286 in 1894). Of

deaths from falls, there were 28; 8 were from a carriage; 1, falling down stairs; 1, falling out of bed; and 1 each from a load of hay, from a ladder, from a ship's mast, roof of court-house; while 14 were unspecified.

Fractures caused 45 deaths,—fracture of skull, 14; of spine, 1; of hip, 10; of thigh, 14; of vertebral column, 3; arm, 1; face, 1; not stated, 1.

Eighteen deaths were from gun or pistol shot; one death was from a cut.

From railway injuries there were 27 deaths.

From burns and scalds, 31 deaths occurred. Three deaths from falling into boiling water; 2 from kerosene lamp explosion; 1 from upsetting lighted oil stove; 1 from lighting a fire with naphtha; 1 fell into a fire; the rest, unspecified.

From poisoning 10 deaths occurred, of which opium was the cause of 4; lead poison, 1; iodine, 1; arsenic, 1; carbolic acid, 1; tobacco, 1; sewer air, 1.

By drowning, 81 lives were lost.

The returns indicate that 3 deaths occurred from machinery accidents. One person was lost at sea.

The death-rate from accidents in this State was 5.16; in Vermont, 6.62; in Massachusetts and Rhode Island, 7.62; in Connecticut, 7.30.

Homicide.—Under this group 6 deaths were registered. This is equivalent to a death-rate of 0.10. For homicide, the rate for Massachusetts was 2.91; Rhode Island, 0.15; Connecticut, 0.10. The total number of homicides in New England was 94 (29 in 1893, and 54 in 1894).

Suicide.—Within the year, 66 persons took their own lives (59 in 1892, the same number in 1893, and 39 in 1894),—51 males and 15 females. Of the males, the occupation of 19 was farmer; of 6, laborer; 3, millman; 2, railroad hand; 2, truckman; 2, carpenter; 2, grocer; 1, judge of probate; 1, shoemaker; 1, lumberman; 1, blacksmith; 1, surveyor of lumber, 1; student; 1, prison convict; 1, retired soldier; 1, sailor; and in 6, the occupation was not stated.

Of the females, the occupation of 4 was returned as housewife, and 4 as housekeeper; 3, housework; 1, seamstress; 1 dress-maker; 1, mill operative; and 1, pedler.

As to the means employed, 15 committed suicide by hanging; 15, by shooting; 7, by drowning; 10, by cuts; 10, with poison; and in 9, the method is not stated.

SUICIDES BY AGES, MONTHS AND COUNTIES-1895.

Age-periods.	Months.	Counties.		Rate per 10,000 of population.
10-20 2	January 1	Androscoggin	2	0.41
20-80 12	February 4	Aroostook	4	0.81
80-40 14	March 6	Cumberland	9	0.99
40-50 11	April 7	Franklin	2	1.17
50-60 8	May 7	Hancock	1	0.27
60-70 11	June 6	Kennebec	5	0.88
70–80 7	July 8	Knox	7	2.22
Over 80 1	August 2	Lincoln	1	0.45
Total 66	September 10	Oxford	4	1.81
	October 9	Penobscot	9	1.24
	November 3	Piscataquis	1	0.62
	December 8	Sagadahoe	4	2.06
	Total 66	Somerset	4	1.23
		Waldo	8	1.08
		Washington	-	-
		York 1	10	1.59
	•	State 6	36	1.00

The youngest suicide was a boy of 14 years, and 10 months; the oldest, a man of 80 years. The largest number of suicides in any one month was 10 in September. There were 9 in October, and 8 in December. By quarters, the suicides were 11, 20, 15, and 20. The largest number in any one county was 10 in York; the highest death-rate from suicide was in Knox county. The rate for the State per 10,000 of population was 1.00; that of Vermont, in the same year, was 1.02; Massachusetts, 1.12; Rhode Island, 0.81; Connecticut, 1.31.

The death-rate from suicide in some European countries was as follows for the years 1887-91: Ireland, 0.24; Italy, 0.52; Scotland, 0.56; The Netherlands, 0.58; England, 0.80; Sweden, 1.19; Belgium, 1.22; Prussia, 1.97; France, 2.18; German Empire, 2.46.

LIST OF TABLES.

	PAGE
Table No. 1.—Population of the State by Counties, 1890 and 1880	7
Table No. 2.—Density of the Population: New England States.	8
Table No. 3.—Density of the Population: Counties of Maine	9
Table No. 4.—Population of 1890; Births, Marriages, and Deaths	
with the Rate of Each to 1,000 of population for	
the year ending December 31, 1895	10
Table.—Summary of Births, Marriages, and Deaths	11
Table No. 5.—Births and Deaths in each County	12
Table No. 6.—Births and Deaths, in the Cities	13
Table No. 7.—Births, Marriages, and Deaths by Counties and	
Towns	14–65
Table No. 8.—Births, Marriages, and Deaths by Counties	66–67
Table No. 9.—Births and Birth-Rates by Counties, for the years	
1892-95	68
Table No. 10.—Births by Counties, showing the proportion of	
males to females	69
Table No. 11.—Number of Births in each Month of 1892, 1893,	
1894, and 1895, with Monthly Ratio compared	
with a Standard of 100	70
Table No. 12.—Births by Sex and Months by Counties, 1895	71
Table No. 13.—Births in Cities, for 1895, with rate per 1,000 of	=0
population	72
Table No. 14.—Percentage of American and Foreign Births by Counties, 1895	73
•	10
Table No. 15.—Percentage of American and Foreign Births, by Cities, 1895	74
Table No. 16.—Twin Births by Months and Counties, 1895	7 4 75
Table No. 17.—Twin Births by Sex and Parentage, by Counties,	75
1895	76
Table No. 18.—Still-Births by Sex and Parentage, by Counties,	70
1895	77
Table No. 19.—Still-Births by Seasons, 1895	78
Table No. 20.—Marriages and Marriage Rates by Counties for the	10
vears 1892-95	81
Table No. 21.—Marriages by Counties and Nativity, 1895	82
Table No. 22.—Marriages by Months and Counties, 1895	83
□ • • • • • • • • • • • • • • • • • • •	

PAGE	~ * * * *
	Table No. 23.—Number of Marriages in Each Month of 1892, 1893,
	1894, and 1895, with Monthly Ratio compared
84	with a Standard of 100
85	Table No. 24.—Marriages by Ages and Counties, 1895
86-87	Table No. 25.—Interesting Facts in Relation to Marriage
	Table No. 26.—Divorces decreed by the Supreme Court of Maine
90-91	in the year 1895
,	Table No. 27.—Divorces by Causes, Sex of Libellants, and the
92	number of years married, 1895
•	Table No. 28.—Deaths and Death-Rates by Counties, for the
94	years 1892-95
	Table No. 29.—Number of Deaths in each Month of 1892, 1893,
	1894, and 1895 with Monthly Ratio compared
95	with a Standard of 100
	Table No. 30.—The Number of Deaths in the State, and in each
	County, arranged by Classes and Groups
	Table No. 31.—Deaths in each Town from Special Causes, mostly
104-143	Infectious Diseases
	Table No. 32.—Deaths in each Town from Certain Diseases and
	Groups of Diseases
	Table No. 33.—Deaths by Ages, Sex, and Months by Counties
	Table No. 34.—Number of Deaths from Several Specified Causes,
	of each Sex, in each Month, which were regis-
186	tered during four years 1892-95
	Table No. 35Mortality by Months, reduced to a Standard Mean
187	of 100: Four years 1892-95
190	Table.—Mortality from Ten Prominent Causes, 1892-95
191	Table.—Zymotic Death-Rates: New England States, 1895
· 192	Table.—Seven Zymotic Diseases by Counties, 1895
193	Table.—Zymotic Diseases by Cities, 1895
	Table.—Infectious Diseases, 1892-95
	Table.—Scarlet Fever by Counties, Months, and Age-Periods,
	1893-95
	Table.—Influenza by Counties and Months, 1895
	Table.—Whooping Cough by Counties, Months, and Age-Periods,
	1895
	Table.—Diphtheria by Counties and Months, 1895
	Table.—Croup by Counties and Months, 1895
	Table.—Diphtheria and Croup by Counties, Months, and Age-
	Periods, 1892-95
	Table.—Cerebro Spinal Meningitis by Counties, Months, and Age
	Periods, 1895
	Table.—Typhoid Fever by Counties, Months, and Age-Periods
	1892-95
	Table.—Consumption by Counties and Months, 1895
	which the same of the sa

LIST OF TABLES.	22 9
	PAGE
Table.—Consumption by Counties, Months and Age-Periods,	
1892-95	206
Table.—Infantile Diarrhea by Counties and Months, 1895	208
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods,	
1892-95	209
Table.—Infantile Diarrhea in the Cities, 1892-95	210
Table.—Rheumatism by Counties, Months, and Age-Groups, 1895.	212
Table.—Rheumatism by Counties, Months, and Age-Periods,	
1893-95	213
Table.—Cancer by Counties and Age-Groups, 1892-95	214
Table.—Old Age by Counties, 1895	215
Table.—Apoplexy by Counties, Months, and Age-Periods, 1895	217
Table.—Diseases of the Heart by Ages and by Sex	218
Table.—Diseases of the Heart by Counties	218
Table.—Pneumonia by Counties and Months with Death-Rates	
, per 10,000, 1895	220
Table.—Pneumonia by Counties and Months, 1892-95	221
Table.—Bronchitis by Counties and Months, 1895	222
Table.—Peritonitis by Counties and Months, 1895	223
Table.—Bright's Disease by Counties, 1895	224
Table Suide by Ame Months and Counting 1905	996

INDEX


	PAGE
Accidents	224
Age and mortality	189
Appendicitis	223
Apoplexy	216
by counties, months, and age-periods	217
Birth-rate	79
Birth-rates	10, 11
Births and birth-rates, by counties and years	68
by counties, showing proportion of males to females	69
by seasons	80
by sex and months, by counties	71
in cities, for 1895, with rate	72
in each month, by years	70
notes on	79
parentage	79
percentage of American and foreign, by cities	74
by counties	73
relation to deaths	12
twin	80
by months and counties	75
by sex and parentage	76
marriages and deaths, in each town	14-67
Brain or membranes, inflammation of	216
softening of the	217
Bright's disease	224
Bronchitis2	21, 222
Cancer	213
1895 and 1892–95	214
Centenarians	215
Cerebro-spinal meningitis	200
by counties, months, and age-periods	201
Childbirth	224
Cirrhosis of the liver	223
Constitutional diseases	211
Consumption. by counties and months	205
by counties, months, and age-periods, 1892–95	206
Croup	198
by counties and months	199

INDEX.	231
	PAGE
Deaths, age and mortality	189
causes of	189
by ages, sex and months, by counties	184
by months, reduced to a standard mean for four years	187
in each town, from special causes	104-143
from certain diseases and groups of diseases,	14 4 –183
in the State and counties, by classes and groups	96-103
from several specified causes in four years	186
notes on, and the causes of deaths	188
number in each month, by years	95
seasons and mortality	188
sex and mortality	189
and death-rates, by counties and years	94
Death-rates10,	11, 188
compared	188
Diabetes	214
Diarrheal diseases	206
Dietetic diseases	211
Digestive system, diseases of the	223
Diphtheria	197
by counties and months	198
and croup, by counties, months, and age-periods, 1892-95	
Divorces by causes, sex of libellants, etc	92
decreed in 1895	90
notes on	93
Epilepsy	217
Heart, diseases of the	218
Hemiplegia	217
Homicide	225
Infantile diarrhea	207
by counties and months	208
by counties, months, and age-periods, 1892–95,	209
in cities, 1892–95	210
Infectious diseases	193
1892–95	194
Influenza	198
deaths from, by counties and months	196
Liver, cirrhosis of	223
Marriage, interesting facts relating to	86
rates10	
Marriages, ages	88
and rates, by counties	81
by ages and counties	85
by counties and nativity	82
harmantha and annother	05

	AGE
Marriages, nativity	88
notes on ····	88
number of, in each month, by years	84
seasons	88
Malarial diseases	203
Measles	194
Mortality from ten prominent causes, 1892–95	190
Nephritis	224
Nervous system, diseases of	216
Old age214,	215
Paralysis	217
Peritonitis	223
Pleurisy · · · · · · · · · · · · · · · · · · ·	222
Pneumonia	219
1892–95	221
by counties and months, with death-rates	220
Population	7
density of	8
Respiratory system, diseases of the	219
Rheumatism ······	211
by counties, months, and age-periods212,	213
Scarlet fever·····	194
by counties, months, and age-periods	195
Septic diseases	211
Small-pox	194
Still-births	80
by seasons · · · · · · · · · · · · · · · · · · ·	78
by sex and parentage	77
Suicide225,	226
Tetanus · · · · · · · · · · · · · · · · · · ·	201
Tuberculosis	204
mesenteric	206
other forms	206
Typhoid fever $\cdots 201$,	202
by counties, months, and age-periods, 1892-95 ····	203
Urinary system, diseases of the	224
Whooping cough	197
by counties, months, and age-periods	197
Zymotic death-rates	191
diseases	190
by cities	193
seven, by counties	192

LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on or before the date last stamped below.



Maine. Registrar of vital statistics. Annual report. 3059 177 All v.4 DATE DUE NAME

